

ARIZONA

2009 Codebook Report

Behavioral Risk Factor Surveillance System

March 17, 2010



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

State FIPS Code

Section: 0.1 Record Identification

Column: 1-2

Prologue:

Description: State FIPS Code

Type: Num

SAS Variable Name: _STATE

Value	Value Label	Frequency	Percentage	Weighted Percentage
4	Arizona	5,475	100.00	100.00

Geographic Stratum Code

Section: 0.2 Record Identification

Column: 3-4

Prologue:

Description: Geographic Stratum Code

Type: Num

SAS Variable Name: _GEOSTR

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed	5,475	100.00	100.00
Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report				

Household Density Stratum Code

Section: 0.3 Record Identification

Column: 5

Prologue:

Description: Household Density Stratum Code

Type: Num

SAS Variable Name: _DENSTR2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Listed	3,540	64.66	56.41
2	Unlisted	1,935	35.34	43.59

Pre-Call Status Code

Section: 0.4 Record Identification

Column: 6

Prologue:

Description: Pre-Call Status Code

Type: Num

SAS Variable Name: PRECALL

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	To be called	5,338	97.50	97.44
3	Pre-screened as non-working number	98	1.79	1.85
5	Pre-screened as business number	39	0.71	0.71

Replicate Number

Section: 0.5 Record Identification

Column: 7-12

Prologue:

Description: Replicate Number

Type: Num

SAS Variable Name: REPNUM

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed	5,475	100.00	100.00
Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report				

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Replicate Depth

Section: 0.6 Record Identification

Column: 13-14

Prologue:

Description: Replicate Depth

Type: Num

SAS Variable Name: REPDEPTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

File Month

Section: 0.7 Record Identification

Column: 15-16

Prologue:

Description: File Month

Type: Num

SAS Variable Name: FMONTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	February	860	15.71	14.11
3	March	453	8.27	9.60
4	April	429	7.84	8.16
5	May	478	8.73	9.66
6	June	386	7.05	7.21
7	July	467	8.53	9.08
8	August	492	8.99	9.55
9	September	474	8.66	8.83
10	October	574	10.48	9.16
11	November	644	11.76	11.88
12	December	218	3.98	2.76

Interview Date

Section: 0.8 Record Identification

Column: 17-24

Prologue:

Description: Interview Date

Type: Char

SAS Variable Name: IDATE

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Interview Month

Section: 0.9 Record Identification

Column: 17-18

Prologue:

Description: Interview Month

Type: Char

SAS Variable Name: IMONTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	February	307	5.61	5.14
3	March	1,006	18.37	18.58
4	April	429	7.84	8.16
5	May	478	8.73	9.66
6	June	386	7.05	7.21
7	July	467	8.53	9.08
8	August	492	8.99	9.55
9	September	465	8.49	8.77
10	October	550	10.05	8.61
11	November	677	12.37	12.50
12	December	218	3.98	2.76

Interview Day

Section: 0.10 Record Identification

Column: 19-20

Prologue:

Description: Interview Day

Type: Char

SAS Variable Name: IDAY

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Interview Day	215	3.93	3.13
2		261	4.77	4.00
3		315	5.75	5.22
4		276	5.04	4.10
5		228	4.16	3.49
6		203	3.71	4.86
7		174	3.18	2.65
8		273	4.99	4.29
9		199	3.63	3.68
10		214	3.91	3.12
11		195	3.56	2.84
12		240	4.38	4.44
13		193	3.53	4.19
14		210	3.84	4.37
15		208	3.80	4.28
16		161	2.94	3.31
17		156	2.85	2.81
18		222	4.05	4.02
19		149	2.72	2.56
20		152	2.78	2.75
21		139	2.54	2.83
22		183	3.34	4.32
23		154	2.81	2.92
24		124	2.26	2.65
25		122	2.23	2.85
26		110	2.01	2.44
27		125	2.28	2.39
28		112	2.05	2.52
29		72	1.32	1.29
30		66	1.21	1.27
31		24	0.44	0.41

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Interview Year

Section: 0.11 Record Identification

Column: 21-24

Prologue:

Description: Interview Year

Type: Char

SAS Variable Name: IYEAR

Value	Value Label	Frequency	Percentage	Weighted Percentage
2009		5,475	100.00	100.00

Interviewer Identification

Section: 0.12 Record Identification

Column: 25-29

Prologue:

Description: Interviewer Identification

Type: Char

SAS Variable Name: INTVID

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Final Disposition

Section: 0.13 Record Identification

Column: 30-32

Prologue:

Description: Final Disposition

Type: Num

SAS Variable Name: DISPCODE

Value	Value Label	Frequency	Percentage	Weighted Percentage
110	Completed Interview	5,132	93.74	93.04
120	Partial Complete Interview	343	6.26	6.96

Annual Sequence Number

Section: 0.14 Record Identification

Column: 33-42

Prologue:

Description: Annual Sequence Number

Type: Num

SAS Variable Name: SEQNO

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Primary Sampling Unit

Section: 0.15 Record Identification

Column: 33-42

Prologue:

Description: Primary Sampling Unit (Equal to Annual Sequence Number)

Type: Num

SAS Variable Name: _PSU

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Number of Attempts

Section: 0.16 Record Identification

Column: 43-44

Prologue:

Description: Number of Attempts

Type: Num

SAS Variable Name: NATTMPTS

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Number of Sample Records Selected from Stratum

Section: 0.17 Record Identification

Column: 45-50

Prologue:

Description: Number of Sample Records Selected from Stratum

Type: Num

SAS Variable Name: NRECSEL

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Number of Telephone Numbers in Stratum from Which Sample Was Selected

Section: 0.18 Record Identification

Column: 51-59

Prologue:

Description: Number of Telephone Numbers in Stratum from Which Sample Was Selected

Type: Num

SAS Variable Name: NRECSTR

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Correct telephone number?

Section: 0.19 Record Identification

Column: 60

Prologue:

Description: Correct Telephone Number?

Type: Num

SAS Variable Name: CTELENUM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,475	100.00	100.00

Cellular Telephone

Section: 0.20 Record Identification

Column: 61

Prologue:

Description: Cellular Telephone

Type: Num

SAS Variable Name: CELLFON

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not a cellular phone	5,475	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Private Residence?

Section: 0.21 Record Identification

Column: 62

Prologue:

Description: Private Residence?

Type: Num

SAS Variable Name: PVTRESID

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,475	100.00	100.00

Number of Adults in Household

Section: 0.22 Record Identification

Column: 63-64

Prologue:

Description: Number of Adults in Household

Type: Num

SAS Variable Name: NUMADULT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Number of adults in the household	1,838	33.57	15.28
2		3,001	54.81	57.50
3		444	8.11	15.62
4		141	2.58	7.89
5		42	0.77	2.26
6 - 99	6 or more	9	0.16	1.46

Number of Adult men in Household

Section: 0.23 Record Identification

Column: 65-66

Prologue:

Description: Number of Adult Men in Household

Type: Num

SAS Variable Name: NUMMEN

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Number of adult men in the household	1,441	26.32	12.21
1		3,634	66.37	69.07
2		331	6.05	14.27
3		59	1.08	3.19
4		9	0.16	1.09
5		1	0.02	0.18

Number of Adult women in Household

Section: 0.24 Record Identification

Column: 67-68

Prologue:

Description: Number of Adult Women in Household

Type: Num

SAS Variable Name: NUMWOMEN

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Number of adult women in the household	618	11.29	7.48
1		4,313	78.78	72.20
2		471	8.60	17.28
3		60	1.10	2.29
4		12	0.22	0.73
5		1	0.02	0.03

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

General Health

Section: 1.1 Health Status

Column: 73

Type: Num

SAS Variable Name: GENHLTH

Prologue:

Description: Would you say that in general your health is:

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Excellent	983	17.95	20.88
2	Very good	1,630	29.77	32.31
3	Good	1,597	29.17	30.33
4	Fair	784	14.32	10.05
5	Poor	322	5.88	4.16
7	Don't know/Not Sure	12	0.22	0.15
9	Refused	147	2.68	2.12

Number of Days Physical Health Not Good

Section: 2.1 Healthy Days - Health-Related Quality of Life

Column: 74-75

Type: Num

SAS Variable Name: PHYSHLTH

Prologue:

Description: Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: __ Number of days	2,044	37.33	37.02
88	None	3,353	61.24	61.80
77	Don't know/Not sure	64	1.17	1.08
99	Refused	14	0.26	0.10

Number of Days Mental Health Not Good

Section: 2.2 Healthy Days - Health-Related Quality of Life

Column: 76-77

Type: Num

SAS Variable Name: MENTHLTH

Prologue:

Description: Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: __ Number of days	1,736	31.71	34.73
88	None	3,667	66.98	64.43
77	Don't know/Not sure	56	1.02	0.75
99	Refused	16	0.29	0.09

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Poor Physical Health

Section: 2.3 Healthy Days - Health-Related Quality of Life

Column: 78-79

Type: Num

SAS Variable Name: POORHLTH

Prologue:

Description: During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: _ _ Number of days	1,266	43.52	43.43
88	None	1,592	54.73	55.50
77	Don't know/Not sure	41	1.41	0.91
99	Refused	10	0.34	0.16
BLANK	Not asked or Missing Notes: Section 2.01, PHYSHLTH, is 88 and Section 2.02, MENTHLTH, is 88	2,566		

Have any health care coverage

Section: 3.1 Health Care Access

Column: 80

Type: Num

SAS Variable Name: HLTHPLAN

Prologue:

Description: Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,844	88.47	84.62
2	No	617	11.27	14.93
7	Don't know/Not Sure	10	0.18	0.38
9	Refused	4	0.07	0.08

Multiple Health Care Professionals

Section: 3.2 Health Care Access

Column: 81

Type: Num

SAS Variable Name: PERSDOC2

Prologue:

Description: Do you have one person you think of as your personal doctor or health care provider? (If "No" ask "Is there more than one or is there no person who you think of as your personal doctor or health care provider?".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, only one	4,051	73.99	71.25
2	More than one	474	8.66	7.63
3	No	933	17.04	20.42
7	Don't know/Not Sure	13	0.24	0.68
9	Refused	4	0.07	0.02

Could Not See Doctor Because of Cost

Section: 3.3 Health Care Access

Column: 82

Type: Num

SAS Variable Name: MEDCOST

Prologue:

Description: Was there a time in the past 12 months when you needed to see a doctor but could not because of cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	662	12.09	14.09
2	No	4,804	87.74	85.69
7	Don't know/Not sure	6	0.11	0.16
9	Refused	3	0.05	0.05

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Length of time since last routine checkup

Section: 3.4 Health Care Access

Column: 83

Type: Num

SAS Variable Name: CHECKUP1

Prologue:

Description: About how long has it been since you last visited a doctor for a routine checkup? [A routine checkup is a general physical exam, not an exam for a specific injury, illness, or condition.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within past year (anytime less than 12 months ago)	3,894	71.12	65.16
2	Within past 2 years (1 year but less than 2 years ago)	650	11.87	13.99
3	Within past 5 years (2 years but less than 5 years ago)	431	7.87	10.63
4	5 or more years ago	365	6.67	7.36
7	Don't know/Not sure	60	1.10	1.14
8	Never	74	1.35	1.71
9	Refused	1	0.02	0.02

How many days did you not get enough sleep in past 30 days

Section: 4.1 Sleep

Column: 84-85

Type: Num

SAS Variable Name: QLREST2

Prologue:

Description: During the past 30 days, for about how many days have you felt you did not get enough rest or sleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days	3,286	60.02	68.34
88	None	2,126	38.83	30.80
77	Don't know/Not sure	58	1.06	0.83
99	Refused	5	0.09	0.04

Exercise in Past 30 Days

Section: 5.1 Exercise

Column: 86

Type: Num

SAS Variable Name: EXERANY2

Prologue:

Description: During the past month, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,094	74.78	80.90
2	No	1,375	25.11	18.95
7	Don't know/Not Sure	4	0.07	0.13
9	Refused	2	0.04	0.01

Ever Told by Doctor You Have Diabetes

Section: 6.1 Diabetes

Column: 87

Type: Num

SAS Variable Name: DIABETE2

Prologue:

Description: Have you ever been told by a doctor that you have diabetes (If "Yes" and respondent is female, ask "Was this only when you were pregnant?". If Respondent says pre-diabetes or borderline diabetes, use response code 4.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	691	12.62	8.44
2	Yes, but female told only during pregnancy	44	0.80	0.88
3	No	4,642	84.79	89.29
4	No, pre-diabetes or borderline diabetes	94	1.72	1.36
7	Don't know/Not Sure	3	0.05	0.03
9	Refused	1	0.02	0.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Ever Told Blood Pressure High

Section: 7.1 Hypertension Awareness

Column: 88

Type: Num

SAS Variable Name: BPHIGH4

Prologue:

Description: Have you EVER been told by a doctor, nurse or other health professional that you have high blood pressure? (If "Yes" and respondent is female, ask "Was this only when you were pregnant?".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,100	38.36	26.53
2	Yes, but female told only during pregnancy—Go to Section 08.01 BLOODCHO	57	1.04	1.21
3	No—Go to Section 08.01 BLOODCHO	3,258	59.51	71.03
4	Told borderline high or pre-hypertensive—Go to Section 08.01 BLOODCHO	52	0.95	1.08
7	Don't know/Not Sure—Go to Section 08.01 BLOODCHO	7	0.13	0.11
9	Refused—Go to Section 08.01 BLOODCHO	1	0.02	0.03

Currently Taking Blood Pressure Medication

Section: 7.2 Hypertension Awareness

Column: 89

Type: Num

SAS Variable Name: BPMEDS

Prologue:

Description: Are you currently taking medicine for your high blood pressure?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,720	81.90	75.32
2	No	375	17.86	24.57
7	Don't know/Not Sure	5	0.24	0.11
BLANK	Not asked or Missing	3,375		

Notes: Section 07.01, BPHIGH4, is coded 2, 3, 4, 7, 9, or Missing

Ever Had Blood Cholesterol Checked

Section: 8.1 Cholesterol Awareness

Column: 90

Type: Num

SAS Variable Name: BLOODCHO

Prologue:

Description: Blood cholesterol is a fatty substance found in the blood. Have you EVER had your blood cholesterol checked?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,750	86.76	75.73
2	No—Go to Section 09.01 CVDINFR4	647	11.82	22.25
7	Don't know/Not Sure—Go to Section 09.01 CVDINFR4	78	1.42	2.02

How Long since Cholesterol Checked

Section: 8.2 Cholesterol Awareness

Column: 91

Type: Num

SAS Variable Name: CHOLCHK

Prologue:

Description: About how long has it been since you last had your blood cholesterol checked?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	3,631	76.44	72.73
2	Within the past 2 years (1 year but less than 2 years ago)	548	11.54	13.10
3	Within the past 5 years (2 years but less than 5 years ago)	365	7.68	9.52
4	5 or more years ago	169	3.56	4.09
7	Don't know/Not Sure	36	0.76	0.55
9	Refused	1	0.02	0.00
BLANK	Not asked or Missing	725		

Notes: Section 8.01, BLOODCHO, is coded 2, 7, 9, or Missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Ever Told Blood Cholesterol High

Section: 8.3 Cholesterol Awareness

Column: 92

Type: Num

SAS Variable Name: TOLDHI2

Prologue:

Description: Have you EVER been told by a doctor, nurse or other health professional that your blood cholesterol is high?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,146	45.18	40.61
2	No	2,561	53.92	58.68
7	Don't know/Not Sure	41	0.86	0.65
9	Refused	2	0.04	0.05
BLANK	Not asked or Missing	725		

Notes: Section 08.01, BLOODCHO, is coded 2, 7, 9, or Missing

Ever Diagnosed with Heart Attack

Section: 9.1 Cardiovascular Disease Prevalence

Column: 93

Type: Num

SAS Variable Name: CVDINFR4

Prologue: Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":

Description: (Ever told) you had a heart attack, also called a myocardial infarction?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	382	6.98	4.34
2	No	5,054	92.31	95.22
7	Don't know/Not sure	38	0.69	0.44
9	Refused	1	0.02	0.01

Ever Diagnosed with Angina or Coronary Heart Disease

Section: 9.2 Cardiovascular Disease Prevalence

Column: 94

Type: Num

SAS Variable Name: CVDCRHD4

Prologue: Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":]

Description: (Ever told) you had angina or coronary heart disease?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	346	6.32	3.37
2	No	5,055	92.33	95.72
7	Don't know/Not sure	73	1.33	0.90
9	Refused	1	0.02	0.01

Ever Diagnosed with a Stroke

Section: 9.3 Cardiovascular Disease Prevalence

Column: 95

Type: Num

SAS Variable Name: CVDSTRK3

Prologue: Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":]

Description: (Ever told) you had a stroke.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	267	4.88	2.61
2	No	5,197	94.92	97.31
7	Don't know/Not sure	11	0.20	0.08

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Ever Told Had Asthma

Section: 10.1 Asthma

Column: 96

Type: Num

SAS Variable Name: ASTHMA2

Prologue:

Description: Have you ever been told by a doctor, nurse, or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	780	14.25	15.47
2	No—Go to Section 11.01 SMOKE100	4,684	85.55	84.42
7	Don't know/Not Sure—Go to Section 11.01 SMOKE100	11	0.20	0.10

Still Have Asthma

Section: 10.2 Asthma

Column: 97

Type: Num

SAS Variable Name: ASTHNOW

Prologue:

Description: Do you still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	517	66.28	69.50
2	No	242	31.03	27.93
7	Don't know/Not Sure	21	2.69	2.57
BLANK	Not asked or Missing	4,695		
Notes: Section 10.01, ASTHMA2, is coded 2, 7, 9, or Missing				

Smoked at Least 100 Cigarettes

Section: 11.1 Tobacco Use

Column: 98

Type: Num

SAS Variable Name: SMOKE100

Prologue:

Description: Have you smoked at least 100 cigarettes in your entire life? [Note: 5 packs = 100 cigarettes]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,637	48.16	41.89
2	No—Go to Section 11.05 USENOW3	2,817	51.45	57.43
7	Don't know/Not Sure—Go to Section 11.05 USENOW3	20	0.37	0.63
9	Refused—Go to Section 11.05 USENOW3	1	0.02	0.05

Frequency of Days Now Smoking

Section: 11.2 Tobacco Use

Column: 99

Type: Num

SAS Variable Name: SMOKDAY2

Prologue:

Description: Do you now smoke cigarettes every day, some days, or not at all?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	636	24.12	26.14
2	Some days	195	7.39	12.14
3	Not at all—Go to Section 11.04 LASTSMK1	1,806	68.49	61.72
BLANK	Not asked or Missing	2,838		
Notes: Section 11.01, SMOKE100, is coded 2, 7, 9, or Missing				

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Stopped Smoking in past 12 months

Section: 11.3 Tobacco Use

Column: 100

Type: Num

SAS Variable Name: STOPSMK2

Prologue:

Description: During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to Section 11.05 USENOW3	437	52.59	55.75
2	No—Go to Section 11.05 USENOW3	392	47.17	44.09
7	Don't know/Not Sure—Go to Section 11.05 USENOW3	2	0.24	0.15
BLANK	Not asked or Missing	4,644		
Notes: Section 11.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 11.02, SMOKDAY2, is coded 3, 7, 9, or Missing				

Interval Since Last Smoked

Section: 11.4 Tobacco Use

Column: 101-102

Type: Num

SAS Variable Name: LASTSMK1

Prologue:

Description: How long has it been since you last smoked cigarettes regularly?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (less than 1 month ago)	22	1.22	1.63
2	Within the past 3 months (1 month but less than 3 months ago)	19	1.05	3.45
3	Within the past 6 months (3 months but less than 6 months ago)	26	1.44	1.89
4	Within the past year (6 months but less than 1 year ago)	42	2.33	3.18
5	Within the past 5 years (1 year but less than 5 years ago)	210	11.63	18.45
6	Within the past 10 years (5 years but less than 10 years ago)	169	9.36	13.01
7	10 years or more	1,289	71.37	57.19
8	Never smoked regularly	28	1.55	1.15
77	Don't know/Not sure	1	0.06	0.03
BLANK	Not asked or Missing	3,669		
Notes: Section 11.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 11.02, SMOKDAY2, is coded 7, 9, or Missing; or Section 11.03, STOPSMK2, is coded 1, 2, 7, 9;				

Use of Smokeless Tobacco Products

Section: 11.5 Tobacco Use

Column: 103

Type: Num

SAS Variable Name: USENOW3

Prologue:

Description: Do you currently use chewing tobacco, snuff, or snus every day, some days, or not at all? [Snus (Swedish for snuff) is a moist smokeless tobacco, usually sold in small pouches that are placed under the lip against the gum.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	74	1.35	1.44
2	Some days	50	0.91	1.65
3	Not at all	5,349	97.70	96.91
7	Don't know/Not Sure	2	0.04	0.01

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Reported Age in Years

Section: 12.1 Demographics

Column: 104-105

Type: Num

SAS Variable Name: AGE

Prologue:

Description: What is your age?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	3	0.05	0.00
9	Refused	45	0.82	0.73
18 - 24	Age 18 - 24	143	2.61	11.27
	Notes: _ _ Code age in years			
25 - 34	Age 25 - 34	442	8.07	20.62
35 - 44	Age 35 - 44	662	12.09	18.25
45 - 54	Age 45 - 54	914	16.69	17.56
55 - 64	Age 55 - 64	1,164	21.26	13.62
65 - 99	Age 65 or older	2,102	38.39	17.93

Hispanic/Latino

Section: 12.2 Demographics

Column: 106

Type: Num

SAS Variable Name: HISPANC2

Prologue:

Description: Are you Hispanic or Latino?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	846	15.45	20.28
2	No	4,593	83.89	79.13
7	Don't know/Not Sure	13	0.24	0.10
9	Refused	23	0.42	0.49

Multiple Race

Section: 12.3 Demographics

Column: 107-112

Type: Char

SAS Variable Name: MRACE

Prologue:

Description: Which one or more of the following would you say is your race? [Mark all that apply.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	47	0.86	1.02
9	Refused	57	1.04	1.28
	Notes: Specify_____			
HIDDEN	Data not displayed	5,371	98.10	97.70
	Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report			

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Respondent Race Choice

Section: 12.4 Demographics

Column: 113

Type: Num

SAS Variable Name: ORACE2

Prologue:

Description: Which one of these groups would you say best represents your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White	42	60.00	51.48
2	Black or African American	5	7.14	19.92
3	Asian	2	2.86	2.48
4	Native Hawaiian or Other Pacific Islander	2	2.86	1.20
5	American Indian, Alaska Native	10	14.29	8.83
6	Other	2	2.86	0.36
	Notes: Specify_____			
7	Don't know/Not sure	2	2.86	2.75
9	Refused	5	7.14	12.98
BLANK	Not asked or Missing	5,405		
	Notes: Section 12.03, MRACE, has only one valid race code (1-6)			

Are You A Veteran

Section: 12.5 Demographics

Column: 114

Type: Num

SAS Variable Name: VETERAN2

Prologue:

Description: Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit? Active duty does not include training for the Reserves or National Guard, but DOES include activation, for example, for the Persian Gulf War.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, now on active duty	26	0.47	0.85
2	Yes, on active duty during the last 12 months, but not now	16	0.29	0.51
3	Yes, on active duty in the past, but not during the last 12 months	864	15.78	12.58
4	No, training for Reserves or National Guard only	50	0.91	0.76
5	No, never served in the military	4,511	82.39	85.04
7	Don't know/Not Sure	4	0.07	0.17
9	Refused	4	0.07	0.08

Marital Status

Section: 12.6 Demographics

Column: 115

Type: Num

SAS Variable Name: MARITAL

Prologue:

Description: Are you: (marital status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	3,036	55.45	62.60
2	Divorced	788	14.39	8.79
3	Widowed	859	15.69	6.26
4	Separated	118	2.16	1.63
5	Never married	494	9.02	15.63
6	A member of an unmarried couple	154	2.81	4.73
9	Refused	26	0.47	0.35

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Number of Children in Household

Section: 12.7 Demographics

Column: 116-117

Type: Num

SAS Variable Name: CHILDREN

Prologue:

Description: How many children less than 18 years of age live in your household?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of children Notes: _ _ = Number of children	1,460	26.67	45.15
88	None	4,007	73.19	54.74
99	Refused	8	0.15	0.11

Education Level

Section: 12.8 Demographics

Column: 118

Type: Num

SAS Variable Name: EDUCA

Prologue:

Description: What is the highest grade or year of school you completed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Never attended school or only kindergarten	19	0.35	0.12
2	Grades 1 through 8 (Elementary)	201	3.67	2.46
3	Grades 9 through 11 (Some high school)	335	6.12	6.70
4	Grade 12 or GED (High school graduate)	1,414	25.83	25.98
5	College 1 year to 3 years (Some college or technical school)	1,686	30.79	28.94
6	College 4 years or more (College graduate)	1,801	32.89	35.53
9	Refused	19	0.35	0.27

Employment Status

Section: 12.9 Demographics

Column: 119

Type: Num

SAS Variable Name: EMPLOY

Prologue:

Description: Are you currently: (employment status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Employed for wages	1,848	33.75	46.93
2	Self-employed	410	7.49	7.93
3	Out of work for more than 1 year	102	1.86	2.20
4	Out of work for less than 1 year	213	3.89	6.81
5	A homemaker	505	9.22	8.65
6	A student	82	1.50	5.01
7	Retired	1,965	35.89	18.51
8	Unable to work	329	6.01	3.67
9	Refused	21	0.38	0.29

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Income Level

Section: 12.10 Demographics

Column: 120-121

Type: Num

SAS Variable Name: INCOME2

Prologue:

Description: Is your annual household income from all sources: (If respondent refuses at any income level, code "Refused.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$10,000 Notes: If "no," code 02	275	5.02	3.46
2	Less than \$15,000 (\$10,000 to less than \$15,000) Notes: If "no," code 03; if "yes," ask 01	331	6.05	5.75
3	Less than \$20,000 (\$15,000 to less than \$20,000) Notes: If "no," code 04; if "yes," ask 02	424	7.74	6.75
4	Less than \$25,000 (\$20,000 to less than \$25,000) Notes: If "no," ask 05; if "yes," ask 03	470	8.58	6.74
5	Less than \$35,000 (\$25,000 to less than \$35,000) Notes: If "no," ask 06	577	10.54	7.29
6	Less than \$50,000 (\$35,000 to less than \$50,000) Notes: If "no," ask 07	750	13.70	13.72
7	Less than \$75,000 (\$50,000 to less than \$75,000) Notes: If "no," code 08	754	13.77	14.10
8	\$75,000 or more	1,123	20.51	30.34
77	Don't know/Not sure	354	6.47	6.05
99	Refused	417	7.62	5.81

Reported Weight in Pounds

Section: 12.11 Demographics

Column: 122-125

Type: Num

SAS Variable Name: WEIGHT2

Prologue:

Description: About how much do you weigh without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions up.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
50 - 0999	Weight (pounds) Notes: 0 _ _ _ = weight in pounds	5,286	96.55	96.87
7777	Don't know/Not sure	67	1.22	1.05
9000 - 9998	Weight (kilograms) Notes: The initial '9' indicates this was a metric value.	26	0.47	0.40
9999	Refused	96	1.75	1.69

Reported Height in Feet and Inches

Section: 12.12 Demographics

Column: 126-129

Type: Num

SAS Variable Name: HEIGHT3

Prologue:

Description: About how tall are you without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions down.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
200 - 711	Height (ft/inches) Notes: 0 _ / _ _ = feet / inches	5,302	96.84	95.73
7777	Don't know/Not sure	88	1.61	1.79
9000 - 9998	Height (meters/centimeters) Notes: The initial '9' indicates this was a metric value.	65	1.19	1.99
9999	Refused	20	0.37	0.49

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Reported Weight year ago in Pounds

Section: 12.13 Demographics

Column: 130-133

Type: Num

SAS Variable Name: WTYRAGO

Prologue:

Description: How much did you weigh a year ago? [If you were pregnant a year ago, how much did you weigh before your pregnancy?] (If respondent answers in metrics, put a 9 in the first column)[Round fractions up.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
50 - 0999	Weight (pounds)	5,210	98.08	97.63
7777	Don't know/Not sure	74	1.39	1.79
9000 - 9998	Weight (kilograms)	21	0.40	0.45
9999	Refused	7	0.13	0.13
BLANK	Not asked or Missing	163		
Notes: Section 12.11, WEIGHT2, is coded 7777, 9999 or Missing				

Change in weight since year ago

Section: 12.14 Demographics

Column: 134

Type: Num

SAS Variable Name: WTCHGINT

Prologue:

Description: Was the change between your current weight and your weight a year ago intentional?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,119	40.82	41.24
2	No	1,587	57.90	56.38
7	Don't know/Not Sure	34	1.24	2.27
9	Refused	1	0.04	0.11
BLANK	Not asked or Missing	2,734		
Notes: Section 12.11, WEIGHT2, is equal to Section 12.13, WTYRAGO; or Section 12.11, WEIGHT2, is coded 7777, 9999 or Missing				

County Code

Section: 12.15 Demographics

Column: 135-137

Type: Num

SAS Variable Name: CTYCODE

Prologue:

Description: What county do you live in?

Value	Value Label	Frequency	Percentage	Weighted Percentage
777	Don't know/Not sure	124	2.26	2.08
999	Refused	28	0.51	0.47
HIDDEN	Data not displayed	5,323	97.22	97.45
Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report				

Zipcode of residence

Section: 12.16 Demographics

Column: 138-142

Type: Char

SAS Variable Name: ZIPCODE

Prologue:

Description: What is your ZIP Code where you live?

Value	Value Label	Frequency	Percentage	Weighted Percentage
77777	Don't know/Not Sure	132	2.41	1.33
99999	Refused	98	1.79	2.07
BLANK	Not asked or Missing	3		
HIDDEN	Data not displayed	5,242	95.80	96.60
Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report				

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Household Telephones

Section: 12.17 Demographics

Column: 143

Type: Num

SAS Variable Name: NUMHHOL2

Prologue:

Description: Do you have more than one telephone number in your household? Do not include cell phones or numbers that are only used by a computer or fax machine.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	284	5.19	4.20
2	No—Go to Section 12.19 TELSERV2	5,176	94.54	95.48
7	Don't know/Not sure—Go to Section 12.19 TELSERV2	3	0.05	0.06
9	Refused—Go to Section 12.19 TELSERV2	12	0.22	0.26

Residential Phones

Section: 12.18 Demographics

Column: 144

Type: Num

SAS Variable Name: NUMPHON2

Prologue:

Description: How many of these telephone numbers are residential numbers?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Residential telephone number	131	46.13	67.66
2	Residential telephone numbers	127	44.72	27.24
3	Residential telephone numbers	17	5.99	3.64
4	Residential telephone numbers	1	0.35	0.45
5	Residential telephone numbers	1	0.35	0.01
7	Don't know/Not Sure	5	1.76	0.81
9	Refused	2	0.70	0.19
BLANK	Not asked or Missing	5,191		

Notes: Section 12.17, NUMHHOL2, is coded 2, 7, 9, or Missing

Lost phone service one week+ last 12 mos

Section: 12.19 Demographics

Column: 145

Type: Num

SAS Variable Name: TELSERV2

Prologue:

Description: During the past 12 months, has your household been without telephone service for 1 week or more? Do not include interruptions of telephone service because of weather or natural disasters.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	247	4.51	4.73
2	No	5,206	95.09	94.45
7	Don't know/Not Sure	15	0.27	0.66
9	Refused	7	0.13	0.16

Respondents Sex

Section: 12.20 Demographics

Column: 146

Type: Num

SAS Variable Name: SEX

Prologue:

Description: Indicate sex of respondent.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male—Go to Section 13.01 CAREGIVE	2,077	37.94	49.49
2	Female—If 12.01, AGE, is 45 or older go to Section 13.01 CAREGIVE	3,398	62.06	50.51

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Pregnancy Status

Section: 12.21 Demographics

Column: 147

Type: Num

SAS Variable Name: PREGNANT

Prologue:

Description: To your knowledge, are you now pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	32	3.86	7.84
2	No	792	95.54	91.97
7	Don't know/Not Sure	2	0.24	0.04
9	Refused	3	0.36	0.16
BLANK	Not asked or Missing	4,646		
Notes: Section 12.20, SEX, is coded 1; or Section 12.01, AGE, is greater than 44				

Provided regular care for family or friend

Section: 13.1 Caregiver Status

Column: 148

Type: Num

SAS Variable Name: CAREGIVE

Prologue: People may provide regular care or assistance to a friend or family member who has a health problem, long-term illness, or disability.

Description: During the past month, did you provide any such care or assistance to a friend or family member?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,295	23.73	23.54
2	No	4,151	76.05	76.18
7	Don't know/Not Sure	6	0.11	0.17
9	Refused	6	0.11	0.11
BLANK	Not asked or Missing	17		

Activity Limitation Due to Health Problems

Section: 14.1 Disability

Column: 149

Type: Num

SAS Variable Name: QLACTLM2

Prologue: The following questions are about health problems or impairments you may have.

Description: Are you limited in any way in any activities because of physical, mental, or emotional problems?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,413	25.97	18.47
2	No	3,991	73.36	81.06
7	Don't know/Not Sure	30	0.55	0.36
9	Refused	6	0.11	0.11
BLANK	Not asked or Missing	35		

Health Problems Requiring Special Equipment

Section: 14.2 Disability

Column: 150

Type: Num

SAS Variable Name: USEEQUIP

Prologue:

Description: Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone? (Include occasional use or use in certain circumstances.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	589	10.85	6.28
2	No	4,837	89.08	93.65
7	Don't know/Not Sure	2	0.04	0.03
9	Refused	2	0.04	0.03
BLANK	Not asked or Missing	45		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Drink any alcoholic beverages in past 30 days

Section: 15.1 Alcohol Consumption

Column: 151

Type: Num

SAS Variable Name: DRNKANY4

Prologue:

Description: During the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage or liquor?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,604	48.01	52.33
2	No—Go to Section 16.01 FLUSHOT3	2,808	51.77	47.45
7	Don't know/Not Sure—Go to Section 16.01 FLUSHOT3	6	0.11	0.11
9	Refused—Go to Section 16.01 FLUSHOT3	6	0.11	0.10
BLANK	Not asked or Missing	51		

Days in past 30 had alcoholic beverage

Section: 15.2 Alcohol Consumption

Column: 152-154

Type: Num

SAS Variable Name: ALCDAY4

Prologue:

Description: During the past 30 days, how many days per week or per month did you have at least one drink of any alcoholic beverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Days per week Notes: 1__ = Days per week	775	29.81	28.17
201 - 299	Days in past 30 days Notes: 2__ = Days in past 30	1,754	67.46	70.06
777	Don't know/Not sure	30	1.15	0.69
888	No drinks in past 30 days—Go to Section 16.01 FLUSHOT3	20	0.77	0.67
999	Refused	21	0.81	0.41
BLANK	Not asked or Missing Notes: Section 15.01, DRNKANY4, is coded 2, 7, or 9	2,875		

Avg alcoholic drinks per day in past 30

Section: 15.3 Alcohol Consumption

Column: 155-156

Type: Num

SAS Variable Name: AVEDRNK2

Prologue:

Description: One drink is equivalent to a 12-ounce beer, a 5-ounce glass of wine, or a drink with one shot of liquor. During the past 30 days, on the days when you drank, about how many drinks did you drink on the average? [A 40 ounce beer would count as 3 drinks, or a cocktail drink with 2 shots would count as 2 drinks.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks Notes: __ Number of drinks	2,519	97.90	98.77
77	Don't know/Not sure	32	1.24	0.79
99	Refused	22	0.86	0.43
BLANK	Not asked or Missing Notes: Section 15.01, DRNKANY4, is coded 2, 7, or 9; or Section 15.02, ALCDAY4, is coded 888	2,902		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Binge Drinking

Section: 15.4 Alcohol Consumption

Column: 157-158

Type: Num

SAS Variable Name: DRNK3GE5

Prologue:

Description: Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks for men or 4 or more drinks for women on an occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of Times	518	20.16	28.44
88	None	2,003	77.94	69.57
77	Don't know/Not Sure	35	1.36	1.65
99	Refused	14	0.54	0.34
BLANK	Not asked or Missing	2,905		
Notes: Section 15.01, DRNKANY4, is coded 2, 7, or 9; or Section 15.02, ALCDAY4, is coded 888				

Most drinks on single occasion past 30 days

Section: 15.5 Alcohol Consumption

Column: 159-160

Type: Num

SAS Variable Name: MAXDRNKS

Prologue:

Description: During the past 30 days, what is the largest number of drinks you had on any occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks	2,485	96.81	97.36
77	Don't know/Not sure	56	2.18	1.87
99	Refused	26	1.01	0.77
BLANK	Not asked or Missing	2,908		
Notes: Section 15.01, DRNKANY4, is coded 2, 7, or 9; or Section 15.02, ALCDAY4, is coded 888				

Flu shot past 12 mos

Section: 16.1 Immunization

Column: 161

Type: Num

SAS Variable Name: FLUSHOT3

Prologue:

Description: A flu shot is an influenza vaccine injected into your arm. During the past 12 months, have you had a flu shot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,591	48.03	38.84
2	No-Go to Section 16.03 FLUSPRY2	2,779	51.51	60.69
7	Don't know/Not Sure-Go to Section 16.03 FLUSPRY2	21	0.39	0.39
9	Refused-Go to Section 16.03 FLUSPRY2	4	0.07	0.09
BLANK	Not asked or Missing	80		

When did you receive your most recent flu shot?

Section: 16.2 Immunization

Column: 162-167

Type: Num

SAS Variable Name: FLUSHTMY

Prologue:

Description: During what month and year did you receive your most recent flu shot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
12008 - 122009	Month / Year	2,403	92.78	91.97
777777	Don't know/Not Sure	166	6.41	7.17
999999	Refused	21	0.81	0.85
BLANK	Not asked or Missing	2,885		
Notes: Section 16.01, FLUSHOT3, is coded 2, 7, or 9				

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Flu spray past 12 mos

Section: 16.3 Immunization

Column: 168

Type: Num

SAS Variable Name: FLUSPRY2

Prologue:

Description: During the past 12 months, have you had a flu vaccine that was sprayed in your nose? The flu vaccine sprayed in the nose is also called FluMist™.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	0.33	0.51
2	No—Go to Section 16.05 PNEUVAC3	5,357	99.44	99.33
7	Don't know/Not Sure—Go to Section 16.05 PNEUVAC3	8	0.15	0.07
9	Refused—Go to Section 16.05 PNEUVAC3	4	0.07	0.09
BLANK	Not asked or Missing	88		

When did you receive your most recent flu vaccine sprayed in your nose?

Section: 16.4 Immunization

Column: 169-174

Type: Num

SAS Variable Name: FLUSPRMY

Prologue:

Description: During what month and year did you receive your most recent flu vaccine that was sprayed in your nose?

Value	Value Label	Frequency	Percentage	Weighted Percentage
12008 - 122009	Month / Year	16	88.89	95.62
777777	Don't know/Not Sure	2	11.11	4.38
BLANK	Not asked or Missing	5,457		

Pneumonia shot ever

Section: 16.5 Immunization

Column: 175

Type: Num

SAS Variable Name: PNEUVAC3

Prologue:

Description: A pneumonia shot or pneumococcal vaccine is usually given only once or twice in a person's lifetime and is different from the flu shot. Have you ever had a pneumonia shot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,055	38.18	27.53
2	No	2,985	55.46	61.28
7	Don't know/Not Sure	339	6.30	11.16
9	Refused	3	0.06	0.03
BLANK	Not asked or Missing	93		

Told Have Arthritis

Section: 17.1 Arthritis Burden

Column: 176

Type: Num

SAS Variable Name: HAVARTH2

Prologue:

Description: Have you ever been told by a doctor or other health professional that you have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia? (Arthritis diagnoses include: rheumatism, polymyalgia rheumatica; osteoarthritis (not osteoporosis); tendonitis, bursitis, bunion, tennis elbow; carpal tunnel syndrome, tarsal tunnel syndrome; joint infection, etc. (See Questionnaire for Complete List))

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,063	38.63	24.24
2	No—Go to Section 18.01 FRUITJUI	3,260	61.05	75.57
7	Don't know/Not Sure—Go to Section 18.01 FRUITJUI	15	0.28	0.14
9	Refused—Go to Section 18.01 FRUITJUI	2	0.04	0.06
BLANK	Not asked or Missing	135		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Limited Because of Joint Symptoms

Section: 17.2 Arthritis Burden

Column: 177

Type: Num

SAS Variable Name: LMTJOIN2

Prologue:

Description: Are you now limited in any way in any of your usual activities because of arthritis or joint symptoms? (Note: If a question arises about medication, then the interviewer should reply: "Please answer the question based on how you are when you are taking any of the medications or treatments you might use.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	952	46.19	44.70
2	No	1,097	53.23	54.83
7	Don't know/Not sure	10	0.49	0.43
9	Refused	2	0.10	0.04
BLANK	Not asked or Missing	3,414		

Notes: Section 17.01, HAVARTH2, is coded 2, 7, 9, or Missing

Does Arthritis Affect Whether You Work

Section: 17.3 Arthritis Burden

Column: 178

Type: Num

SAS Variable Name: ARTHDIS2

Prologue: In this next questions we are referring to work for pay.

Description: Do arthritis or joint symptoms now affect whether you work, the type of work you do or the amount of work you do?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	579	28.11	28.10
2	No	1,458	70.78	71.33
7	Don't know/Not Sure	16	0.78	0.31
9	Refused	7	0.34	0.27
BLANK	Missing	3,415		

Notes: Section 17.01, HAVARTH2, is coded 2, 7, 9, or Missing

Social Activities Limited Because of Joint Symptoms

Section: 17.4 Arthritis Burden

Column: 179

Type: Num

SAS Variable Name: ARTHSOCL

Prologue:

Description: During the past 30 days, to what extent has your arthritis or joint symptoms interfered with your normal social activities, such as going shopping, to the movies, or to religious or social gatherings?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	A lot	310	15.06	15.30
2	A little	482	23.42	23.41
3	Not at all	1,260	61.22	61.04
7	Don't know/Not Sure	6	0.29	0.24
BLANK	Missing	3,417		

Notes: Section 17.01, HAVARTH2, is coded 2, 7, 9, or Missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

How Bad Was Joint Pain

Section: 17.5 Arthritis Burden

Column: 180-181

Type: Num

SAS Variable Name: JOINPAIN

Prologue:

Description: Please think about the past 30 days, keeping in mind all of your joint pain or aching and whether or not you have taken medication. DURING THE PAST 30 DAYS, how bad was your joint pain ON AVERAGE? [Please answer on a scale of 0 to 10 where 0 is no pain or aching and 10 is pain or aching as bad as it can be.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 10	Enter number [0-10]	2,030	98.78	99.33
77	Don't know/Not Sure	19	0.92	0.45
99	Refused	6	0.29	0.21
BLANK	Missing	3,420		
Notes: Section 17.01, HAVARTH2, is coded 2, 7, 9, or Missing				

How Often Do You Drink Fruit Juices

Section: 18.1 Fruits & Vegetables

Column: 182-184

Type: Num

SAS Variable Name: FRUITJUI

Prologue:

Description: How often do you drink fruit juices such as orange, grapefruit, or tomato?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	1,610	30.36	28.25
201 - 299	Per week	1,855	34.98	37.69
301 - 399	Per month	842	15.88	17.33
401 - 499	Per year	156	2.94	2.33
555	Never	780	14.71	13.32
777	Don't know/Not sure	54	1.02	1.02
999	Refused	6	0.11	0.08
BLANK	Not asked or Missing	172		

How Often Do You Eat Fruit

Section: 18.2 Fruits & Vegetables

Column: 185-187

Type: Num

SAS Variable Name: FRUIT

Prologue:

Description: Not counting juice, how often do you eat fruit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	2,595	49.01	46.19
201 - 299	Per week	2,005	37.87	39.61
301 - 399	Per month	483	9.12	10.60
401 - 499	Per year	54	1.02	0.75
555	Never	104	1.96	1.97
777	Don't know/Not sure	43	0.81	0.60
999	Refused	11	0.21	0.28
BLANK	Not asked or Missing	180		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

How Often Do You Eat Green Salad

Section: 18.3 Fruits & Vegetables

Column: 188-190

Type: Num

SAS Variable Name: GREENSAL

Prologue:

Description: How often do you eat green salad?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	1,191	22.51	19.65
201 - 299	Per week	3,176	60.04	61.26
301 - 399	Per month	640	12.10	13.46
401 - 499	Per year	50	0.95	1.00
555	Never	207	3.91	4.40
777	Don't know/Not sure	24	0.45	0.19
999	Refused	2	0.04	0.04
BLANK	Not asked or Missing	185		

How Often Do You Eat Potatoes

Section: 18.4 Fruits & Vegetables

Column: 191-193

Type: Num

SAS Variable Name: POTATOES

Prologue:

Description: How often do you eat potatoes not including french fries, fried potatoes, or potato chips?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	207	3.92	3.13
201 - 299	Per week	3,192	60.43	59.02
301 - 399	Per month	1,419	26.86	28.87
401 - 499	Per year	100	1.89	2.01
555	Never	315	5.96	6.35
777	Don't know/Not sure	45	0.85	0.55
999	Refused	4	0.08	0.08
BLANK	Not asked or Missing	193		

How Often Do You Eat Carrots

Section: 18.5 Fruits & Vegetables

Column: 194-196

Type: Num

SAS Variable Name: CARROTS

Prologue:

Description: How often do you eat carrots?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	438	8.30	7.53
201 - 299	Per week	2,772	52.50	49.71
301 - 399	Per month	1,432	27.12	30.15
401 - 499	Per year	139	2.63	2.38
555	Never	417	7.90	9.11
777	Don't know/Not sure	78	1.48	1.06
999	Refused	4	0.08	0.05
BLANK	Not asked or Missing	195		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Servings of Vegetables

Section: 18.6 Fruits & Vegetables

Column: 197-199

Type: Num

SAS Variable Name: VEGETABL

Prologue:

Description: Not counting carrots, potatoes, or salad, how many servings of vegetables do you usually eat? (Example: A serving of vegetables at both lunch and dinner would be two servings.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Servings per day	3,299	62.54	60.33
201 - 299	Servings per week	1,532	29.04	30.63
301 - 399	Servings per month	289	5.48	5.82
401 - 499	Servings per year	12	0.23	0.20
555	Never	64	1.21	1.43
777	Don't know/Not sure	74	1.40	1.53
999	Refused	5	0.09	0.07
BLANK	Not asked or Missing	200		

Physical Activity at Work

Section: 19.1 Physical Activity

Column: 200

Type: Num

SAS Variable Name: JOBACTIV

Prologue:

Description: When you are at work, which of the following best describes what you do? Would you say —(If respondent has multiple jobs, include all jobs.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Mostly sitting or standing	1,456	66.85	67.00
2	Mostly walking	449	20.62	19.97
3	Mostly heavy labor or physically demanding work	234	10.74	11.42
7	Don't know/Not Sure	33	1.52	1.27
9	Refused	6	0.28	0.35
BLANK	Not asked or Missing	3,297		

Notes: Section 12.09, EMPLOY, is coded 3, 4, 5, 6, 7, 8, 9, or Missing

Moderate Physical Activity

Section: 19.2 Physical Activity

Column: 201

Type: Num

SAS Variable Name: MODPACT

Prologue: We are interested in two types of physical activity: vigorous and moderate. Vigorous activities cause large increases in breathing or heart rate while moderate activities cause small increases in breathing or heart rate.

Description: Now, thinking about the moderate activities you do [fill in "when you are not working" if "employed" or "self-employed"] in a usual week, do you do moderate activities for at least 10 minutes at a time, such as brisk walking, bicycling, vacuuming, gardening, or anything else that causes some increase in breathing or heart rate?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,490	85.41	87.78
2	No—Go to Section 19.05 VIGPACT	745	14.17	11.78
7	Don't know/Not Sure—Go to Section 19.05 VIGPACT	20	0.38	0.38
9	Refused—Go to Section 19.05 VIGPACT	2	0.04	0.06
BLANK	Not asked or Missing—Go to Section 19.05 VIGPACT	218		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Moderate Physical Activity Days

Section: 19.3 Physical Activity

Column: 202-203

Type: Num

SAS Variable Name: MODPADAY

Prologue:

Description: How many days per week do you do these moderate activities for at least 10 minutes at a time?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 07	Days per week	4,464	99.44	99.70
88	Do not do any moderate physical activity for at least 10 minutes at a time—Go to Section 19.05 VIGPACT	12	0.27	0.12
77	Don't know/Not sure—Go to Section 19.05 VIGPACT	12	0.27	0.17
99	Refused—Go to Section 19.05 VIGPACT	1	0.02	0.02
BLANK	Not asked or Missing—Go to Section 19.05 VIGPACT	986		
Notes: Section 19.02, MODPACT, is coded 2, 7, 9 or Missing				

Moderate Physical Activity Time

Section: 19.4 Physical Activity

Column: 204-206

Type: Num

SAS Variable Name: MODPATIM

Prologue:

Description: On days when you do moderate activities for at least 10 minutes at a time, how much total time per day do you spend doing these activities?

Value	Value Label	Frequency	Percentage	Weighted Percentage
10 - 759	Hours and minutes per day	4,327	97.13	98.07
777	Don't know/Not sure	124	2.78	1.91
999	Refused	4	0.09	0.02
BLANK	Not asked or Missing	1,020		
Notes: Section 19.02, MODPACT, is coded 2, 7, 9 or Missing; or Section 19.03, MODPADAY is coded 77, 88, 99, or Missing				

Vigorous Physical Activity

Section: 19.5 Physical Activity

Column: 207

Type: Num

SAS Variable Name: VIGPACT

Prologue:

Description: Now, thinking about the vigorous activities you do [fill in "when you are not working" if "employed" or "self-employed"] in a usual week, do you do vigorous activities for at least 10 minutes at a time, such as running, aerobics, heavy yard work, or anything else that causes large increases in breathing or heart rate?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,355	44.99	53.57
2	No—Go to Section 20.01 HIVTST5	2,854	54.53	46.04
7	Don't know/Not sure—Go to Section 20.01 HIVTST5	23	0.44	0.33
9	Refused—Go to Section 20.01 HIVTST5	2	0.04	0.05
BLANK	Not asked or Missing—Go to Section 20.01 HIVTST5	241		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Vigorous Physical Activity Days

Section: 19.6 Physical Activity

Column: 208-209

Type: Num

SAS Variable Name: VIGPADAY

Prologue:

Description: How many days per week do you do these vigorous activities for at least 10 minutes at a time?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 07	Days per week	2,334	99.23	99.56
88	Do not do any vigorous physical activity for at least 10 minutes at a time-Go to Section 20.01 HIVTST5	7	0.30	0.25
77	Don't know/Not sure-Go to Section 20.01 HIVTST5	10	0.43	0.18
99	Refused-Go to Section 20.01 HIVTST5	1	0.04	0.00
BLANK	Not asked or Missing-Go to Section 20.01 HIVTST5	3,123		
Notes: Section 19.05, VIGPACT, is coded 2, 7, 9 or Missing				

Vigorous Physical Activity Time

Section: 19.7 Physical Activity

Column: 210-212

Type: Num

SAS Variable Name: VIGPATIM

Prologue:

Description: On days when you do vigorous activities for at least 10 minutes at a time, how much total time per day do you spend doing these activities?

Value	Value Label	Frequency	Percentage	Weighted Percentage
10 - 759	Hours and minutes per day	2,286	98.11	99.12
777	Don't know/Not sure	39	1.67	0.83
999	Refused	5	0.21	0.06
BLANK	Not asked or Missing	3,145		
Notes: Section 19.05, VIGPACT, is coded 2, 7, 9 or Missing; or Section 19.06, VIGPADAY is coded 77, 88, 99, or Missing				

Ever tested HIV

Section: 20.1 HIV/AIDS

Column: 213

Type: Num

SAS Variable Name: HIVTST5

Prologue:

Description: Have you ever been tested for HIV? Do not count tests you may have had as part of a blood donation. Include testing fluid from your mouth.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,216	37.94	42.41
2	No-Go to Section 20.05 HIVRISK2	1,929	60.19	56.17
7	Don't know/Not Sure-Go to Section 20.05 HIVRISK2	54	1.68	1.24
9	Refused-Go to Section 20.05 HIVRISK2	6	0.19	0.18
BLANK	Not asked or Missing	2,270		
Notes: Section 12.01, AGE, is greater than 64				

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Month and Year of Last HIV Test

Section: 20.2 HIV/AIDS

Column: 214-219

Type: Num

SAS Variable Name: HIVTSTD2

Prologue:

Description: Not including blood donations, in what month and year was your last HIV test? (If response is before January 1985, code "777777".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
11985 - 122009	Code month and year Notes: __/___ month and year	1,112	91.45	93.22
777777	Don't know/Not sure	94	7.73	6.38
999999	Refused	10	0.82	0.40
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is greater than 64; or Section 20.01, HIVTST5, is coded 2, 7, 9, or Missing	4,259		

Location of last HIV test

Section: 20.3 HIV/AIDS

Column: 220-221

Type: Num

SAS Variable Name: WHRTST8

Prologue:

Description: Where did you have your last HIV test — at a private doctor or HMO office, at a counseling and testing site, at a hospital, at a clinic, in a jail or prison, at a drug treatment facility, at home, or somewhere else?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Private doctor or HMO	494	40.69	46.00
2	Counseling and testing site	52	4.28	5.38
3	Hospital	217	17.87	12.82
4	Clinic	245	20.18	17.86
5	Jail or prison (or other correctional facility)	14	1.15	0.94
6	Drug treatment facility	12	0.99	1.07
7	At home	44	3.62	4.59
8	Somewhere else	121	9.97	10.39
77	Don't know/Not sure	14	1.15	0.94
99	Refused	1	0.08	0.01
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is greater than 64; or Section 20.01, HIVTST5, is coded 2, 7, 9, or Missing	4,261		

Was your last HIV test a rapid test?

Section: 20.4 HIV/AIDS

Column: 222

Type: Num

SAS Variable Name: HIVRDTST

Prologue:

Description: Was it a rapid test where you could get your results within a couple of hours?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	47	21.17	17.32
2	No	171	77.03	81.42
7	Don't know/Not sure	4	1.80	1.26
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is greater than 64; or Section 20.01, HIVTST5, is coded 2, 7, 9, or Missing; or Section 21.02, HIVTSTD2, not within the last 12 months	5,253		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Do Any High Risk Situations Apply

Section: 20.5 HIV/AIDS

Column: 223

Type: Num

SAS Variable Name: HIVRISK2

Prologue:

Description: I am going to read you a list. When I am done, please tell me if any of the situations apply to you. You do not need to tell me which one. You have used intravenous drugs in the past year. You have been treated for a sexually transmitted or venereal disease in the past year. You have given or received money or drugs in exchange for sex in the past year. You had anal sex without a condom in the past year. Do any of these situations apply to you?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	79	2.47	3.20
2	No	3,115	97.31	96.65
9	Refused	7	0.22	0.15
BLANK	Not asked or Missing	2,274		

Notes: Section 12.01, AGE, is greater than 64

How often get emotional support needed

Section: 21.1 Emotional Support and Life Satisfaction

Column: 224

Type: Num

SAS Variable Name: EMTSUPRT

Prologue:

Description: How often do you get the social and emotional support you need?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	2,444	47.03	47.69
2	Usually	1,504	28.94	31.89
3	Sometimes	659	12.68	11.75
4	Rarely	255	4.91	3.78
5	Never	260	5.00	3.75
7	Don't know/Not sure	59	1.14	0.98
9	Refused	16	0.31	0.16
BLANK	Not asked or Missing	278		

Satisfaction with life

Section: 21.2 Emotional Support and Life Satisfaction

Column: 225

Type: Num

SAS Variable Name: LSATISFY

Prologue:

Description: In general, how satisfied are you with your life?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Very satisfied	2,500	48.11	47.08
2	Satisfied	2,322	44.69	46.67
3	Dissatisfied	263	5.06	4.42
4	Very dissatisfied	74	1.42	1.21
7	Don't know/Not sure	25	0.48	0.15
9	Refused	12	0.23	0.47
BLANK	Not asked or Missing	279		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Ever Told You Had Cancer?

Section: 22.1 Cancer Survivors

Column: 226

Type: Num

SAS Variable Name: CNCRHAVE

Prologue:

Description: Have you EVER been told by a doctor, nurse, or other health professional that you had cancer? [Read only if necessary: By, other health professional, we mean a nurse practitioner, a physicians assistant, social worker, or some other licensed professional.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	922	17.75	11.04
2	No—Go to modules or closing statement	4,261	82.02	88.79
7	Don't know/Not Sure—Go to modules or closing statement	7	0.13	0.11
9	Refused—Go to modules or closing statement	5	0.10	0.05
BLANK	Not asked or Missing	280		

How Many Types of Cancer?

Section: 22.2 Cancer Survivors

Column: 227

Type: Num

SAS Variable Name: CNCRDIFF

Prologue:

Description: How many different types of cancer have you had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Only one	757	82.10	82.22
2	Two	123	13.34	13.84
3	Three or more	26	2.82	2.05
7	Don't know/Not Sure—Go to modules or closing statement	15	1.63	1.80
9	Refused—Go to modules or closing statement	1	0.11	0.09
BLANK	Not asked or Missing	4,553		

Notes: Section 22.01, CNCRHAVE, is coded 2, 7, 9, or Missing

Age Told Had Cancer

Section: 22.3 Cancer Survivors

Column: 228-229

Type: Num

SAS Variable Name: CNCRAGE

Prologue:

Description: At what age were you told that you had cancer? [If Response = 2 (Two) or 3 (Three or more), ask: "At what age was your first diagnosis of cancer?"]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 97	Age in years	884	97.57	97.85
	Notes: __ Code age in years, 97 = 97 or older			
98	Don't know/Not Sure	19	2.10	1.95
99	Refused	3	0.33	0.20
BLANK	Missing	4,569		

Notes: Section 22.01, CNCRHAVE, is coded 2, 7, 9, or Missing; or
Section 22.02, CNCRDIFF, is coded 7, 9, or Missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Type of Cancer

Section: 22.4 Cancer Survivors

Column: 230-231

Type: Num

SAS Variable Name: CNCRTYPE

Prologue:

Description: What type of cancer was it? [If Response = 2 (Two) or 3 (Three or more), ask: "With your most recent diagnoses of cancer, what type of cancer was it?"]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Breast cancer	135	14.90	13.35
2	Cervical cancer (cancer of the cervix)	45	4.97	3.73
3	Endometrial cancer (cancer of the uterus)	11	1.21	1.40
4	Ovarian cancer (cancer of the ovary)	16	1.77	1.74
5	Head and neck cancer	1	0.11	0.02
6	Oral cancer	2	0.22	0.25
7	Pharyngeal (throat) cancer	1	0.11	0.08
8	Thyroid	14	1.55	1.48
9	Colon (intestine) cancer	33	3.64	3.65
10	Esophageal (esophagus)	2	0.22	0.08
11	Liver cancer	1	0.11	0.01
13	Rectal (rectum) cancer	3	0.33	0.12
14	Stomach	5	0.55	0.24
15	Hodgkin's Lymphoma (Hodgkin's disease)	8	0.88	1.28
16	Leukemia (blood) cancer	9	0.99	0.58
17	Non-Hodgkin's Lymphoma	8	0.88	1.33
18	Prostate cancer	104	11.48	12.56
19	Testicular cancer	2	0.22	0.38
20	Melanoma	85	9.38	9.83
21	Other skin cancer	247	27.26	28.18
23	Lung	13	1.43	1.17
24	Bladder cancer	21	2.32	2.37
25	Renal (kidney) cancer	9	0.99	0.88
26	Bone	6	0.66	0.73
27	Brain	2	0.22	0.05
29	Other	95	10.49	11.78
77	Don't know/Not Sure	26	2.87	2.69
99	Refused	2	0.22	0.03
BLANK	Missing	4,569		

Notes: Section 22.01, CNCRHAVE, is coded 2, 7, 9, or Missing; or
Section 22.02, CNCRDIFF, is coded 7, 9, or Missing

Do you have a cell phone for personal use?

Section: 23.1 Cell Phone

Column: 232

Type: Num

SAS Variable Name: CPDEMO1

Prologue:

Description: Do you have a cell phone for personal use? Please include cell phones used for both business and personal use

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to Section 23.03 CPDEMO3	3,910	71.42	75.40
2	No	1,534	28.02	24.05
7	Don't know/Not sure	2	0.04	0.00
9	Refused	29	0.53	0.54

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Do you share a cell phone for personal use?

Section: 23.2 Cell Phone

Column: 233

Type: Num

SAS Variable Name: CPDEMO2

Prologue:

Description: Do you share a cell phone for personal use (at least one-third of the time) with other adults?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to Section 12.20 SEX	95	6.07	12.25
2	No—Go to Section 12.20 SEX	1,445	92.33	85.83
7	Don't know/Not sure—Go to Section 12.20 SEX	1	0.06	0.06
9	Refused—Go to Section 12.20 SEX	24	1.53	1.86
BLANK	Not asked or Missing	3,910		
Notes: Section 23.01, CPDEMO1, is coded 1				

Do you usually share this cell phone?

Section: 23.3 Cell Phone

Column: 234

Type: Num

SAS Variable Name: CPDEMO3

Prologue:

Description: Do you usually share this cell phone (at least one-third of the time) with any other adults?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	685	17.52	14.92
2	No	3,220	82.35	84.95
7	Don't know/Not sure	4	0.10	0.12
9	Refused	1	0.03	0.01
BLANK	Not asked or Missing	1,565		
Notes: Section 23.02, CPDEMO2, is coded 1, 2, 7, 9, or Missing				

What percent of all calls are received on your cell phone?

Section: 23.4 Cell Phone

Column: 235-237

Type: Num

SAS Variable Name: CPDEMO4

Prologue:

Description: Thinking about all the phone calls that you receive on your landline or cell phone, what percent, between 0 and 100, are received on your cell phone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Enter Percent (1 to 100)	3,569	100.00	100.00
BLANK	Not asked or Missing	1,906		
Notes: Section 23.02, CPDEMO2, is coded 1, 2, 7, 9, or Missing				

Had a test for high blood sugar or diabetes in the past three years?

Module: 1.1 Pre-Diabetes

Column: 245

Type: Num

SAS Variable Name: PDIABTST

Prologue:

Description: Have you had a test for high blood sugar or diabetes within the past three years?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,884	60.28	55.54
2	No	1,777	37.14	42.00
7	Don't know/Not Sure	123	2.57	2.46
BLANK	Not asked or Missing	691		
Notes: Section 6.01, DIABETE2, is coded 1				

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes?

Module: 1.2 Pre-Diabetes

Type: Num

Column: 246

SAS Variable Name: PREDIAB1

Prologue:

Description: Have you ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	370	7.73	6.03
2	Yes, during pregnancy	85	1.78	1.94
3	No	4,320	90.30	91.83
7	Don't know/Not Sure	9	0.19	0.20
BLANK	Not asked or Missing	691		
Notes: Section 6.01, DIABETE2, is coded 1; If Section 6.01, DIABETE2, is coded 4 automatically code Module 01.02, PREDIAB, equal to 1 (yes);				

Age When Told Diabetic

Module: 2.1 Diabetes

Type: Num

Column: 247-248

SAS Variable Name: DIABAGE2

Prologue:

Description: How old were you when you were told you have diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 97	Age in years [97 = 97 and older]	679	98.26	97.95
	Notes: _ _ Code age in years, 97 = 97 or older			
98	Don't know/Not sure	10	1.45	1.99
99	Refused	2	0.29	0.06
BLANK	Not asked or Missing	4,784		
Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing				

Now Taking Insulin

Module: 2.2 Diabetes

Type: Num

Column: 249

SAS Variable Name: INSULIN

Prologue:

Description: Are you now taking insulin?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	186	26.92	29.57
2	No	504	72.94	70.21
9	Refused	1	0.14	0.22
BLANK	Not asked or Missing	4,784		
Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing				

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

How Often Check Blood for Glucose

Module: 2.3 Diabetes

Column: 250-252

Type: Num

SAS Variable Name: BLDSUGAR

Prologue:

Description: About how often do you check your blood for glucose or sugar? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 _ _ Times per day	433	62.66	57.96
201 - 299	Times per week Notes: 2 _ _ Times per week	117	16.93	20.97
301 - 399	Times per month Notes: 3 _ _ Times per month	48	6.95	7.25
401 - 499	Times per year Notes: 4 _ _ Times per year	20	2.89	3.18
777	Don't know/Not sure	11	1.59	1.89
888	Never	61	8.83	8.73
999	Refused	1	0.14	0.02
BLANK	Not asked or Missing Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,784		

How Often Check Feet for Sores or Irritations

Module: 2.4 Diabetes

Column: 253-255

Type: Num

SAS Variable Name: FEETCHK2

Prologue:

Description: About how often do you check your feet for any sores or irritations? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 _ _ Times per day	446	64.54	61.13
201 - 299	Times per week Notes: 2 _ _ Times per week	109	15.77	15.20
301 - 399	Times per month Notes: 3 _ _ Times per month	32	4.63	6.38
401 - 499	Times per year Notes: 4 _ _ Times per year	9	1.30	1.10
555	No feet	3	0.43	0.18
777	Don't know/Not sure	14	2.03	2.69
888	Never	76	11.00	13.25
999	Refused	2	0.29	0.06
BLANK	Not asked or Missing Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,784		

Times Seen Health Professional for Diabetes

Module: 2.5 Diabetes

Column: 256-257

Type: Num

SAS Variable Name: DOCTDIAB

Prologue:

Description: About how many times in the past 12 months have you seen a doctor, nurse, or other health professional for your diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76=76 or more	580	83.94	84.92
88	None	99	14.33	13.57
77	Don't know/Not sure	12	1.74	1.51
BLANK	Not asked or Missing Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,784		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Times Checked for Glycosylated Hemoglobin

Module: 2.6 Diabetes

Column: 258-259

Type: Num

SAS Variable Name: CHKHEMO3

Prologue:

Description: A test for "A one C" measures the average level of blood sugar over the past three months. About how many times in the past 12 months has a doctor, nurse, or other health professional checked you for "A one C"?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76 = 76 or more	528	76.41	79.51
88	None	71	10.27	8.60
98	Never heard of "A one C" test	39	5.64	6.08
77	Don't know/Not sure	52	7.53	5.65
99	Refused	1	0.14	0.16
BLANK	Not asked or Missing Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,784		

Times Feet Check for Sores/irritations

Module: 2.7 Diabetes

Column: 260-261

Type: Num

SAS Variable Name: FEETCHK

Prologue:

Description: About how many times in the past 12 months has a health professional checked your feet for any sores or irritations?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76=76 or more	459	66.72	68.77
88	None	217	31.54	30.38
77	Don't know/Not sure	12	1.74	0.84
BLANK	Not asked or Missing Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing; or Module 2.04, FEETCHK2, is coded 555	4,787		

Last Eye Exam Where Pupils Were Dilated

Module: 2.8 Diabetes

Column: 262

Type: Num

SAS Variable Name: EYEEXAM

Prologue:

Description: When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (anytime less than 1 month ago)	121	17.51	17.32
2	Within the past year (1 month but less than 12 months ago)	353	51.09	52.74
3	Within the past 2 years (1 year but less than 2 years ago)	94	13.60	13.14
4	2 or more years ago	88	12.74	10.71
7	Don't know/Not sure	7	1.01	1.37
8	Never	28	4.05	4.72
BLANK	Not asked or Missing Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,784		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Ever Told Diabetes Has Affected Eyes

Module: 2.9 Diabetes

Column: 263

Type: Num

SAS Variable Name: DIABEYE

Prologue:

Description: Has a doctor ever told you that diabetes has affected your eyes or that you had retinopathy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	124	17.95	15.84
2	No	555	80.32	83.19
7	Don't know/Not sure	12	1.74	0.97
BLANK	Not asked or Missing	4,784		

Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing

Ever Taken Class in Managing Diabetes

Module: 2.10 Diabetes

Column: 264

Type: Num

SAS Variable Name: DIABEDU

Prologue:

Description: Have you ever taken a course or class in how to manage your diabetes yourself?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	394	57.02	52.73
2	No	296	42.84	47.17
7	Don't know/Not sure	1	0.14	0.09
BLANK	Not asked or Missing	4,784		

Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing

How many days hard to do usual activities in past 30 days

Module: 3.1 Healthy Days (Symptoms)

Column: 265-266

Type: Num

SAS Variable Name: PAINACT2

Prologue:

Description: During the past 30 days, for about how many days did pain make it hard for you to do your usual activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

How many days depressed in past 30 days

Module: 3.2 Healthy Days (Symptoms)

Column: 267-268

Type: Num

SAS Variable Name: QLMENTL2

Prologue:

Description: During the past 30 days, for about how many days have you felt sad, blue, or depressed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

How many days felt anxious in past 30 days

Module: 3.3 Healthy Days (Symptoms)

Column: 269-270

Type: Num

SAS Variable Name: QLSTRES2

Prologue:

Description: During the past 30 days, for about how many days have you felt worried, tense, or anxious?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

How many days full of energy in past 30 days

Module: 3.4 Healthy Days (Symptoms)

Column: 271-272

Type: Num

SAS Variable Name: QLHLTH2

Prologue:

Description: During the past 30 days, for about how many days have you felt very healthy and full of energy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

Difficulty recognizing friend across street

Module: 4.1 Visual Impairment and Access to Eye Care

Column: 273

Type: Num

SAS Variable Name: VIDFCLT2

Prologue:

Description: How much difficulty, if any, do you have in recognizing a friend across the street? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		
	Notes: Section 12.01, AGE, is less than 40			

Difficulty reading typed text

Module: 4.2 Visual Impairment and Access to Eye Care

Column: 274

Type: Num

SAS Variable Name: VIREDF2

Prologue:

Description: How much difficulty, if any, do you have reading print in newspaper, magazine, recipe, menu, or numbers on the telephone? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		
	Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8;			

Last time visited eye care provider

Module: 4.3 Visual Impairment and Access to Eye Care

Column: 275

Type: Num

SAS Variable Name: VIPRFVS2

Prologue:

Description: When was the last time you had your eyes examined by any doctor or eye care provider?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		
	Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDF2, is coded as 8;			

Reason did not use eye doc past 12 mos

Module: 4.4 Visual Impairment and Access to Eye Care

Column: 276-277

Type: Num

SAS Variable Name: VINOCRE2

Prologue:

Description: What is the main reason you have not visited an eye care professional in the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		
	Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded 1, 2, or 8;			

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

When last eyexam

Module: 4.5 Visual Impairment and Access to Eye Care

Column: 278

Type: Num

SAS Variable Name: VIEYEXM2

Prologue:

Description: When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Module 2.08, EYEEXAM, is coded 1, 2, 3, 4, 7, 8 or 9; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8;	5,475		

Eye care health insurance

Module: 4.6 Visual Impairment and Access to Eye Care

Column: 279

Type: Num

SAS Variable Name: VIINSUR2

Prologue:

Description: Do you have any kind of health insurance coverage for eye care?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8;	5,475		

Hlth care pro said now have cataracts

Module: 4.7 Visual Impairment and Access to Eye Care

Column: 280

Type: Num

SAS Variable Name: VICTRCT2

Prologue:

Description: Have you been told by an eye doctor or other health care professional that you NOW have cataracts?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8; or Module 04.06, VINSUR2, is coded as 8	5,475		

Hlth care pro EVER said have glaucoma

Module: 4.8 Visual Impairment and Access to Eye Care

Column: 281

Type: Num

SAS Variable Name: VIGLUMA2

Prologue:

Description: Have you EVER been told by an eye doctor or other health care professional that you had glaucoma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8; or Module 04.06, VINSUR2, is coded as 8; or Module 04.07, VICTRCT2, is coded as 8	5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Hlth care pro EVER said have macular degeneration

Module: 4.9 Visual Impairment and Access to Eye Care

Column: 282

Type: Num

SAS Variable Name: VIMACDG2

Prologue:

Description: Have you EVER been told by an eye doctor or other health care professional that you had age-related macular degeneration?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDEF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8; or Module 04.06, VINSUR2, is coded as 8; or Module 04.07, VICTRCT2, is coded as 8; or Module 04.08,	5,475		

How Much Time Do You Sleep

Module: 5.1 Inadequate Sleep

Column: 283-284

Type: Num

SAS Variable Name: SLEPTIME

Prologue:

Description: On average, how many hours of sleep do you get in a 24-hour period? Think about the time you actually spend sleeping or napping, not just the amount of sleep you think you should get. (Enter hours of sleep in whole numbers, rounding 30 minutes (1/2 hour) or more up to the next whole hour and dropping 29 or fewer minutes.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,475		

Do you snore?

Module: 5.2 Inadequate Sleep

Column: 285

Type: Num

SAS Variable Name: SLEPSNOR

Prologue:

Description: Do you snore? (If the respondent indicates that their spouse or someone told him/her that they snore, then the answer to the question is 'Yes' the respondent snores.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

Number of Days in Past Thirty Felt You Did Not Get Enough Sleep

Module: 5.3 Inadequate Sleep

Column: 288-289

Type: Num

SAS Variable Name: SLEPDAY

Prologue:

Description: During the past 30 days, for about how many days did you find yourself unintentionally falling asleep during the day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,475		

Number of Days in Past Thirty Fell Asleep While Driving

Module: 5.4 Inadequate Sleep

Column: 290

Type: Num

SAS Variable Name: SLEPDIV

Prologue:

Description: During the past 30 days, have you ever nodded off or fallen asleep, even just for a brief moment, while driving?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Outpatient rehab after heart attack hosp stay

Module: 6.1 Cardiovascular Health

Column: 291

Type: Num

SAS Variable Name: HAREHAB1

Prologue:

Description: Following your heart attack, did you go to any kind of outpatient rehabilitation? This is sometimes called "rehab."

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 09.01, CVDINFR4, is coded 2, 7, 9 or Missing	5,475		

Outpatient rehab after hosp stay for stroke

Module: 6.2 Cardiovascular Health

Column: 292

Type: Num

SAS Variable Name: STREHAB1

Prologue:

Description: Following your stroke did you go to any kind of outpatient rehabilitation? This is sometimes called "rehab."

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 09.03, CVDSTRK3, is coded 2, 7, 9 or Missing	5,475		

Take Aspirin Daily or Every Other Day

Module: 6.3 Cardiovascular Health

Column: 293

Type: Num

SAS Variable Name: CVDASPRN

Prologue:

Description: Do you take aspirin daily or every other day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

Health Makes Taking Aspirin Unsafe

Module: 6.4 Cardiovascular Health

Column: 294

Type: Num

SAS Variable Name: ASPUNSAF

Prologue:

Description: Do you have a health problem or condition that makes taking aspirin unsafe for you? (If "Yes," ask "Is this a stomach condition?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 06.03, CVDASPRN, is coded 1	5,475		

Change eating habits for BP?

Module: 7.1 Actions to Control High Blood Pressure

Column: 295

Type: Num

SAS Variable Name: BPEATHBT

Prologue: Are you now doing any of the following to help lower or control your high blood pressure?

Description: (Are you) changing your eating habits (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,341	67.22	72.01
2	No	639	32.03	27.73
7	Don't know/Not Sure	9	0.45	0.15
9	Refused	6	0.30	0.11
BLANK	Not asked or Missing Notes: Section 07.01, BPHIGH4, is coded 2, 7, 9, or Missing	3,480		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Reduce salt intake to lower BP?

Module: 7.2 Actions to Control High Blood Pressure

Column: 296

Type: Num

SAS Variable Name: BPSALT

Prologue: Are you now doing any of the following to help lower or control your high blood pressure?]

Description: (Are you) cutting down on salt (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,423	71.33	71.54
2	No	393	19.70	21.76
3	Do not use salt	168	8.42	6.25
7	Don't know/Not Sure	6	0.30	0.38
9	Refused	5	0.25	0.07
BLANK	Not asked or Missing	3,480		
Notes: Section 07.01, BPHIGH4, is coded 2, 7, 9, or Missing				

Reduce alcohol use for BP?

Module: 7.3 Actions to Control High Blood Pressure

Column: 297

Type: Num

SAS Variable Name: BPALCHOL

Prologue: Are you now doing any of the following to help lower or control your high blood pressure?]

Description: (Are you) reducing alcohol use (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	648	32.48	39.73
2	No	479	24.01	28.02
3	Do not drink	852	42.71	31.33
7	Don't know/Not Sure	10	0.50	0.78
9	Refused	6	0.30	0.13
BLANK	Not asked or Missing	3,480		
Notes: Section 07.01, BPHIGH4, is coded 2, 7, 9, or Missing				

Exercising to lower BP?

Module: 7.4 Actions to Control High Blood Pressure

Column: 298

Type: Num

SAS Variable Name: BPEXER

Prologue: Are you now doing any of the following to help lower or control your high blood pressure?]

Description: (Are you) exercising (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,364	68.37	71.61
2	No	611	30.63	27.81
7	Don't know/Not Sure	14	0.70	0.45
9	Refused	6	0.30	0.13
BLANK	Not asked or Missing	3,480		
Notes: Section 07.01, BPHIGH4, is coded 2, 7, 9, or Missing				

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Hlth care pro ever advised change in eating habits to reduce BP

Module: 7.5 Actions to Control High Blood Pressure

Column: 299

Type: Num

SAS Variable Name: BPEATADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?

Description: (Ever advised you to) change your eating habits (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,011	50.73	57.99
2	No	966	48.47	41.27
7	Don't know/Not Sure	10	0.50	0.60
9	Refused	6	0.30	0.14
BLANK	Not asked or Missing	3,482		
Notes: Section 07.01, BPHIGH4, is coded 2, 7, 9, or Missing				

Hlth care pro ever advised using less salt to reduce BP

Module: 7.6 Actions to Control High Blood Pressure

Column: 300

Type: Num

SAS Variable Name: BPSLTADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?]

Description: (Ever advised you to) cut down on salt (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,165	58.45	59.47
2	No	767	38.48	37.74
3	Do not use salt	43	2.16	2.09
7	Don't know/Not Sure	13	0.65	0.58
9	Refused	5	0.25	0.13
BLANK	Not asked or Missing	3,482		
Notes: Section 07.01, BPHIGH4, is coded 2, 7, 9, or Missing				

Hlth care pro ever advised reduced alcohol use to reduce BP

Module: 7.7 Actions to Control High Blood Pressure

Column: 301

Type: Num

SAS Variable Name: BPALCADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?]

Description: (Ever advised you to) reduce alcohol use (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	501	25.14	31.31
2	No	1,057	53.04	52.02
3	Do not drink	428	21.48	16.56
7	Don't know/Not Sure	3	0.15	0.05
9	Refused	4	0.20	0.06
BLANK	Not asked or Missing	3,482		
Notes: Section 07.01, BPHIGH4, is coded 2, 7, 9, or Missing				

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Hlth care pro ever advised exercise to reduce BP

Module: 7.8 Actions to Control High Blood Pressure

Type: Num

Column: 302

SAS Variable Name: BPEXRADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?]

Description: (Ever advised you to) exercise (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,392	69.84	74.87
2	No	579	29.05	24.60
7	Don't know/Not Sure	18	0.90	0.47
9	Refused	4	0.20	0.06
BLANK	Not asked or Missing	3,482		
Notes: Section 07.01, BPHIGH4, is coded 2, 7, 9, or Missing				

Hlth care pro ever advised meds to reduce BP

Module: 7.9 Actions to Control High Blood Pressure

Type: Num

Column: 303

SAS Variable Name: BPMEDADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?]

Description: (Ever advised you to) take medication (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,787	89.66	84.04
2	No	201	10.09	15.84
7	Don't know/Not Sure	1	0.05	0.06
9	Refused	4	0.20	0.06
BLANK	Not asked or Missing	3,482		
Notes: Section 07.01, BPHIGH4, is coded 2, 7, 9, or Missing				

Told had high BP during 2+ visits to hlth care pro?

Module: 7.10 Actions to Control High Blood Pressure

Type: Num

Column: 304

SAS Variable Name: BPHI2MR

Prologue:

Description: Were you told on two or more different visits to a doctor or other health professional that you had high blood pressure? (If "Yes" and respondent is female, ask: "Was this only when you were pregnant?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,590	79.86	76.95
2	Yes, but female told only during pregnancy	3	0.15	0.13
3	No	362	18.18	21.53
4	Told borderline or pre-hypertensive	15	0.75	0.68
7	Don't know/Not Sure	17	0.85	0.64
9	Refused	4	0.20	0.06
BLANK	Not asked or Missing	3,484		
Notes: Section 07.01, BPHIGH4, is coded 2, 7, 9, or Missing				

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Heart Attack Symptoms - Jaw/Back/Neck Pain

Module: 8.1 Heart Attack and Stroke

Column: 305

Type: Num

SAS Variable Name: HASYMP1

Prologue: Now I would like to ask you about your knowledge of the signs and symptoms of a heart attack and stroke. Which of the following do you think is a symptom of a heart attack? For each, tell me "yes", "no", or you're "not sure":

Description: (Do you think) pain or discomfort in the jaw, neck, or back (are symptoms of a heart attack)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,254	62.94	52.43
2	No	1,233	23.85	31.89
7	Don't know/Not sure	678	13.11	15.64
9	Refused	5	0.10	0.03
BLANK	Not asked or Missing	305		

Heart Attack Symptoms - Weak/Light-headed/Faint

Module: 8.2 Heart Attack and Stroke

Column: 306

Type: Num

SAS Variable Name: HASYMP2

Prologue:

Description: (Do you think) feeling weak, lightheaded, or faint (are symptoms of a heart attack)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,019	58.41	61.41
2	No	1,279	24.74	23.20
7	Don't know/Not sure	866	16.75	15.35
9	Refused	5	0.10	0.04
BLANK	Not asked or Missing	306		

Heart Attack Symptoms - Chest Pain/Discomfort

Module: 8.3 Heart Attack and Stroke

Column: 307

Type: Num

SAS Variable Name: HASYMP3

Prologue:

Description: (Do you think) chest pain or discomfort (are symptoms of a heart attack)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,746	91.85	93.10
2	No	250	4.84	4.47
7	Don't know/Not sure	166	3.21	2.40
9	Refused	5	0.10	0.03
BLANK	Not asked or Missing	308		

Heart Attack Symptoms - Vision Problems

Module: 8.4 Heart Attack and Stroke

Column: 308

Type: Num

SAS Variable Name: HASYMP4

Prologue:

Description: (Do you think) sudden trouble seeing in one or both eyes (is a symptom of a heart attack)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,537	29.75	31.74
2	No	2,264	43.82	43.29
7	Don't know/Not sure	1,358	26.28	24.83
9	Refused	8	0.15	0.13
BLANK	Not asked or Missing	308		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Heart Attack Symptoms - Pain or Discomfort in Arms/Shoulder

Module: 8.5 Heart Attack and Stroke

Column: 309

Type: Num

SAS Variable Name: HASYMP5

Prologue:

Description: (Do you think) pain or discomfort in the arms or shoulder (are symptoms of a heart attack)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,483	86.76	85.16
2	No	399	7.72	9.66
7	Don't know/Not sure	281	5.44	5.15
9	Refused	4	0.08	0.02
BLANK	Not asked or Missing	308		

Heart Attack Symptoms - Shortness of Breath

Module: 8.6 Heart Attack and Stroke

Column: 310

Type: Num

SAS Variable Name: HASYMP6

Prologue:

Description: (Do you think) shortness of breath (is a symptom of a heart attack)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,189	81.07	84.01
2	No	545	10.55	8.65
7	Don't know/Not sure	429	8.30	7.31
9	Refused	4	0.08	0.02
BLANK	Not asked or Missing	308		

Stroke Symptoms - Confusion/Trouble speaking

Module: 8.7 Heart Attack and Stroke

Column: 311

Type: Num

SAS Variable Name: STRSYMP1

Prologue: Which of the following do you think is a symptom of a stroke? For each, tell me "yes", "no", or you're "not sure".

Description: (Do you think) sudden confusion or trouble speaking (are symptoms of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,587	88.81	87.42
2	No	172	3.33	3.83
7	Don't know/Not sure	401	7.76	8.72
9	Refused	5	0.10	0.03
BLANK	Not asked or Missing	310		

Stroke Symptoms - Numbness or Weakness of Face/Arm/Leg

Module: 8.8 Heart Attack and Stroke

Column: 312

Type: Num

SAS Variable Name: STRSYMP2

Prologue:

Description: (Do you think) sudden numbness or weakness of face, arm, or leg, especially on one side (are symptoms of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,799	92.95	94.10
2	No	149	2.89	2.94
7	Don't know/Not sure	212	4.11	2.94
9	Refused	3	0.06	0.01
BLANK	Not asked or Missing	312		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Stroke Symptoms - Vision Problems

Module: 8.9 Heart Attack and Stroke

Column: 313

Type: Num

SAS Variable Name: STRSYMP3

Prologue:

Description: (Do you think) sudden trouble seeing in one or both eyes (is a symptom of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,490	67.62	69.71
2	No	472	9.15	8.69
7	Don't know/Not sure	1,194	23.14	21.53
9	Refused	5	0.10	0.07
BLANK	Not asked or Missing	314		

Stroke Symptoms - Chest Pain/Discomfort

Module: 8.10 Heart Attack and Stroke

Column: 314

Type: Num

SAS Variable Name: STRSYMP4

Prologue:

Description: (Do you think) sudden chest pain or discomfort (are symptoms of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,723	33.39	33.08
2	No	2,057	39.86	43.84
7	Don't know/Not sure	1,376	26.66	23.03
9	Refused	5	0.10	0.05
BLANK	Not asked or Missing	314		

Stroke Symptoms - Trouble Walking/Dizziness/Loss of Balance

Module: 8.11 Heart Attack and Stroke

Column: 315

Type: Num

SAS Variable Name: STRSYMP5

Prologue:

Description: (Do you think) sudden trouble walking, dizziness, or loss of balance (are symptoms of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,309	83.52	84.12
2	No	323	6.26	6.78
7	Don't know/Not sure	522	10.12	9.06
9	Refused	5	0.10	0.04
BLANK	Not asked or Missing	316		

Stroke Symptoms - Severe Headache

Module: 8.12 Heart Attack and Stroke

Column: 316

Type: Num

SAS Variable Name: STRSYMP6

Prologue:

Description: (Do you think) severe headache with no known cause (is a symptom of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,045	59.03	56.94
2	No	832	16.13	17.34
7	Don't know/Not sure	1,276	24.74	25.68
9	Refused	5	0.10	0.04
BLANK	Not asked or Missing	317		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

First Aid for Heart Attack and Stroke

Module: 8.13 Heart Attack and Stroke

Column: 317

Type: Num

SAS Variable Name: FIRSAID

Prologue:

Description: If you thought someone was having a heart attack or a stroke, what is the first thing you would do?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Take them the hospital	294	5.70	6.01
2	Tell them to call their doctor	37	0.72	0.97
3	Call 911	4,508	87.45	87.90
4	Call their spouse or a family member	38	0.74	0.37
5	Do something else	242	4.69	3.99
7	Don't know/Not sure	30	0.58	0.70
9	Refused	6	0.12	0.06
BLANK	Not asked or Missing	320		

Have You Ever Had a Mammogram

Module: 9.1 Women's Health

Column: 318

Type: Num

SAS Variable Name: HADMAM

Prologue:

Description: A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a mammogram?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1	5,475		

How Long since Last Mammogram

Module: 9.2 Women's Health

Column: 319

Type: Num

SAS Variable Name: HOWLONG

Prologue:

Description: How long has it been since you had your last mammogram?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1; or Module 09.01, HADMAM, is coded 2, 7, 9, or Missing	5,475		

Ever Had Breast Physical Exam by Doctor

Module: 9.3 Women's Health

Column: 320

Type: Num

SAS Variable Name: PROFEXAM

Prologue:

Description: A clinical breast exam is when a doctor, nurse, or other health professional feels the breast for lumps. Have you ever had a clinical breast exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1	5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

How Long since Last Breast Physical Exam

Module: 9.4 Women's Health

Column: 321

Prologue:

Description: How long has it been since your last breast exam?

Type: Num

SAS Variable Name: LENGEXAM

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1; or Module 09.03, PROFEXAM, is coded 2, 7, 9, or Missing	5,475		

Ever Had a Pap Test

Module: 9.5 Women's Health

Column: 322

Prologue:

Description: A Pap test is a test for cancer of the cervix. Have you ever had a Pap test?

Type: Num

SAS Variable Name: HADPAP2

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1	5,475		

How Long Since Last Pap Test

Module: 9.6 Women's Health

Column: 323

Prologue:

Description: How long has it been since you had your last Pap test?

Type: Num

SAS Variable Name: LASTPAP2

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1; or Module 09.05, HADPAP2, is coded 2, 7, 9, or Missing	5,475		

Had Hysterectomy

Module: 9.7 Women's Health

Column: 324

Prologue:

Description: Have you had a hysterectomy? [A hysterectomy is an operation to remove the uterus (womb).]

Type: Num

SAS Variable Name: HADHYST2

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1; or Section 12.21, PREGNANT, is coded 1	5,475		

Ever Had PSA Test

Module: 10.1 Prostate Cancer Screening

Column: 325

Prologue:

Description: A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer. Have you ever had a PSA test?

Type: Num

SAS Variable Name: PSATEST

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Section 12.20, SEX, is coded 2	5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Time Since Last PSA Test

Module: 10.2 Prostate Cancer Screening

Column: 326

Type: Num

SAS Variable Name: PSATIME

Prologue:

Description: How long has it been since you had your last PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Section 12.20, SEX, is coded 2; or Module 10.01, PSATEST, is coded, 2, 7, 9, or Missing	5,475		

Ever Had Digital Rectal Exam

Module: 10.3 Prostate Cancer Screening

Column: 327

Type: Num

SAS Variable Name: DIGRECEX

Prologue:

Description: A digital rectal exam is an exam in which a doctor, nurse or other health professional places a gloved finger into the rectum to feel the size, shape, and hardness of the prostate gland. Have you ever had a digital rectal exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Section 12.20, SEX, is coded 2	5,475		

Time Since Last Digital Rectal Exam

Module: 10.4 Prostate Cancer Screening

Column: 328

Type: Num

SAS Variable Name: DRETIME

Prologue:

Description: How long has it been since your last digital rectal exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Section 12.20, SEX, is coded 2; or Module 10.03, DIGRECEX, is coded 2, 7, 9, or Missing	5,475		

Ever Told You Had Prostate Cancer

Module: 10.5 Prostate Cancer Screening

Column: 329

Type: Num

SAS Variable Name: PROSTATE

Prologue:

Description: Have you ever been told by a doctor, nurse, or other health professional that you had prostate cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Section 12.20, SEX, is coded 2	5,475		

Ever Had Blood Stool Test Using Home Kit

Module: 11.1 Colorectal Cancer Screening

Column: 330

Type: Num

SAS Variable Name: BLDSTOOL

Prologue:

Description: A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood. Have you ever had this test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 50	5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Time Since Last Blood Stool Test

Module: 11.2 Colorectal Cancer Screening

Column: 331

Type: Num

SAS Variable Name: LSTBLDS3

Prologue:

Description: How long has it been since you had your last blood stool test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 50; or Module 11.01, BLDSTOOL, is coded 2, 7, 9, or Missing	5,475		

Ever Had Sigmoidoscopy/Colonoscopy

Module: 11.3 Colorectal Cancer Screening

Column: 332

Type: Num

SAS Variable Name: HADSIGM3

Prologue:

Description: Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems. Have you ever had either of these exams?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 50	5,475		

Was your last test a sigmoidoscopy or colonoscopy?

Module: 11.4 Colorectal Cancer Screening

Column: 333

Type: Num

SAS Variable Name: HADSGCO1

Prologue:

Description: For a SIGMOIDOSCOPY, a flexible tube is inserted into the rectum to look for problems. A COLONOSCOPY is similar, but uses a longer tube, and you are usually given medication through a needle in your arm to make you sleepy and told to have someone else drive you home after the test. Was your MOST RECENT exam a sigmoidoscopy or a colonoscopy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 50; or Module 11.03, HADSIGM3, is coded 2, 7, 9, or Missing	5,475		

Time Since Last Sigmoidoscopy/Colonoscopy

Module: 11.5 Colorectal Cancer Screening

Column: 334

Type: Num

SAS Variable Name: LASTSIG3

Prologue:

Description: How long has it been since you had your last sigmoidoscopy or colonoscopy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 50; or Module 11.03, HADSIGM3, is coded 2, 7, 9, or Missing	5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Currently Receiving Treatment for Cancer

Module: 12.1 Cancer Survivorship

Column: 335

Type: Num

SAS Variable Name: CSRVTRT

Prologue:

Description: Are you currently receiving treatment for cancer? By treatment, we mean surgery, radiation therapy, chemotherapy, or chemotherapy pills.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 22.01, CNCRHAVE, is coded 2, 7, 9, or Missing	5,475		

What Type of Doctor Provides Majority of Your Care

Module: 12.2 Cancer Survivorship

Column: 336-337

Type: Num

SAS Variable Name: CSRVDOC

Prologue:

Description: What type of doctor provides the majority of your health care?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 22.01, CNCRHAVE, is coded 2, 7, 9, or Missing; or Module 12.01, CSRVTRT, is coded 1, 7, 9, or Missing	5,475		

Did You Receive a Summary of Cancer Treatments Received

Module: 12.3 Cancer Survivorship

Column: 338

Type: Num

SAS Variable Name: CSRVSUM

Prologue:

Description: Did any doctor, nurse, or other health professional EVER give you a written summary of all the cancer treatments that you received?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 22.01, CNCRHAVE, is coded 2, 7, 9, or Missing; or Module 12.01, CSRVTRT, is coded 1, 7, 9, or Missing	5,475		

Ever Receive Instructions From A Doctor For Follow-Up Check-Ups

Module: 12.4 Cancer Survivorship

Column: 339

Type: Num

SAS Variable Name: CSRVTRTN

Prologue:

Description: Have you EVER received instructions from a doctor, nurse, or other health professional about where you should return or who you should see for routine cancer check-ups after completing treatment for cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 22.01, CNCRHAVE, is coded 2, 7, 9, or Missing; or Module 12.01, CSRVTRT, is coded 1, 7, 9, or Missing	5,475		

Instructions Written or Printed

Module: 12.5 Cancer Survivorship

Column: 340

Type: Num

SAS Variable Name: CSRVINST

Prologue:

Description: Were these instructions written down or printed on paper for you?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 22.01, CNCRHAVE, is coded 2, 7, 9, or Missing; or Module 12.01, CSRVTRT, is coded 1, 7, 9, or Missing; or Module 12.04, CSRVTRTN, is coded 2, 7, 9, or Missing	5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Did Health Insurance Pay For All Of Your Cancer Treatment

Module: 12.6 Cancer Survivorship

Column: 341

Type: Num

SAS Variable Name: CSRVINSR

Prologue:

Description: With your most recent diagnosis of cancer, did you have health insurance that paid for all or part of your cancer treatment? ["Health insurance" also includes Medicare, Medicaid, or other types of state health programs.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 22.01, CNCRHAVE, is coded 2, 7, 9, or Missing; or Module 12.01, CSRVTRT, is coded 1, 7, 9, or Missing	5,475		

Ever Denied Insurance Coverage Because Of Your Cancer?

Module: 12.7 Cancer Survivorship

Column: 342

Type: Num

SAS Variable Name: CSRVDEIN

Prologue:

Description: Were you EVER denied health insurance or life insurance coverage because of your cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 22.01, CNCRHAVE, is coded 2, 7, 9, or Missing; or Module 12.01, CSRVTRT, is coded 1, 7, 9, or Missing	5,475		

Participate In Clinical Trial As Part Of Cancer Treatment?

Module: 12.8 Cancer Survivorship

Column: 343

Type: Num

SAS Variable Name: CSRVCLIN

Prologue:

Description: Did you participate in a clinical trial as part of your cancer treatment?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 22.01, CNCRHAVE, is coded 2, 7, 9, or Missing; or Module 12.01, CSRVTRT, is coded 1, 7, 9, or Missing	5,475		

Currently Have Physical Pain From Cancer Or Treatment?

Module: 12.9 Cancer Survivorship

Column: 344

Type: Num

SAS Variable Name: CSRVPAIN

Prologue:

Description: Do you currently have physical pain caused by your cancer or cancer treatment?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 22.01, CNCRHAVE, is coded 2, 7, 9, or Missing; or Module 12.01, CSRVTRT, is coded 1, 7, 9, or Missing	5,475		

Is Pain Under Control?

Module: 12.10 Cancer Survivorship

Column: 345

Type: Num

SAS Variable Name: CSRVCTRL

Prologue:

Description: Is your pain currently under control?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 22.01, CNCRHAVE, is coded 2, 7, 9, or Missing; or Module 12.01, CSRVTRT, is coded 1, 7, 9, or Missing; or Module 12.09, CSRVPAIN, is coded 2, 7, 9, or Missing	5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Age at Asthma Diagnosis

Module: 13.1 Adult Asthma History

Column: 346-347

Type: Num

SAS Variable Name: ASTHMA2

Prologue: Previously you said you were told by a doctor, nurse, or other health professional that you had asthma.

Description: How old were you when you were first told by a doctor, nurse or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 10.01, ASTHMA2, is coded 2, 7, 9, or Missing	5,475		

Asthma During Past 12 Months

Module: 13.2 Adult Asthma History

Column: 348

Type: Num

SAS Variable Name: ASATTACK

Prologue:

Description: During the past 12 months, have you had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 10.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 10.02, ASTHNOW, is coded 2, 7, 9, or Missing	5,475		

Emergency Asthma Care During Past 12 Months

Module: 13.3 Adult Asthma History

Column: 349-350

Type: Num

SAS Variable Name: ASERVIST

Prologue:

Description: During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 10.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 10.02, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 13.02, ASATTACK, is coded 2, 7, 9 or Missing	5,475		

Urgent Asthma Treatment During Past 12 Months

Module: 13.4 Adult Asthma History

Column: 351-352

Type: Num

SAS Variable Name: ASDRVIST

Prologue: If one or more visits to Q3, fill in "Besides those emergency room visits,"]

Description: During the past 12 months, how many times did you see a doctor, nurse or other health professional for urgent treatment of worsening asthma symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 10.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 10.02, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 13.02, ASATTACK, is coded 2, 7, 9 or Missing	5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Routine Asthma Care During Past 12 Months

Module: 13.5 Adult Asthma History

Column: 353-354

Type: Num

SAS Variable Name: ASRCHKUP

Prologue:

Description: During the past 12 months, how many times did you see a doctor, nurse, or other health professional for a routine checkup for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 10.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 10.02, ASTHNOW, is coded 2, 7, 9, or Missing	5,475		

Activities Limited Because of Asthma During Past 12 Months

Module: 13.6 Adult Asthma History

Column: 355-357

Type: Num

SAS Variable Name: ASACTLIM

Prologue:

Description: During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 10.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 10.02, ASTHNOW, is coded 2, 7, 9, or Missing	5,475		

Asthma Symptoms During Past 30 Days

Module: 13.7 Adult Asthma History

Column: 358

Type: Num

SAS Variable Name: ASYMPATOM

Prologue:

Description: Symptoms of asthma include cough, wheezing, shortness of breath, chest tightness and phlegm production when you don't have a cold or respiratory infection. During the past 30 days, how often did you have any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 10.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 10.02, ASTHNOW, is coded 2, 7, 9, or Missing	5,475		

Sleep Difficulty Because of Asthma During Past 30 Days

Module: 13.8 Adult Asthma History

Column: 359

Type: Num

SAS Variable Name: ASNOSLEP

Prologue:

Description: During the past 30 days, how many days did symptoms of asthma make it difficult for you to stay asleep? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 10.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 10.02, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 13.07, ASYMPATOM, is coded 8	5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Days used prescribed preventative asthma med in past 30 days

Module: 13.9 Adult Asthma History

Column: 360

Type: Num

SAS Variable Name: ASTHMED3

Prologue:

Description: During the past 30 days, how many days did you take a prescription asthma medication to PREVENT an asthma attack from occurring?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 10.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 10.02, ASTHNOW, is coded 2, 7, 9, or Missing	5,475		

Times used asthma inhaler during an attack in past 30 days

Module: 13.10 Adult Asthma History

Column: 361

Type: Num

SAS Variable Name: ASINHALR

Prologue:

Description: During the past 30 days, how often did you use a prescription asthma inhaler DURING AN ASTHMA ATTACK to stop it?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 10.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 10.02, ASTHNOW, is coded 2, 7, 9, or Missing	5,475		

What Can You Do Because of Arthritis or Joint Symptoms

Module: 14.1 Arthritis Management

Column: 362

Type: Num

SAS Variable Name: ARTTODAY

Prologue: Earlier you indicated that you had arthritis or joint symptoms.

Description: Thinking about your arthritis or joint symptoms, which of the following best describes you TODAY?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 17.01, HAVARTH2, is coded 2, 7, 9, or Missing	5,475		

Dr. Suggest Lose Weight for Arthritis or Joint Symptoms

Module: 14.2 Arthritis Management

Column: 363

Type: Num

SAS Variable Name: ARTHWGT

Prologue:

Description: Has a doctor or other health professional EVER suggested losing weight to help your arthritis or joint symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 17.01, HAVARTH2, is coded 2, 7, 9, or Missing	5,475		

Dr. Suggest Use of Physical Activity or Exercise for Arthritis or Joint Symptoms

Module: 14.3 Arthritis Management

Column: 364

Type: Num

SAS Variable Name: ARTHEXER

Prologue:

Description: Has a doctor or other health professional EVER suggested physical activity or exercise to help your arthritis or joint symptoms? (If the respondent is unclear about whether this means an increase or decrease in physical activity, this means increase.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 17.01, HAVARTH2, is coded 2, 7, 9, or Missing	5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Ever Taken Class in Managing Arthritis or Joint Symptoms

Module: 14.4 Arthritis Management

Column: 365

Type: Num

SAS Variable Name: ARTHEDU

Prologue:

Description: Have you EVER taken an educational course or class to teach you how to manage problems related to your arthritis or joint symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 17.01, HAVARTH2, is coded 2, 7, 9, or Missing	5,475		

Received Tetanus Shot In The Past 10 Years?

Module: 15.1 Tetanus Diptheria (Adults)

Column: 366

Type: Num

SAS Variable Name: TNSARCV

Prologue:

Description: Have you received a tetanus shot in the past 10 years?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

Was Most Recent Tetanus Shot In 2005 Or Later?

Module: 15.2 Tetanus Diptheria (Adults)

Column: 367

Type: Num

SAS Variable Name: TNSARCNT

Prologue:

Description: Was your most recent tetanus shot given in 2005 or later?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 15.01, TNSARCV, is coded 2, 7, 9 or Missing	5,475		

Did Tetanus Shot Included The Pertussis Vaccine?

Module: 15.3 Tetanus Diptheria (Adults)

Column: 368

Type: Num

SAS Variable Name: TNSASHOT

Prologue: There are currently two types of tetanus shots available for adults. One contains the tetanus diphtheria vaccine. The other type contains tetanus diphtheria and pertussis or whooping cough vaccine.

Description: Did your doctor say your recent tetanus shot included the pertussis or whooping cough vaccine?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 15.01, TNSARCV, is coded 2, 7, 9 or Missing; or Module 15.02, TNSARCNT, is coded 2	5,475		

Have you ever had the HPV vaccination?

Module: 16.1 Adult Human Papilloma Virus (HPV)

Column: 369

Type: Num

SAS Variable Name: HPVADVC

Prologue:

Description: A vaccine to prevent the human papilloma virus or HPV infection is available and is called cervical cancer vaccine, HPV shot, or GARDASIL®. Have you EVER had the HPV vaccination?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1; or Section 12.01, AGE, is greater than 49	5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

How many HPV shots did you receive?

Module: 16.2 Adult Human Papilloma Virus (HPV)

Column: 370-371

Type: Num

SAS Variable Name: HPVADSHT

Prologue:

Description: How many HPV shots did you receive?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1; or Section 12.01, AGE, is greater than 49; or Module 16.01, HPVADVC, is coded 2, 3, 7, 9 or Missing	5,475		

Have You Had Shingles Vaccine?

Module: 17.1 Shingles

Column: 372

Type: Num

SAS Variable Name: SHINGLES

Prologue: Shingles is caused by the chicken pox virus. It is an outbreak of rash or blisters on the skin that may be associated with severe pain.

Description: A vaccine for shingles has been available since May 2006, it is called Zostavax®, the zoster vaccine, or the shingles vaccine. Have you had this vaccine?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	296	8.19	8.30
2	No	3,256	90.04	89.95
7	Don't know/Not Sure	60	1.66	1.67
9	Refused	4	0.11	0.08
BLANK	Not asked or Missing	1,859		

Age Of Person To Whom You Are Giving Care?

Module: 18.1 Caregiver

Column: 373-375

Type: Num

SAS Variable Name: CRGVAGE

Prologue:

Description: What age is the person to whom you are giving care?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 13.01, CAREGIVE, is coded 2, 7, 9, or Missing	5,475		

Gender Of Person To Whom You Are Giving Care?

Module: 18.2 Caregiver

Column: 376

Type: Num

SAS Variable Name: CRGVGNDR

Prologue: The remainder of these questions will be about the person to whom you are giving the most care.

Description: Is this person male or female?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 13.01, CAREGIVE, is coded 2, 7, 9, or Missing	5,475		

Relationship Of Person To Whom You Are Giving Care?

Module: 18.3 Caregiver

Column: 377-378

Type: Num

SAS Variable Name: CRGVRELT

Prologue:

Description: What is her/her relationship to you? For example is he/she your (mother/daughter or father/son)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 13.01, CAREGIVE, is coded 2, 7, 9, or Missing	5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

How Long Provided Care For Person.

Module: 18.4 Caregiver

Column: 379-381

Type: Num

SAS Variable Name: CRGVLONG

Prologue:

Description: For how long have you provided care for [CATI: code from Q3]. If Q3 = 77 (Don't know/not sure) or 99 (Refused), say "that person."

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 13.01, CAREGIVE, is coded 2, 7, 9, or Missing	5,475		

What Is The Major Health Problem, Illness, Disability For Care For Person?

Module: 18.5 Caregiver

Column: 382-383

Type: Num

SAS Variable Name: CRGVPROB

Prologue:

Description: What has a doctor said is the major health problem, long-term illness, or disability that the person you care for has?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 13.01, CAREGIVE, is coded 2, 7, 9, or Missing	5,475		

What Areas Does Person Most Need Your Help?

Module: 18.6 Caregiver

Column: 384-385

Type: Num

SAS Variable Name: CRGVMOST

Prologue:

Description: In which of the following areas does the person you care for most need your help?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 13.01, CAREGIVE, is coded 2, 7, 9, or Missing	5,475		

How Many Hours Do You Provide Care For Person?

Module: 18.7 Caregiver

Column: 386-388

Type: Num

SAS Variable Name: CRGVHRS

Prologue:

Description: In an average week, how many hours do you provide care for [CATI: code from Q3] because of his/her health problem, long-term illness, or disability? (Round up to the next whole number of hours.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 13.01, CAREGIVE, is coded 2, 7, 9, or Missing	5,475		

Greatest Difficulty You Have Faced As A Caregiver

Module: 18.8 Caregiver

Column: 389-390

Type: Num

SAS Variable Name: CRGVDIFF

Prologue:

Description: I am going to read a list of difficulties you may have faced as a caregiver. Please indicate which one of the following is the greatest difficulty you have faced as a caregiver.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 13.01, CAREGIVE, is coded 2, 7, 9, or Missing	5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

In the past year, has the person experienced changes in thinking/remembering?

Module: 18.9 Caregiver

Column: 391

Type: Num

SAS Variable Name: CRGVCHNG

Prologue:

Description: During the past year, has the person you care for experienced changes in thinking or remembering?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		
Notes: Section 13.01, CAREGIVE, is coded 2, 7, 9, or Missing				

Household prepared to handle large-scale disaster or emergency

Module: 19.1 General Preparedness

Column: 392

Type: Num

SAS Variable Name: GPWELPR3

Prologue:

Description: How well prepared do you feel your household is to handle a large-scale disaster or emergency? Would you say...

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

Does your household have a 3-day supply of water for everyone who lives there?

Module: 19.2 General Preparedness

Column: 393

Type: Num

SAS Variable Name: GP3DYWTR

Prologue:

Description: Does your household have a 3-day supply of water for everyone who lives there? A 3-day supply of water is 1 gallon of water per person per day.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

Does your household have a 3-day supply of non-perishable food for everyone who lives there?

Module: 19.3 General Preparedness

Column: 394

Type: Num

SAS Variable Name: GP3DYFD1

Prologue:

Description: Does your household have a 3-day supply of nonperishable food for everyone who lives there? By nonperishable we mean food that does not require refrigeration or cooking.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

Does your household have a 3-day supply of prescription medication for each person who takes prescribed medicines?

Module: 19.4 General Preparedness

Column: 395

Type: Num

SAS Variable Name: GP3DYPRS

Prologue:

Description: Does your household have a 3-day supply of prescription medication for each person who takes prescribed medicines?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Does your household have a working battery operated radio and working batteries for your use if the electricity is out?

Module: 19.5 General Preparedness

Type: Num

Column: 396

SAS Variable Name: GPBATRAD

Prologue:

Description: Does your household have a working battery operated radio and working batteries for your use if the electricity is out?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

Does your household have a working flashlight and working batteries for your use if the electricity is out?

Module: 19.6 General Preparedness

Type: Num

Column: 397

SAS Variable Name: GPFLSLIT

Prologue:

Description: Does your household have a working flashlight and working batteries for your use if the electricity is out?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

In a large-scale disaster or emergency, what would be your main method of communicating with relatives and friends?

Module: 19.7 General Preparedness

Type: Num

Column: 398

SAS Variable Name: GPEMRCM1

Prologue:

Description: In a large-scale disaster or emergency, what would be your main method or way of communicating with relatives and friends?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

What would be your main method of getting information from authorities in a large-scale disaster or emergency?

Module: 19.8 General Preparedness

Type: Num

Column: 399

SAS Variable Name: GPEMRIN1

Prologue:

Description: What would be your main method or way of getting information from authorities in a large-scale disaster or emergency?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

Does your household have a disaster evacuation plan?

Module: 19.9 General Preparedness

Type: Num

Column: 400

SAS Variable Name: GPVACPL1

Prologue:

Description: Does your household have a written disaster evacuation plan for how you will leave your home, in case of a large-scale disaster or emergency that requires evacuation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

If public authorities announced mandatory evacuation from your community due to a large-scale disaster or emergency, would you evacuate?

Module: 19.10 General Preparedness

Type: Num

Column: 401

SAS Variable Name: GPMNDEVC

Prologue:

Description: If public authorities announced a mandatory evacuation from your community due to a large-scale disaster or emergency, would you evacuate?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

What would be the main reason why you might not evacuate if asked to do so?

Module: 19.11 General Preparedness

Type: Num

Column: 402-403

SAS Variable Name: GPNOTEV1

Prologue:

Description: What would be the main reason you might not evacuate if asked to do so?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		
	Notes: Module 19.10, GPMNDEVC, is coded 1			

How do other people usually classify you in this country?

Module: 20.1 Reactions to Race

Type: Num

Column: 404

SAS Variable Name: RRCLASS2

Prologue:

Description: How do other people usually classify you in this country? Would you say White, Black or African American, Hispanic or Latino, Asian, Native Hawaiian or Other Pacific Islander, American Indian or Alaska Native, or some other group?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

How often do you think about your race?

Module: 20.2 Reactions to Race

Type: Num

Column: 405

SAS Variable Name: RRCOGNT2

Prologue:

Description: How often do you think about your race? Would you say never, once a year, once a month, once a week, once a day, once an hour, or constantly?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

How do you feel you were treated at work compared to people of other races in past 12 months?

Module: 20.3 Reactions to Race

Type: Num

Column: 406

SAS Variable Name: RRATWRK2

Prologue:

Description: Within the past 12 months at work, do you feel you were treated worse than, the same as, or better than people of other races?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		
	Notes: Section 12.09, EMPLOY, is coded 5, 6, 7, 8, 9 or Missing			

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

When seeking health care past 12 months, was experience worse, same, better than people of other races?

Module: 20.4 Reactions to Race

Type: Num

Column: 407

SAS Variable Name: RRHCARE3

Prologue:

Description: Within the past 12 months when seeking health care, do you feel your experiences were worse than, the same as, or better than for people of other races?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

Times past 30 days felt physical symptoms because of treatment due to your race

Module: 20.5 Reactions to Race

Type: Num

Column: 408

SAS Variable Name: RRPHYSM2

Prologue:

Description: Within the past 30 days, have you experienced any physical symptoms, for example, a headache, an upset stomach, tensing of your muscles, or a pounding heart, as a result of how you were treated based on your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

Times past 30 days felt emotionally upset because of treatment due to your race

Module: 20.6 Reactions to Race

Type: Num

Column: 409

SAS Variable Name: RREMTSM2

Prologue:

Description: Within the past 30 days, have you felt emotionally upset, for example angry, sad, or frustrated, as a result of how you were treated based on your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

How often feel nervous past 30 days

Module: 21.1 Mental Illness & Stigma

Type: Num

Column: 410

SAS Variable Name: MISNERVS

Prologue: Now, I am going to ask you some questions about how you have been feeling during the past 30 days.

Description: About how often during the past 30 days did you feel nervous- would you say all of the time, most of the time, some of the time, a little of the time or none of the time?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

How often feel hopeless past 30 days

Module: 21.2 Mental Illness & Stigma

Type: Num

Column: 411

SAS Variable Name: MISHOPLS

Prologue:

Description: During the past 30 days, about how often did you feel hopeless- all of the time, most of the time, some of the time, a little of the time or none of the time?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

How often feel restless past 30 days

Module: 21.3 Mental Illness & Stigma

Column: 412

Type: Num

SAS Variable Name: MISRSTLS

Prologue:

Description: During the past 30 days, about how often did you feel restless or fidgety? (If necessary: all, most, some, a little, or none of the time.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

How often feel depressed past 30 days

Module: 21.4 Mental Illness & Stigma

Column: 413

Type: Num

SAS Variable Name: MISDEPRD

Prologue:

Description: During the past 30 days, about how often did you feel so depressed that nothing could cheer you up? (If necessary: all, most, some, a little, or none of the time.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

How often feel everything was an effort past 30 days

Module: 21.5 Mental Illness & Stigma

Column: 414

Type: Num

SAS Variable Name: MISEFFRT

Prologue:

Description: During the past 30 days, about how often did you feel that everything was an effort? (If necessary: all, most, some, a little, or none of the time.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

How often feel worthless past 30 days

Module: 21.6 Mental Illness & Stigma

Column: 415

Type: Num

SAS Variable Name: MISWTLES

Prologue:

Description: During the past 30 days, about how often did you feel worthless? (If necessary: all, most, some, a little, or none of the time.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

Emotional problem kept you from doing work past 30 days

Module: 21.7 Mental Illness & Stigma

Column: 416-417

Type: Num

SAS Variable Name: MISNOWRK

Prologue: The next question asks if any type of mental health condition or emotional problem has recently kept you from doing your work or other usual activities.

Description: During the past 30 days, for about how many days did a mental health condition or emotional problem keep you from doing your work or other usual activities? (If asked, "usual activities" includes housework, self-care, caregiving, volunteer work, attending school, or recreation.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Receiving medicine or treatment from health pro for emotional problem

Module: 21.8 Mental Illness & Stigma

Column: 418

Type: Num

SAS Variable Name: MISTMNT

Prologue:

Description: Are you now taking medicine or receiving treatment from a doctor or other health professional for any type of mental health condition or emotional problem?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

Mental health treatment can help people lead normal life

Module: 21.9 Mental Illness & Stigma

Column: 419

Type: Num

SAS Variable Name: MISTRHLP

Prologue: These next questions ask about peoples' attitudes toward mental illness and its treatment. How much do you agree or disagree with these statements about people with mental illness...

Description: Treatment can help people with mental illness lead normal lives. Do you agree slightly or strongly, or disagree slightly or strongly?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

People are generally caring toward people with mental illness

Module: 21.10 Mental Illness & Stigma

Column: 420

Type: Num

SAS Variable Name: MISPHLPF

Prologue:

Description: People are generally caring and sympathetic to people with mental illness. Do you agree slightly or strongly or disagree slightly or strongly? (If asked for the purpose of Q9 or Q10, say: "answers to these questions will be used by health planners to help understand public attitudes about mental illness and its treatment and to help guide health education programs.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

Do you have a CO detector in your home?

Module: 22.1 Carbon Monoxide Detectors and Gas Powered Generators

Column: 421

Type: Num

SAS Variable Name: IAQCODT1

Prologue: A carbon monoxide or CO detector checks the level of carbon monoxide in your home. It is different than a smoke detector.

Description: Do you have a carbon monoxide detector in your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

Does Your Carbon Monoxide Detector Use A Battery?

Module: 22.2 Carbon Monoxide Detectors and Gas Powered Generators

Column: 422

Type: Num

SAS Variable Name: CMDGPPWR

Prologue:

Description: Does your carbon monoxide detector use a battery for either the main power or the backup power?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		
Notes: Module 22.01, IAQCODT1, is coded 2, 7, 9, or Missing				

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Last Time Batteries In Carbon Monoxide Detector Were Changed

Module: 22.3 Carbon Monoxide Detectors and Gas Powered Generators

Column: 423

Type: Num

SAS Variable Name: CMDGPBAT

Prologue:

Description: When was the last time the batteries in your carbon monoxide detector were changed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 22.01, IAQCODT1, is coded 2, 7, 9, or Missing; or Module 22.02, CMDGPPWR, is coded 2, 7, 9, or Missing	5,475		

Has Anyone In Household Ever Used Gas-Powered Generator To Provide Electric Power?

Module: 22.4 Carbon Monoxide Detectors and Gas Powered Generators

Column: 424

Type: Num

SAS Variable Name: CMDGPGEN

Prologue:

Description: Has anyone in your household EVER used a gas-powered generator to provide electric power to your home when the power went out?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

Has Anyone In Household Ever Used Diesel-Powered Generator To Provide Electric Power?

Module: 22.5 Carbon Monoxide Detectors and Gas Powered Generators

Column: 425

Type: Num

SAS Variable Name: CMDGPDSL

Prologue:

Description: In the past year, has anyone in your household used a gasoline or diesel-powered generator to provide electric power to your home when the power went out?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 22.04, CMDGPGEN, is coded 2, 7, 9, or Missing	5,475		

Where Is Generator When It Is Running?

Module: 22.6 Carbon Monoxide Detectors and Gas Powered Generators

Column: 426

Type: Num

SAS Variable Name: CMDGPLOC

Prologue:

Description: Where is the generator usually placed when it is running?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 22.04, CMDGPGEN, is coded 2, 7, 9, or Missing	5,475		

Most Impact On Where Generator Is While Running?

Module: 22.7 Carbon Monoxide Detectors and Gas Powered Generators

Column: 427

Type: Num

SAS Variable Name: CMDGPRUN

Prologue:

Description: Which of the following has the most impact on where you place the generator while it is running?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 22.04, CMDGPGEN, is coded 2, 7, 9, or Missing	5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Own, Rent, Or Borrow The Generator?

Module: 22.8 Carbon Monoxide Detectors and Gas Powered Generators

Column: 428

Type: Num

SAS Variable Name: CMDGPOWN

Prologue:

Description: Do you own, rent, or borrow the generator that you usually use to provide electric power to your home when the power goes out?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 22.04, CMDGPGEN, is coded 2, 7, 9, or Missing	5,475		

Own or Rent Home

Module: 23.1 Social Context

Column: 429

Type: Num

SAS Variable Name: RENTHOM1

Prologue:

Description: Do you own or rent your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

Times Past 12 Months Worried/Stressed About Having Enough Money To Pay Your Rent/Mortgage?

Module: 23.2 Social Context

Column: 430

Type: Num

SAS Variable Name: SCNTMONY

Prologue:

Description: How often in the past 12 months would you say you were worried or stressed about having enough money to pay your rent/mortgage? Would you say you were worried or stressed---

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 23.01, RENTHOM1, is coded 3, 7, 9 or Missing	5,475		

Times Past 12 Months Worried/Stressed About Having Enough Money To Buy Nutritious Meals?

Module: 23.3 Social Context

Column: 431

Type: Num

SAS Variable Name: SCNTMEAL

Prologue:

Description: How often in the past 12 months would you say you were worried or stressed about having enough money to buy nutritious meals? Would you say you were worried or stressed---

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

How Are You Generally Paid For The Work You Do

Module: 23.4 Social Context

Column: 432

Type: Num

SAS Variable Name: SCNTPAID

Prologue:

Description: At your main job or business, how are you generally paid for the work you do. Are you:

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.09, EMPLOY, is coded 3, 4, 5, 6, 7, 8, 9, or Missing	5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

How Many Hours Per Week Do You Work

Module: 23.5 Social Context

Column: 433-434

Type: Num

SAS Variable Name: SCNTWORK

Prologue:

Description: About how many hours do you work per week on all of your jobs and businesses combined?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.09, EMPLOY, is coded 3, 4, 5, 6, 7, 8, 9, or Missing	5,475		

How Were You Generally Paid For The Work You Did

Module: 23.6 Social Context

Column: 435

Type: Num

SAS Variable Name: SCNTLPAD

Prologue:

Description: Thinking about the last time you worked, at your main job or business, how were you generally paid for the work you do? Were you:

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.09, EMPLOY, is coded 1, 2, 5, 6, 8, 9, or Missing	5,475		

How Many Hours Per Week Did You Work

Module: 23.7 Social Context

Column: 436-437

Type: Num

SAS Variable Name: SCNTLWRK

Prologue:

Description: Thinking about the last time you worked, about how many hours did you work per week at all of your jobs and businesses combined?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.09, EMPLOY, is coded 1, 2, 9, or Missing	5,475		

Did You Vote In The Last Presidential Election?

Module: 23.8 Social Context

Column: 438

Type: Num

SAS Variable Name: SCNTVOTE

Prologue:

Description: Did you vote in the last presidential election? The November 2008 election between Barack Obama and John McCain?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

Live With Anyone Depressed, Mentally Ill, Or Suicidal?

Module: 24.1 Adverse Childhood Experience

Column: 439

Type: Num

SAS Variable Name: ACEDEPRS

Prologue:

Description: Did you live with anyone who was depressed, mentally ill, or suicidal?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Live With a Problem Drinker/Alcoholic?

Module: 24.2 Adverse Childhood Experience

Column: 440

Type: Num

SAS Variable Name: ACEDRINK

Prologue:

Description: Did you live with anyone who was a problem drinker or alcoholic?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

Live With Anyone Who Used Illegal Drugs or Abused Prescriptions?

Module: 24.3 Adverse Childhood Experience

Column: 441

Type: Num

SAS Variable Name: ACEDRUGS

Prologue:

Description: Did you live with anyone who used illegal street drugs or who abused prescription medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

Live With Anyone Who Served Time in Prison or Jail?

Module: 24.4 Adverse Childhood Experience

Column: 442

Type: Num

SAS Variable Name: ACEPRISN

Prologue:

Description: Did you live with anyone who served time or was sentenced to serve time in a prison, jail, or other correctional facility?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

Were Your Parents Divorced/Seperated?

Module: 24.5 Adverse Childhood Experience

Column: 443

Type: Num

SAS Variable Name: ACEDIVRC

Prologue:

Description: Were your parents separated or divorced?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

How Often Did Your Parents Beat Each Other Up?

Module: 24.6 Adverse Childhood Experience

Column: 444

Type: Num

SAS Variable Name: ACEPUNCH

Prologue:

Description: How often did your parents or adults in your home ever slap, hit, kick, punch or beat each other up?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

How Often Did A Parent Physically Hurt You In Any Way?

Module: 24.7 Adverse Childhood Experience

Column: 445

Type: Num

SAS Variable Name: ACEHURT

Prologue:

Description: Before age 18, how often did a parent or adult in your home ever hit, beat, kick, or physically hurt you in any way? Do not include spanking. Would you say---

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

How Often Did A Parent Swear At You?

Module: 24.8 Adverse Childhood Experience

Column: 446

Type: Num

SAS Variable Name: ACESWEAR

Prologue:

Description: How often did a parent or adult in your home ever swear at you, insult you, or put you down?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

How Often Did Anyone Ever Touch You Sexually?

Module: 24.9 Adverse Childhood Experience

Column: 447

Type: Num

SAS Variable Name: ACETOUCH

Prologue:

Description: How often did anyone at least 5 years older than you or an adult, ever touch you sexually?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

How Often Did Anyone Make You Touch Them Sexually?

Module: 24.10 Adverse Childhood Experience

Column: 448

Type: Num

SAS Variable Name: ACETTHEM

Prologue:

Description: How often did anyone at least 5 years older than you or an adult, try to make you touch them sexually?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

How Often Did Anyone Ever Force You to Have Sex?

Module: 24.11 Adverse Childhood Experience

Column: 449

Type: Num

SAS Variable Name: ACEHVSEX

Prologue:

Description: How often did anyone at least 5 years older than you or an adult, force you to have sex?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Birth date of child

Module: 25.1 Random Child Selection

Column: 465-470

Type: Char

SAS Variable Name: RCSBIRTH

Prologue:

Description: What is the birth month and year of the "Xth" child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
777777	Don't know/Not sure	21	3.04	2.89
999999	Refused	46	6.67	5.37
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing;	4,785		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	623	90.29	91.74

Gender of child

Module: 25.2 Random Child Selection

Column: 471

Type: Num

SAS Variable Name: RCSGENDR

Prologue:

Description: Is the child a boy or a girl?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Boy	354	51.38	51.97
2	Girl	327	47.46	47.43
9	Refused	8	1.16	0.60
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months	4,786		

Ethnicity of child

Module: 25.3 Random Child Selection

Column: 472

Type: Num

SAS Variable Name: RCHISLAT

Prologue:

Description: Is the child Hispanic or Latino?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	204	29.61	28.89
2	No	475	68.94	69.69
7	Don't know/Not Sure	4	0.58	0.31
9	Refused	6	0.87	1.11
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months	4,786		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Race of child (multiple possible)

Module: 25.4 Random Child Selection

Column: 473-478

Type: Char

SAS Variable Name: RCSRACE

Prologue:

Description: Which one or more of the following would you say is the race of the child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	7	1.02	1.26
9	Refused	10	1.45	1.31
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months	4,787		
HIDDEN	Data Not Displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	671	97.53	97.43

Race of child

Module: 25.5 Random Child Selection

Column: 479

Type: Num

SAS Variable Name: RCSBRACE

Prologue:

Description: Which one of these groups would you say best represents the child's race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White	10	38.46	25.70
2	Black or African American	2	7.69	13.56
3	Asian	1	3.85	6.29
5	American Indian or Alaskan Native	2	7.69	9.02
6	Other	3	11.54	4.64
7	Don't know/Not sure	5	19.23	30.29
9	Refused	3	11.54	10.51
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months; or Module 25.04, RCSRACE, has only one valid race code (1-6)	5,449		

Relationship to child

Module: 25.6 Random Child Selection

Column: 480

Type: Num

SAS Variable Name: RCSRLTN2

Prologue:

Description: How are you related to the child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Parent (include biologic, step, or adoptive parent)	589	85.74	89.04
2	Grandparent	51	7.42	3.94
3	Foster parent or guardian	3	0.44	0.09
4	Sibling (include biologic, step, and adoptive sibling)	15	2.18	2.97
5	Other relative	9	1.31	0.90
6	Not related in any way	11	1.60	1.95
9	Refused	9	1.31	1.12
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months	4,788		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Hlth pro ever said child has asthma

Module: 26.1 Childhood Asthma Prevalence

Column: 481

Type: Num

SAS Variable Name: CASTHDX2

Prologue:

Description: Has a doctor, nurse or other health professional EVER said that the child has asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	99	14.43	13.30
2	No—Go to next module	578	84.26	85.19
7	Don't know/Not Sure—Go to next module	2	0.29	0.86
9	Refused—Go to next module	7	1.02	0.65
BLANK	Not asked or Missing	4,789		
Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing				

Child still have asthma?

Module: 26.2 Childhood Asthma Prevalence

Column: 482

Type: Num

SAS Variable Name: CASTHNO2

Prologue:

Description: Does the child still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	70	70.71	81.71
2	No	24	24.24	14.68
7	Don't know/Not Sure	5	5.05	3.61
BLANK	Not asked or Missing	5,376		
Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or Module 26.01, CASTHDX2, is coded 2, 7, 9, or Missing				

Had flu shot past 12 mos

Module: 27.1 Childhood Immunization

Column: 483

Type: Num

SAS Variable Name: FLUSHCH1

Prologue:

Description: During the past 12 months, has [Fill: he/she] had a flu vaccination? There are two types of flu vaccinations. One is a shot and the other is a spray in the nose.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		
Notes: CHILDDAGE < 6 months				

Date child rcvd most recent flu vaccine(mmyyyy)

Module: 27.2 Childhood Immunization

Column: 484-489

Type: Num

SAS Variable Name: RCVFVCH3

Prologue:

Description: During what month and year did [Fill: he/she] receive the most recent flu vaccination? The flu vaccination may have been either the flu shot or the flu spray. The flu spray is the flu vaccination that is sprayed in the nose.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Child ever had the HPV vaccination?

Module: 28.1 Child Human Papilloma Virus (HPV)

Column: 490

Type: Num

SAS Variable Name: HPVCHVC

Prologue:

Description: A vaccine to prevent the human papilloma virus or HPV infection is available and is called the cervical cancer vaccine, HPV shot, or GARDASIL®. Has this child EVER had the HPV vaccination?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or Module 15.02, RCSGENDR, is coded 1, 9 or Missing; or CHILDAge < 9 years or Missing; or CHILDAge > 17 years	5,475		

How many HPV shots did child receive?

Module: 28.3 Child Human Papilloma Virus (HPV)

Column: 491-492

Type: Num

SAS Variable Name: HPVCHSHT

Prologue:

Description: How many HPV shots did she receive?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or Module 25.02, RCSGENDR, is coded 1, 9 or Missing; or CHILDAge < 9 years or Missing; or CHILDAge > 17 years; or Module 28.01, HPVCHVC, is coded 2, 3, 7, 9 or Missing	5,475		

Adolescent Received Tetanus Shot In The Past 10 Years?

Module: 29.1 Tetanus Diptheria (Adolescents)

Column: 493

Type: Num

SAS Variable Name: TNSCRVC

Prologue:

Description: Has he/she received a tetanus shot in the past 10 years?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAge < 10 years or Missing; or CHILDAge > 17 years	5,475		

Was Adolescent Most Recent Tetanus Shot In 2005 Or Later?

Module: 29.2 Tetanus Diptheria (Adolescents)

Column: 494

Type: Num

SAS Variable Name: TNSCRCNT

Prologue:

Description: Was his/her most recent tetanus shot given in 2005 or later?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAge < 10 years or Missing; or CHILDAge > 17 years; or Module 29.01, TNSCRVC, is coded 2, 7, 9 or Missing	5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Did Adolescent Tetanus Shot Included The Pertussis Vaccine?

Module: 29.3 Tetanus Diphtheria (Adolescents)

Column: 495

Type: Num

SAS Variable Name: TNSCSHOT

Prologue: There are currently two types of tetanus shots available for older children and teenagers. One contains the tetanus diphtheria vaccine. The other type contains tetanus diphtheria and pertussis or whooping cough vaccine.

Description: Did the doctor say his/her most recent tetanus shot included the pertussis or whooping cough vaccine?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE < 10 years or Missing; or CHILDDAGE > 17 years; or Module 29.01, TNSCRV, is coded 2, 7, 9 or Missing; or Module 29.02, TNSCRNT, is coded 2	5,475		

Asthma Follow-Up call back request

Followup: 1.1 Asthma Follow-up Call Back

Column: 496

Type: Num

SAS Variable Name: CALLBACK

Prologue:

Description: We would like to call you again within the next 2 weeks to talk in more detail about (your/your child's) experiences with asthma. The information will be used to help develop and improve the asthma programs in <STATE>. The information you gave us today and any you give us in the future will be kept confidential. If you agree to this, we will keep your first name or initials and phone number on file, separate from the answers collected today.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	345	74.68	70.52
2	No	117	25.32	29.48
BLANK	Not asked or Missing	5,013		

State Added Questions

State: 1.1 StateQuestions

Column: 501-750

Type: Char

SAS Variable Name: STATEQUE

Prologue:

Description: State Added Questions

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

What is the most effective ONE thing you can do to prevent getting sick from the flu?

Section: 16.6 Pandemic Influenza

Column: 751

Type: Num

SAS Variable Name: PF09Q01

Prologue:

Description: What do you think is the most effective ONE thing you can do to prevent getting sick from the flu?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Avoiding touching your eyes, nose or mouth as much as possible during the flu season	197	23.51	24.62
2	Avoiding close contact with others who may have the flu	324	38.66	38.70
3	Getting the flu vaccination	215	25.66	25.10
4	Taking anti-viral medicine, like Tamiflu, on the first or second day that you have symptoms of the flu	30	3.58	6.25
7	Don't know/Not Sure	61	7.28	4.88
9	Refused	11	1.31	0.46
BLANK	Not asked or Missing	4,637		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

What is the most effective thing to do to prevent spreading the flu to people when you are sick?

Section: 16.7 Pandemic Influenza

Type: Num

Column: 752

SAS Variable Name: PF09Q02

Prologue:

Description: What do you think is the most effective thing to do to prevent spreading the flu to people when you are sick?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Frequent hand washing	191	22.79	19.85
2	Covering your mouth and nose when coughing or sneezing	79	9.43	11.76
3	Staying home when you are sick with the flu	506	60.38	61.11
4	Getting the flu vaccination	41	4.89	4.35
5	Something else	9	1.07	1.69
7	Don't know/Not Sure	8	0.95	0.53
9	Refused	4	0.48	0.71
BLANK	Not asked or Missing	4,637		

If there is a pandemic flu outbreak what do you think your chances are of getting sick with the pandemic flu?

Section: 16.8 Pandemic Influenza

Type: Num

Column: 753

SAS Variable Name: PF09Q03

Prologue:

Description: If there is a pandemic flu outbreak and you do not get the pandemic flu vaccination, what do you think your chances are of getting sick with the pandemic flu?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Very high (90-100%)	84	10.04	8.28
2	High (70-89%)	149	17.80	21.34
3	Average (50-69%)	281	33.57	33.26
4	Low (20-49%)	157	18.76	15.76
5	Very low (0-19%)	100	11.95	14.49
7	Don't know/Not Sure	61	7.29	6.46
9	Refused	5	0.60	0.41
BLANK	Not asked or Missing	4,638		

If there was a pandemic flu outbreak, how likely are you to get a pandemic flu vaccination?

Section: 16.9 Pandemic Influenza

Type: Num

Column: 754

SAS Variable Name: PF09Q04

Prologue:

Description: If there was a pandemic flu outbreak, how likely are you to get a pandemic flu vaccination if it was available to you?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Definitely get one	377	45.37	45.08
2	Probably get one	265	31.89	32.33
3	Probably not get one	96	11.55	13.61
4	Definitely not get a pandemic flu vaccination	63	7.58	5.71
7	Don't know/Not Sure	25	3.01	2.97
9	Refused	5	0.60	0.30
BLANK	Not asked or Missing	4,644		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

If told to get vaccinated to prevent the spread of pandemic flu, would you...

Section: 16.10 Pandemic Influenza

Column: 755

Type: Num

SAS Variable Name: PF09Q05

Prologue:

Description: If public health officials recommended that everyone go to a particular public place such as a local school, fire station, or sports stadium to get vaccinated to prevent the spread of pandemic flu, would you...

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Definitely go	314	37.88	33.47
2	Probably go	296	35.71	39.16
3	Probably not go	124	14.96	18.42
4	Definitely not go to a particular place to get vaccinated	73	8.81	6.68
7	Don't know/Not Sure	19	2.29	2.03
9	Refused	3	0.36	0.24
BLANK	Not asked or Missing	4,646		

If there is pandemic flu in the U.S. what would be the most important ONE thing you would want to know?

Section: 16.11 Pandemic Influenza

Column: 756-757

Type: Num

SAS Variable Name: PF09Q06

Prologue:

Description: Imagine an outbreak of pandemic flu in the U.S. in the next year. What would be the most important ONE thing you would want to know?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	How to prevent getting the flu	379	45.94	42.56
2	How to prevent spreading the flu	61	7.39	9.03
3	Symptoms of the flu	81	9.82	9.77
4	How to treat the flu	82	9.94	16.31
5	Cities where cases of the flu have been identified	33	4.00	4.24
6	Information about the flu vaccine	80	9.70	7.08
7	Something else	60	7.27	8.15
77	Don't know/Not Sure	44	5.33	2.44
99	Refused	5	0.61	0.42
BLANK	Not asked or Missing	4,650		

What would be your ONE most preferred source for getting information about the pandemic flu?

Section: 16.12 Pandemic Influenza

Column: 758-759

Type: Num

SAS Variable Name: PF09Q07

Prologue:

Description: During a pandemic flu outbreak in the U.S., what would be your ONE most preferred source for getting information about the pandemic flu? Please tell me your one most preferred source.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Newspapers	54	6.58	4.79
2	Television	263	32.03	31.58
3	Radio	37	4.51	5.33
4	Internet websites	143	17.42	23.09
5	Your doctor	179	21.80	19.70
6	The CDC (Centers for Disease Control and Prevention)	27	3.29	2.94
7	State or local public health departments	43	5.24	3.55
8	Other government agencies	6	0.73	0.51
9	Family or friends	10	1.22	0.54
10	Religious leaders	1	0.12	0.12
11	Some other source	27	3.29	4.25
77	Don't know/Not Sure	28	3.41	3.09
99	Refused	3	0.37	0.53
BLANK	Not asked or Missing	4,654		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

What is the ONE most likely thing you would do if a pandemic flu outbreak were reported IN YOUR STATE?

Section: 16.13 Pandemic Influenza

Type: Num

Column: 760-761

SAS Variable Name: PF09Q08

Prologue:

Description: Excluding vaccination, what is the ONE most likely thing you would do if a pandemic flu outbreak were reported IN YOUR STATE? Please choose one from the following list?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Consult a website	45	5.54	4.35
2	Avoid crowds and public events	162	19.93	16.62
3	Consult your doctor	282	34.69	33.17
4	Try to get a prescription for an anti-viral drug such as Tamiflu	30	3.69	2.34
5	Reduce or avoid travel	20	2.46	2.82
6	Wash hands frequently	77	9.47	11.78
7	Wear a face mask	18	2.21	3.20
8	Keep household members at home while the outbreak lasts	88	10.82	13.97
9	Stock up on medicines and food to help with flu symptoms	23	2.83	4.60
10	Something else	45	5.54	5.44
77	Don't know/Not Sure	17	2.09	1.15
99	Refused	6	0.74	0.57
BLANK	Not asked or Missing	4,662		

If recommended that everyone stay at home for a month because of a serious outbreak of pandemic flu in your community, would you?

Section: 16.14 Pandemic Influenza

Type: Num

Column: 762

SAS Variable Name: PF09Q09

Prologue:

Description: If public health officials recommended that everyone stay at home for a month because of a serious outbreak of pandemic flu in your community, are you very likely, somewhat likely, somewhat unlikely, or very unlikely to stay home for a month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Very likely	356	43.84	36.06
2	Somewhat likely	174	21.43	24.96
3	Somewhat unlikely	102	12.56	15.91
4	Very unlikely to stay at home for a month	157	19.33	20.74
7	Don't know/Not Sure	19	2.34	2.08
9	Refused	4	0.49	0.25
BLANK	Not asked or Missing	4,663		

Please tell me if you currently work in any of these fields.

Section: 16.15 Pandemic Influenza

Type: Num

Column: 763

SAS Variable Name: PF09Q10

Prologue: Emergency medical services, law enforcement, fire services, or in the manufacture of pandemic vaccines or anti-virals. Public health, healthcare provider, home health, or in a nursing home.

Description: I'm going to read you a list of job types. Please tell me if you currently work in any of these fields.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	65	19.70	17.46
2	No	263	79.70	81.84
7	Don't know/Not Sure	2	0.61	0.69
BLANK	Not asked or Missing	5,145		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Questionnaire Version Identifier

State: 1.1 Questionnaire Version

Column: 860

Prologue:

Description: Questionnaire Version Identifier

Type: Num

SAS Variable Name: QSTVER

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Only Version Landline	5,475	100.00	100.00

Language identifier

State: 1.1 Questionnaire Language

Column: 861-862

Prologue:

Description: Language identifier

Type: Num

SAS Variable Name: QSTLANG

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	English	5,159	94.23	92.91
2	Spanish	316	5.77	7.09

Cell Phone Pilot County Name

State: 1.1 Cell Phone Pilot II

Column: 873-917

Prologue:

Description: Cell Phone Pilot County Name

Type: Char

SAS Variable Name: CPCOUNTY

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		5,475	100.00	100.00

Were You Ill With A Fever In Past Month?

Section: 25.1 H1N1 Adult

Column: 918

Prologue: We would like to ask you some questions about recent respiratory illnesses.

Description: During the past month, were you ill with a fever?

Type: Num

SAS Variable Name: H1N1AQ01

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	160	8.73	8.59
2	No—Go to Section 24.08 H1N1AQ08	1,669	91.10	91.32
7	Don't know/Not Sure—Go to Section 24.08 H1N1AQ08	3	0.16	0.09
BLANK	Not asked or Missing	3,643		

Did you also have a cough and/or sore throat?

Section: 25.2 H1N1 Adult

Column: 919

Prologue:

Description: Did you also have a cough and/or sore throat?

Type: Num

SAS Variable Name: H1N1AQ02

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	121	75.63	85.05
2	No—Go to Section 24.08 H1N1AQ08	39	24.38	14.95
BLANK	Not asked or Missing	5,315		
	Notes: Section 24.01, H1N1AQ01, is coded 2, 7, 9, or Missing			

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

When did you first become ill with fever, cough or sore throat?

Section: 25.3 H1N1 Adult

Column: 920

Type: Num

SAS Variable Name: H1N1AQ03

Prologue:

Description: When did you first become ill with fever, cough or sore throat?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past week Notes: [Interviewer, if asked: past 1-7 days]	24	19.83	14.57
2	2 weeks ago Notes: [Interviewer, if asked: past 8-14 days]	30	24.79	26.15
3	3-4 weeks ago Notes: [Interviewer, if asked: 15-30 days before today]	67	55.37	59.28
BLANK	Not asked or Missing Notes: Section 24.01, H1N1AQ01, is coded 2, 7, 9, or Missing; or Section 24.02, H1N1AQ02, is coded 2, 7, 9, or Missing	5,354		

Did you visit a doctor, nurse, or other health professional for this illness?

Section: 25.4 H1N1 Adult

Column: 921

Type: Num

SAS Variable Name: H1N1AQ04

Prologue:

Description: Did you visit a doctor, nurse, or other health professional for this illness?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	52	42.98	51.68
2	No—Go to Section 24.08 H1N1AQ08	69	57.02	48.32
BLANK	Not asked or Missing Notes: Section 24.01, H1N1AQ01, is coded 2, 7, 9, or Missing; or Section 24.02, H1N1AQ02, is coded 2, 7, 9, or Missing	5,354		

What did the doctor, nurse, or other health professional tell you?

Section: 25.5 H1N1 Adult

Column: 922

Type: Num

SAS Variable Name: H1N1AQ05

Prologue:

Description: What did the doctor, nurse, or other health professional tell you? Did they say...

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	You had regular influenza or the flu	11	21.15	21.69
2	You had swine flu, also known as H1N1 or novel H1N1	4	7.69	26.90
3	You had some other illness, but not the flu	36	69.23	50.02
7	Don't know/Not Sure	1	1.92	1.39
BLANK	Not asked or Missing Notes: Section 24.01, H1N1AQ01, is coded 2, 7, 9, or Missing; or Section 24.02, H1N1AQ02, is coded 2, 7, 9, or Missing; or Section 24.04, H1N1AQ04, is coded 2, 7, 9, or Missing	5,423		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Did you have a flu test that was positive for this illness?

Section: 25.6 H1N1 Adult

Column: 923

Type: Num

SAS Variable Name: H1N1AQ06

Prologue:

Description: Did you have a flu test that was positive for this illness? Usually a swab from your nose or throat is tested. Would you say...

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, had flu test and it was positive	5	10.87	20.01
2	No, had flu test but it was negative	8	17.39	18.08
3	No, flu test was not done	32	69.57	58.16
7	Don't know/Not Sure	1	2.17	3.75
BLANK	Not asked or Missing	5,429		
Notes: Section 24.01, H1N1AQ01, is coded 2, 7, 9, or Missing; or Section 24.02, H1N1AQ02, is coded 2, 7, 9, or Missing; or Section 24.04, H1N1AQ04, is coded 2, 7, 9, or Missing				

Did you receive Tamiflu®, oseltamivir, Relenza® or zanamivir [za NA mi veer] to treat this illness?

Section: 25.7 H1N1 Adult

Column: 924

Type: Num

SAS Variable Name: H1N1AQ07

Prologue:

Description: Did you receive Tamiflu® or oseltamivir [o sel TAM i veer] or an inhaled medicine called Relenza® or zanamivir [za NA mi veer] to treat this illness?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	17.39	24.94
2	No	35	76.09	72.44
7	Don't know/Not Sure	3	6.52	2.62
BLANK	Not asked or Missing	5,429		
Notes: Section 24.01, H1N1AQ01, is coded 2, 7, 9, or Missing; or Section 24.02, H1N1AQ02, is coded 2, 7, 9, or Missing; or Section 24.04, H1N1AQ04, is coded 2, 7, 9, or Missing				

Did any other members of your household have a fever with cough or sore throat during the past month?

Section: 25.8 H1N1 Adult

Column: 925

Type: Num

SAS Variable Name: H1N1AQ08

Prologue:

Description: Did any other members of your household have a fever with cough or sore throat during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	287	21.69	25.96
2	No—Go to Section 24.10 H1N1AQ10	1,033	78.08	73.61
7	Don't know/Not Sure	3	0.23	0.43
BLANK	Not asked or Missing	4,152		

How many household members, including you, were ill during the past month?

Section: 25.9 H1N1 Adult

Column: 926-927

Type: Num

SAS Variable Name: H1N1AQ09

Prologue:

Description: How many household members, including you, were ill during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	# persons [1-76]	287	98.97	99.02
88	No	2	0.69	0.88
77	Don't know/Not Sure	1	0.34	0.10
BLANK	Not asked or Missing	5,185		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

How many people in your household, including you, were hospitalized for flu during the past month?

Section: 25.10 H1N1 Adult

Type: Num

Column: 928-929

SAS Variable Name: H1N1AQ10

Prologue:

Description: How many people in your household, including you, were hospitalized for flu during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	# persons [1-76]	9	2.51	2.03
88	None	349	97.49	97.97
BLANK	Not asked or Missing	5,117		
Notes: Section 24.01, H1N1AQ01, is coded 2, 7, 9, or Missing; or Section 24.02, H1N1AQ02, is coded 2, 7, 9, or Missing; or Section 24.08, H1N1AQ08, is coded 2, 7, 9, or Missing;				

Has the child had a fever with cough and/or sore throat during the past month?

Module: 30.1 H1N1 Child

Type: Num

Column: 930

SAS Variable Name: H1N1CQ01

Prologue:

Description: Has the child had a fever with cough and/or sore throat during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	136	30.09	24.32
2	No—Go to Next Module	309	68.36	72.46
7	Don't know/Not Sure—Go to Next Module	3	0.66	2.21
9	Refused—Go to Next Module	4	0.88	1.00
BLANK	Not asked or Missing	5,023		

Did the child visit a doctor, nurse, or other health professional for this illness?

Module: 30.2 H1N1 Child

Type: Num

Column: 931

SAS Variable Name: H1N1CQ02

Prologue:

Description: Did the child visit a doctor, nurse, or other health professional for this illness?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	81	59.56	65.95
2	No	55	40.44	34.05
BLANK	Not asked or Missing	5,339		
Notes: Module 30.01, H1N1CQ01, is coded 2, 7, 9, or Missing;				

Have you been vaccinated for H1N1?

Module: 31.1 Novel H1N1 Adult Immunization

Type: Num

Column: 932

SAS Variable Name: H1N1AV01

Prologue: There are ways to get the H1N1 flu vaccination. One is a shot in the arm and the other is a spray, mist or drop in the nose.

Description: Since September, 2009, have you been vaccinated either way for the H1N1 flu?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	75	5.30	6.62
2	No—Go to Section 16.01 FLUSHOT3	1,333	94.20	92.69
7	Don't know/Not Sure—Go to Section 16.01 FLUSHOT3	6	0.42	0.45
9	Refused—Go to Section 16.01 FLUSHOT3	1	0.07	0.24
BLANK	Not asked or Missing	4,060		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

During what month did you receive your H1N1 flu vaccine?

Module: 31.2 Novel H1N1 Adult Immunization

Column: 933-934

Type: Num

SAS Variable Name: H1N1AV02

Prologue:

Description: During what month did you receive your H1N1 flu vaccine?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	July	1	1.33	1.09
9	September	1	1.33	3.49
10	October	41	54.67	51.01
11	November	25	33.33	37.14
12	December	5	6.67	5.06
77	Don't know/Not Sure	2	2.67	2.21
BLANK	Not asked or Missing	5,400		

Notes: Module 31.01, H1N1AV01, is coded 2, 7, 9, or Missing

Was this a shot or vaccine sprayed in the nose?

Module: 31.3 Novel H1N1 Adult Immunization

Column: 935

Type: Num

SAS Variable Name: H1N1AV03

Prologue:

Description: Was this a shot or vaccine sprayed in the nose?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Flu shot	63	84.00	77.09
2	Flu Nasal Spray (spray, mist or drop in the nose)	12	16.00	22.91
BLANK	Not asked or Missing	5,400		

Notes: Module 31.01, H1N1AV01, is coded 2, 7, 9, or Missing

Do you currently volunteer or work in a hospital, medical clinic, doctor's office, dentist's office, nursing home or some other health-care facility?

Module: 32.1 High Risk/Health Care Worker

Column: 936

Type: Num

SAS Variable Name: WRKHCF1

Prologue:

Description: Do you currently volunteer or work in a hospital, medical clinic, doctor's office, dentist's office, nursing home or some other health-care facility? This includes part-time and unpaid work in a health care facility as well as professional nursing care provided in the home.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	123	8.94	11.59
2	No—Go to Module 32.03 DRHPAD1	1,253	91.06	88.41
BLANK	Not asked or Missing	4,099		

Do you provide direct patient care as part of your routine work?

Module: 32.2 High Risk/Health Care Worker

Column: 937

Type: Num

SAS Variable Name: DIRCONT1

Prologue:

Description: Do you provide direct patient care as part of your routine work? By direct patient care we mean physical or hands-on contact with patients.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	117	8.51	13.51
2	No	1,256	91.35	86.35
7	Don't know/Not Sure	2	0.15	0.14
BLANK	Not asked or Missing	4,100		

Notes: Module 32.01, WRKHCF1, is coded 2, 7, 9, or Missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Has A Doctor, Nurse, Or Other Health Professional Ever Said That You Have...Problem Caused By A Chronic Illness Or By Medicines; Taken For A Chronic Illness?

Module: 32.3 High Risk/Health Care Worker

Column: 938

Type: Num

SAS Variable Name: DRHPAD1

Prologue:

Description: Has a doctor, nurse, or other health professional ever said that you have... Lung problems, other than asthma; Kidney problems ; Anemia, including Sickle Cell ; Or A weakened immune system caused by a chronic illness or by medicines; taken for a chronic illness?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	219	15.94	12.17
2	No—Go to next module	1,152	83.84	87.76
7	Don't know/Not Sure—Go to next module	3	0.22	0.07
BLANK	Not asked or Missing	4,101		

Still have this health problem

Module: 32.4 High Risk/Health Care Worker

Column: 939

Type: Num

SAS Variable Name: HAVHPAD

Prologue:

Description: Do you still have (this/any of these) problem(s)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	145	66.21	57.58
2	No	69	31.51	40.45
7	Don't know/Not Sure	5	2.28	1.97
BLANK	Not asked or Missing	5,256		

Notes: Module 32.04, DRHPAD1, is coded 2, 7, 9, or Missing

Since September, 2009, has [Fill: he/she] had a H1N1 flu vaccination?

Module: 33.1 Novel H1N1 Child Immunization

Column: 940

Type: Num

SAS Variable Name: H1N1CV01

Prologue:

Description: Since September, 2009, has [Fill: he/she] had a H1N1 flu vaccination?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	54	16.46	15.39
2	No—Go to Module 27.01 FLUSHCH1	263	80.18	80.83
7	Don't know/Not Sure—Go to Module 27.01 FLUSHCH1	4	1.22	0.80
9	Refused—Go to Module 27.01 FLUSHCH1	7	2.13	2.98
BLANK	Not asked or Missing	5,147		

Since September 2009, how many of these H1N1 vaccinations has [Fill: he/she] received?

Module: 33.2 Novel H1N1 Child Immunization

Column: 941

Type: Num

SAS Variable Name: H1N1CV02

Prologue:

Description: Since September 2009, how many of these H1N1 vaccinations has [Fill: he/she] received?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	One vaccination or dose	27	79.41	84.13
2	Two or more vaccination doses	5	14.71	12.97
7	Don't know/Not Sure—Go to Module 27.01 FLUSHCH1	2	5.88	2.90
BLANK	Not asked or Missing	5,441		

Notes: Module 33.01, H1N1CV01, is coded 2, 7, 9, or Missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

During what month did [Fill: he/she] receive [Fill: his/her] H1N1 flu vaccine?

Module: 33.3 Novel H1N1 Child Immunization

Column: 942-943

Type: Num

SAS Variable Name: H1N1CV03

Prologue:

Description: During what month did [Fill: he/she] receive [Fill: his/her] (CATI note: if child age < 10, "first H1N1 flu vaccine?"; otherwise, "H1N1 flu vaccine?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
8	August	1	1.92	0.05
9	September	3	5.77	4.46
10	October	31	59.62	65.36
11	November	17	32.69	30.13
BLANK	Not asked or Missing	5,423		
Notes: Module 33.01, H1N1CV01, is coded 2, 7, 9, or Missing; or Module 33.02, H1N1CV02, is coded 7, 9, or Missing				

Was this a shot or vaccine sprayed in the nose?

Module: 33.4 Novel H1N1 Child Immunization

Column: 944

Type: Num

SAS Variable Name: H1N1CV04

Prologue:

Description: Was this a shot or vaccine sprayed in the nose?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Flu shot	36	69.23	86.08
2	Flu Nasal Spray (spray, mist or drop in the nose)	16	30.77	13.92
BLANK	Not asked or Missing	5,423		
Notes: Module 33.01, H1N1CV01, is coded 2, 7, 9, or Missing; or Module 33.02, H1N1CV02, is coded 7, 9, or Missing				

During what month did [Fill: he/she] receive [Fill: his/her] second H1N1 flu vaccine?

Module: 33.5 Novel H1N1 Child Immunization

Column: 945-946

Type: Num

SAS Variable Name: H1N1CV05

Prologue:

Description: During what month did [Fill: he/she] receive [Fill: his/her] second H1N1 flu vaccine?

Value	Value Label	Frequency	Percentage	Weighted Percentage
11	November	5	100.00	100.00
BLANK	Not asked or Missing	5,470		
Notes: Module 33.01, H1N1CV01, is coded 2, 7, 9, or Missing; or Module 33.02, H1N1CV02, is coded 1, 7, 9, or Missing; or CHILDDAGE >= 10 years				

Was this a shot or vaccine sprayed in the nose?

Module: 33.6 Novel H1N1 Child Immunization

Column: 947

Type: Num

SAS Variable Name: H1N1CV06

Prologue:

Description: Was this a shot or vaccine sprayed in the nose?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Flu shot	3	60.00	88.22
2	Flu Nasal Spray (spray, mist or drop in the nose)	2	40.00	11.78
BLANK	Not asked or Missing	5,470		
Notes: Module 33.01, H1N1CV01, is coded 2, 7, 9, or Missing; or Module 33.02, H1N1CV02, is coded 1, 7, 9, or Missing; or CHILDDAGE >= 10 years				

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Sample Design Stratification Variable

Weighting: 1.1 Weighting And Stratification Variables

Column: 948-952

Type: Num

SAS Variable Name: _STSTR

Prologue:

Description: Sample Design Stratification Variable (A five digit number that combines the values for _STATE (first two characters), _GEOSTR (third and fourth character), and _DENSTR2 (final character).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Stratum weight

Weighting: 1.2 Weighting And Stratification Variables

Column: 953-962

Type: Num

SAS Variable Name: _STRWT

Prologue:

Description: Stratum weight (Number of records in a stratum (NRECSTR) divided by the number of records selected (NRECSEL).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Raw weighting factor

Weighting: 1.3 Weighting And Stratification Variables

Column: 963-972

Type: Num

SAS Variable Name: _RAW

Prologue:

Description: Raw weighting factor (Number of adults in the household (NUMADULT) divided by the imputed number of phones (_IMPNPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Design weight

Weighting: 1.4 Weighting And Stratification Variables

Column: 973-982

Type: Num

SAS Variable Name: _WT2

Prologue:

Description: Design weight (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAW).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Post-stratification weight

Weighting: 1.5 Weighting And Stratification Variables

Column: 983-992

Type: Num

SAS Variable Name: _POSTSTR

Prologue:

Description: Post-stratification weight (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Final weight

Weighting: 1.6 Weighting And Stratification Variables

Column: 993-1002

Type: Num

SAS Variable Name: _FINALWT

Prologue:

Description: Final weight assigned to each respondent (Post-stratification weight (_POSTSTR) multiplied by design weight (_WT2).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Raw weighting factor questionnaire version 1

Weighting: 1.7 Weighting And Stratification Variables

Column: 1003-1012

Type: Num

SAS Variable Name: _RAWQ1

Prologue:

Description: Raw weighting factor questionnaire version 1 (Number of adults in the household (NUMADULT) divided by the imputed number of phones (_IMPNPB) questionnaire version 1.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Design weight questionnaire version 1. The product of the preceding four factors

Weighting: 1.8 Weighting And Stratification Variables

Column: 1013-1022

Type: Num

SAS Variable Name: _WT2Q1

Prologue:

Description: Design weight questionnaire version 1 (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWQ1).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Post-stratification weight questionnaire version 1 (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).

Weighting: 1.9 Weighting And Stratification Variables

Type: Num

Column: 1023-1032

SAS Variable Name: _POSTQ1

Prologue:

Description: Post-stratification weight questionnaire version 1 (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age questionnaire version 1.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Final weight questionnaire version 1: Post-stratification weight multiplied by _WT2

Weighting: 1.10 Weighting And Stratification Variables

Type: Num

Column: 1033-1042

SAS Variable Name: _FINALQ1

Prologue:

Description: Final weight assigned to each respondent questionnaire version 1 (Post-stratification weight (_POSTQ1) multiplied by design weight (_WT2Q1).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Raw weighting factor questionnaire version 2

Weighting: 1.11 Weighting And Stratification Variables

Type: Num

Column: 1043-1052

SAS Variable Name: _RAWQ2

Prologue:

Description: Raw weighting factor questionnaire version 2 (Number of adults in the household (NUMADULT) divided by the imputed number of phones (_IMPNPB) questionnaire version 2.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Design weight questionnaire version 2. The product of the preceding four factors

Weighting: 1.12 Weighting And Stratification Variables

Type: Num

Column: 1053-1062

SAS Variable Name: _WT2Q2

Prologue:

Description: Design weight questionnaire version 2 (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWQ2).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Post-stratification weight questionnaire version 2 (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).

Weighting: 1.13 Weighting And Stratification Variables

Type: Num

Column: 1063-1072

SAS Variable Name: _POSTQ2

Prologue:

Description: Post-stratification weight questionnaire version 2 (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age questionnaire version 2.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Final weight questionnaire version 2: Post-stratification weight multiplied by _WT2

Weighting: 1.14 Weighting And Stratification Variables

Type: Num

Column: 1073-1082

SAS Variable Name: _FINALQ2

Prologue:

Description: Final weight assigned to each respondent questionnaire version 2 (Post-stratification weight (_POSTQ2) multiplied by design weight (_WT2Q2).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Raw weighting factor questionnaire version 3

Weighting: 1.15 Weighting And Stratification Variables

Type: Num

Column: 1083-1092

SAS Variable Name: _RAWQ3

Prologue:

Description: Raw weighting factor questionnaire version 3 (Number of adults in the household (NUMADULT) divided by the imputed number of phones (_IMPNPB) questionnaire version 3.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Design weight questionnaire version 3. The product of the preceding four factors

Weighting: 1.16 Weighting And Stratification Variables

Type: Num

Column: 1093-1102

SAS Variable Name: _WT2Q3

Prologue:

Description: Design weight questionnaire version 3 (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWQ3).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Post-stratification weight questionnaire version 3 (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).

Weighting: 1.17 Weighting And Stratification Variables

Type: Num

Column: 1103-1112

SAS Variable Name: _POSTQ3

Prologue:

Description: Post-stratification weight questionnaire version 3 (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age questionnaire version 3.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Final weight questionnaire version 3: Post-stratification weight multiplied by _WT2

Weighting: 1.18 Weighting And Stratification Variables

Type: Num

Column: 1113-1122

SAS Variable Name: _FINALQ3

Prologue:

Description: Final weight assigned to each respondent questionnaire version 3 (Post-stratification weight (_POSTQ3) multiplied by design weight (_WT2Q3).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Region

Weighting: 1.19 Weighting And Stratification Variables

Type: Num

Column: 1123-1124

SAS Variable Name: _REGION

Prologue:

Description: Geographic region within a state, imputed from CTYCODE, _IMPCTY, or _GEOSTR

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Age group codes used in post-stratification.

Weighting: 1.20 Weighting And Stratification Variables

Type: Num

Column: 1125-1126

SAS Variable Name: _AGEG_

Prologue:

Description: Age groups used in post-stratification (_AGEG_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _AGEG_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24	68	1.24	8.24
2	Age 25 to 34	181	3.31	13.08
3	Age 35 to 44	662	12.09	18.25
4	Age 45 to 54	919	16.79	17.59
5	Age 55 to 64	1,207	22.05	14.33
6	Age 65 to 74	1,132	20.68	9.43
7	Age 75 or older	970	17.72	8.50
8	Age 18 to 34	336	6.14	10.58

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Gender group codes used in post-stratification.

Weighting: 1.21 Weighting And Stratification Variables

Column: 1127

Type: Num

SAS Variable Name: _SEXG_

Prologue:

Description: Gender categories used in post-stratification (_SEXG_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _SEXG_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male	2,077	37.94	49.49
2	Female	3,398	62.06	50.51

Race group codes used in post-stratification.

Weighting: 1.22 Weighting And Stratification Variables

Column: 1128

Type: Num

SAS Variable Name: _RACEG3_

Prologue:

Description: Post-stratification race group codes used in weighting (_RACEG3_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _RACEG3_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Any race and ethnicity	5,475	100.00	100.00

Age value used to determine age groups

Weighting: 1.23 Weighting And Stratification Variables

Column: 1129-1130

Type: Num

SAS Variable Name: _IMPAGE

Prologue:

Description: Imputed age used in post-stratification (This value is the reported age or an imputed age, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give an age.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
18 - 24	Age 18 to 24	143	2.61	11.27
25 - 34	Age 25 to 34	442	8.07	20.62
35 - 44	Age 35 to 44	662	12.09	18.25
45 - 54	Age 45 to 54	919	16.79	17.59
55 - 64	Age 55 to 64	1,207	22.05	14.33
65 - 99	Age 65 or older	2,102	38.39	17.93

Imputed number of phones

Weighting: 1.24 Weighting And Stratification Variables

Column: 1131

Type: Num

SAS Variable Name: _IMPNP

Prologue:

Description: Imputed number of phones used in weighting

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Number of phones	5,329	97.33	98.68
2		127	2.32	1.14
3		17	0.31	0.15
4		1	0.02	0.02
5		1	0.02	0.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Interruption in Telephone Service Correction Factor

Weighting: 1.25 Weighting And Stratification Variables

Column: 1132-1141

Type: Num

SAS Variable Name: _ITSCF1

Prologue:

Description: Interruption in Telephone Service Correction Factor (CPS number of adults in households with telephones divided by CPS total number of adults, then multiplied by BRFSS adult population estimate)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Interruption in Telephone Service Correction Factor (Adjusted _WT2)

Weighting: 1.26 Weighting And Stratification Variables

Column: 1142-1151

Type: Num

SAS Variable Name: _ITSCF2

Prologue:

Description: Interruption in Telephone Service Correction Factor (Adjusted _WT2) (Adjusted design weight using TELSERV response and the number of adults in households without telephones.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Interruption in Telephone Service Post Stratification Correction Factor

Weighting: 1.27 Weighting And Stratification Variables

Column: 1152-1161

Type: Num

SAS Variable Name: _ITSPPOST

Prologue:

Description: Interruption in Telephone Service Post Stratification Correction Factor (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Interruption in Telephone Service Final Weighting Factor

Weighting: 1.28 Weighting And Stratification Variables

Column: 1162-1171

Type: Num

SAS Variable Name: _ITSFINL

Prologue:

Description: Interruption in Telephone Service Final Weighting Factor (ITS design weight (_ITSDCF2) multiplied by the ITS post stratification weight (_ITSPPOST).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Imputed County

Weighting: 1.29 Weighting And Stratification Variables

Column: 1172-1174

Prologue:

Description: Imputed County

Type: Num
SAS Variable Name: _IMPCTY

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Metropolitan Statistical Area Code.

Weighting: 1.30 Weighting And Stratification Variables

Column: 1175-1179

Prologue:

Description: FIPS Metropolitan Statistical Area Code

Type: Char
SAS Variable Name: _MSACODE

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Metropolitan Status Code

Weighting: 1.31 Record Identification

Column: 1180

Prologue:

Description: Metropolitan Status Code

Type: Num
SAS Variable Name: MSCODE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	In the center city of an MSA	2,051	37.46	47.59
2	Outside the center city of an MSA but inside the county containing the center city	1,329	24.27	39.76
3	Inside a suburban county of the MSA	431	7.87	5.07
5	Not in an MSA	1,664	30.39	7.57

CRACE with trailing 7, 8, 9s removed

ChildDemograp 1.01 Child Demographic Variables
hics:

Column: 1181-1186

Prologue:

Description: CRACE with trailing 7, 8, 9s removed

Type: Char
SAS Variable Name: CRACEORG

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		5,475		

CRACEORG with responses in ascending order

ChildDemograp 1.02 Child Demographic Variables
hics:

Column: 1187-1192

Prologue:

Description: CRACE with 7, 8, 9s removed, in ascending order

Type: Num
SAS Variable Name: CRACEASC

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Child Non-Hispanic Race including Multiracial

ChildDemograp 1.03 Child Demographic Variables
hics:

Column: 1193-1194

Type: Num

SAS Variable Name: _CRACE

Prologue:

Description: Child multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing Notes: CRACEASC = Missing	5,475		

Child Age

ChildDemograp 1.04 Child Demographic Variables
hics:

Column: 1195-1197

Type: Num

SAS Variable Name: CHILDAGE

Prologue:

Description: Child Age

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

Imputed Child Age

ChildWeighting: 1.01 Child Demographic Variables

Column: 1198-1199

Type: Num

SAS Variable Name: _CIMPAGE

Prologue:

Description: Imputed Child Age

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,475		

Child gender group codes used in post-stratification.

ChildWeighting: 1.02 Child Weighting Variables

Column: 1200

Type: Num

SAS Variable Name: _CSEXG_

Prologue:

Description: Child gender categories used in post-stratification (_CSEXG_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _CSEXG_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,475		

Child race group codes used in post-stratification.

ChildWeighting: 1.03 Child Weighting Variables

Column: 1201

Type: Num

SAS Variable Name: _CRACEG_

Prologue:

Description: Child post-stratification race group codes used in weighting (_CRACEG_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _CRACEG_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,475		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Child age group codes used in post-stratification.

ChildWeighting: 1.04 Child Weighting Variables

Type: Num

Column: 1202-1204

SAS Variable Name: _CAGEG_

Prologue:

Description: Child age groups used in post-stratification (_CAGEG_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _CAGEG_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,475		

Raw child weighting factor questionnaire version 1

ChildWeighting: 1.05 Child Weighting Variables

Type: Num

Column: 1205-1214

SAS Variable Name: _RAWCH1

Prologue:

Description: Raw child weighting factor questionnaire version 1 (Number of children in the household (CHILDREN) divided by the imputed number of phones (_IMPNPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Child design weight questionnaire version 1

ChildWeighting: 1.06 Child Weighting Variables

Type: Num

Column: 1215-1224

SAS Variable Name: _WT2CH1

Prologue:

Description: Child design weight questionnaire version 1 (Child stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWCH1).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Post-stratification child weight questionnaire version 1 (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).

ChildWeighting: 1.07 Child Weighting Variables

Type: Num

Column: 1225-1234

SAS Variable Name: _POSTCH1

Prologue:

Description: Post-stratification child weight questionnaire version 1 (Child population estimate for race/gender/age categories divided by the weighted sample child frequency by race/gender/age questionnaire version 1.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Final weight questionnaire version 1: Post-stratification weight multiplied by _WT2CH1

ChildWeighting: 1.08 Child Weighting Variables

Type: Num

Column: 1235-1244

SAS Variable Name: _CHILDQ1

Prologue:

Description: Final weight assigned to each child questionnaire version 1 (Post-stratification child weight (_POSTCH1) multiplied by child design weight (_WT2CH1).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Raw child weighting factor questionnaire version 2

ChildWeighting: 1.09 Child Weighting Variables

Type: Num

Column: 1245-1254

SAS Variable Name: _RAWCH2

Prologue:

Description: Raw child weighting factor questionnaire version 2 (Number of children in the household (CHILDREN) divided by the imputed number of phones (_IMPMPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Child design weight questionnaire version 2

ChildWeighting: 1.10 Child Weighting Variables

Type: Num

Column: 1255-1264

SAS Variable Name: _WT2CH2

Prologue:

Description: Child design weight questionnaire version 2 (Child stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWCH2).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Post-stratification child weight questionnaire version 2 (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).

ChildWeighting: 1.11 Child Weighting Variables

Type: Num

Column: 1265-1274

SAS Variable Name: _POSTCH2

Prologue:

Description: Post-stratification child weight questionnaire version 2 (Child population estimate for race/gender/age categories divided by the weighted sample child frequency by race/gender/age questionnaire version 2.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Final weight questionnaire version 2: Post-stratification weight multiplied by _WT2CH2

ChildWeighting: 1.12 Child Weighting Variables

Column: 1275-1284

Type: Num

SAS Variable Name: _CHILDQ2

Prologue:

Description: Final weight assigned to each child questionnaire version 2 (Post-stratification child weight (_POSTCH2) multiplied by child design weight (_WT2CH2).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Raw child weighting factor questionnaire version 3

ChildWeighting: 1.13 Child Weighting Variables

Column: 1285-1294

Type: Num

SAS Variable Name: _RAWCH3

Prologue:

Description: Raw child weighting factor questionnaire version 3 (Number of children in the household (CHILDREN) divided by the imputed number of phones (_IMPMPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Child design weight questionnaire version 3

ChildWeighting: 1.14 Child Weighting Variables

Column: 1295-1304

Type: Num

SAS Variable Name: _WT2CH3

Prologue:

Description: Child design weight questionnaire version 3 (Child stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWCH3).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Post-stratification child weight questionnaire version 3 (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).

ChildWeighting: 1.15 Child Weighting Variables

Column: 1305-1314

Type: Num

SAS Variable Name: _POSTCH3

Prologue:

Description: Post-stratification child weight questionnaire version 3 (Child population estimate for race/gender/age categories divided by the weighted sample child frequency by race/gender/age questionnaire version 3.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Final weight questionnaire version 3: Post-stratification weight multiplied by _WT2CH3

ChildWeighting: 1.16 Child Weighting Variables

Column: 1315-1324

Type: Num

SAS Variable Name: _CHILDQ3

Prologue:

Description: Final weight assigned to each child questionnaire version 3 (Post-stratification child weight (_POSTCH3) multiplied by child design weight (_WT2CH3).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Raw child weighting factor

ChildWeighting: 1.17 Child Weighting Variables

Column: 1325-1334

Type: Num

SAS Variable Name: _RAWCH

Prologue:

Description: Raw child weighting factor (Number of children in the household (CHILDREN) divided by the imputed number of phones (_IMPNPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Child design weight

ChildWeighting: 1.18 Child Weighting Variables

Column: 1335-1344

Type: Num

SAS Variable Name: _WT2CH

Prologue:

Description: Child design weight (Child stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWCH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Post-stratification child weight

ChildWeighting: 1.19 Child Weighting Variables

Column: 1345-1354

Type: Num

SAS Variable Name: _POSTCH

Prologue:

Description: Post-stratification child weight (Child population estimate for race/gender/age categories divided by the weighted sample child frequency by race/gender/age.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Final child weight

ChildWeighting: 1.20 Child Weighting Variables

Column: 1355-1364

Type: Num

SAS Variable Name: _CHILDWT

Prologue:

Description: Final weight assigned to each child (Post-stratification child weight (_POSTCH) multiplied by child design weight (_WT2CH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Raw household weighting factor

HouseholdWeighting: 1.1 Household Weighting Variables

Column: 1365-1374

Type: Num

SAS Variable Name: _RAWHH

Prologue:

Description: Raw household weighting factor (One divided by the imputed number of phones (_IMPNP).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Household design weight

HouseholdWeighting: 1.2 Household Weighting Variables

Column: 1375-1384

Type: Num

SAS Variable Name: _WT2HH

Prologue:

Description: Household design weight (Household stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWHH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Post-stratification household weight

HouseholdWeighting: 1.3 Household Weighting Variables

Column: 1385-1394

Type: Num

SAS Variable Name: _POSTHH

Prologue:

Description: Post-stratification household weight (Population estimate for households divided by the weighted sample frequency for households.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Final household weight

HouseholdWeig 1.4 Household Weighting Variables
hting:

Type: Num

Column: 1395-1404

SAS Variable Name: _HOUSEWT

Prologue:

Description: Final weight assigned to each household (Post-stratification household weight (_POSTHH) multiplied by household design weight (_WT2HH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,475	100.00	100.00

Adults with good or better health

CalculatedVaria 1.1 Calculated Variables
bles:

Type: Num

Column: 1405

SAS Variable Name: _RFHLTH

Prologue:

Description: Adults with good or better health

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Good or Better Health Notes: GENHLTH = 1 or 2 or 3	4,210	76.89	83.51
2	Fair or Poor Health Notes: GENHLTH = 4 or 5	1,106	20.20	14.22
9	Don't know/Not Sure Or Refused/Missing Notes: GENHLTH = 7 or 9 or Missing	159	2.90	2.27

Respondents aged 18-64 with health care coverage

CalculatedVaria 3.1 Calculated Variables
bles:

Type: Num

Column: 1406

SAS Variable Name: _HCVU65

Prologue:

Description: Respondents aged 18-64 that have any form of health care coverage

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Have health care coverage Notes: 18 <= AGE <=64 and HLTHPLAN = 1	2,740	50.05	66.40
2	Do not have health care coverage Notes: 18 <= AGE <=64 and HLTHPLAN = 2	574	10.48	14.53
9	Don't know/Not Sure, Refused or Missing Notes: AGE > 64 or AGE = Missing or HLTHPLAN = 7 or 9 or Missing	2,161	39.47	19.06

Leisure Time Physical Activity Calculated Variable

CalculatedVaria 5.1 Calculated Variables
bles:

Type: Num

Column: 1407

SAS Variable Name: _TOTINDA

Prologue:

Description: Adults that report doing physical activity or exercise during the past 30 days other than their regular job

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Had physical activity or exercise Notes: EXERANY2 = 1	4,094	74.78	80.90
2	No physical activity or exercise in last 30 days Notes: EXERANY2 = 2	1,375	25.11	18.95
9	Don't know/Refused/Missing Notes: EXERANY2 = 7 or 9 or Missing	6	0.11	0.14

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

High Blood Pressure Calculated Variable

Calculated Variables:

Type: Num

Column: 1408

SAS Variable Name: _RFHYPE5

Prologue:

Description: Adults who have been told they have high blood pressure by a doctor, nurse, or other health professional

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: BPHIGH4 = 2 or 3 or 4	3,367	61.50	73.33
2	Yes Notes: BPHIGH4 = 1	2,100	38.36	26.53
9	Don't know/Not Sure/Refused/Missing Notes: BPHIGH4 = 7 or 9 or Missing	8	0.15	0.15

Cholesterol Checked Calculated Variable

Calculated Variables:

Type: Num

Column: 1409

SAS Variable Name: _CHOLCHK

Prologue:

Description: Cholesterol check within past five years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Had cholesterol checked in past 5 years. Notes: BLOODCHO = 1 and CHOLCHK = 1 or 2 or 3	4,544	83.00	72.21
2	Did not have cholesterol checked in past 5 years Notes: BLOODCHO = 1 and CHOLCHK = 4	169	3.09	3.10
3	Have never had cholesterol checked Notes: BLOODCHO = 2	647	11.82	22.25
9	Don't know/Not Sure Or Refused/Missing Notes: BLOODCHO = 7 or 9 or Missing or CHOLCHK = 7 or 9 or Missing	115	2.10	2.44

High Cholesterol Calculated Variable

Calculated Variables:

Type: Num

Column: 1410

SAS Variable Name: _RFCHOL

Prologue:

Description: Adults who have had their cholesterol checked and have been told by a doctor, nurse, or other health professional that it was high

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: BLOODCHO=1 and TOLDHI2 = 2	2,561	53.92	58.68
2	Yes Notes: BLOODCHO=1 and TOLDHI2 = 1	2,146	45.18	40.61
9	Don't know/Not Sure Or Refused/Missing Notes: BLOODCHO=1 and TOLDHI2 = 7 or 9 or Missing	43	0.91	0.70
BLANK	Missing Notes: BLOODCHO = 2 or 7 or 9 or Missing	725		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Lifetime Asthma Calculated Variable

Calculated Variables: 10.1 Calculated Variables

Type: Num

Column: 1411

SAS Variable Name: _LTASTHM

Prologue:

Description: Adults who have ever been told they have asthma

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ASTHMA2 = 2	4,684	85.55	84.42
2	Yes Notes: ASTHMA2 = 1	780	14.25	15.47
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA2 = 7 or 9 or Missing	11	0.20	0.10

Current Asthma Calculated Variable

Calculated Variables: 10.2 Calculated Variables

Type: Num

Column: 1412

SAS Variable Name: _CASTHMA

Prologue:

Description: Adults who have been told they currently have asthma

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ASTHMA2 = 2 or ASTHMA2 = 1 and ASTHNOW = 2	4,926	89.97	88.75
2	Yes Notes: ASTHMA2 = 1 and ASTHNOW = 1	517	9.44	10.75
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA2 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing	32	0.58	0.50

Computed Asthma Status

Calculated Variables: 10.3 Calculated Variables

Type: Num

Column: 1413

SAS Variable Name: _ASTHMST

Prologue:

Description: Computed asthma status

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current Notes: ASTHMA2 = 1 and ASTHNOW = 1	517	9.44	10.75
2	Former Notes: ASTHMA2 = 1 and ASTHNOW = 2	242	4.42	4.32
3	Never Notes: ASTHMA2 = 2	4,684	85.55	84.42
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA2 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing	32	0.58	0.50

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Computed Smoking Status

Calculated Variables:

Type: Num

Column: 1414

SAS Variable Name: _SMOKER3

Prologue:

Description: Four-level smoker status: Everyday smoker, Someday smoker, Former smoker, Non-smoker

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current smoker - now smokes every day Notes: SMOKE100 = 1 and SMOKEDAY = 1	636	11.62	10.95
2	Current smoker - now smokes some days Notes: SMOKE100 = 1 and SMOKEDAY = 2	195	3.56	5.09
3	Former smoker Notes: SMOKE100 = 1 and SMOKEDAY = 3	1,806	32.99	25.85
4	Never smoked Notes: SMOKE100 = 2	2,817	51.45	57.43
9	Don't know/Refused/Missing Notes: SMOKE100 = 1 and SMOKEDAY = 9 or SMOKE100 = 7 or 9 or Missing	21	0.38	0.68

Current Smoking Calculated Variable

Calculated Variables:

Type: Num

Column: 1415

SAS Variable Name: _RFSMOK3

Prologue:

Description: Adults who are current smokers

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: _SMOKER3 = 3 or 4	4,623	84.44	83.28
2	Yes Notes: _SMOKER3 = 1 or 2	831	15.18	16.04
9	Don't know/Refused/Missing Notes: _SMOKER3 = 9	21	0.38	0.68

MRACE with trailing 7,8,9s removed calculated variable

Calculated Variables:

Type: Char

Column: 1416-1421

SAS Variable Name: MRACEORG

Prologue:

Description: MRACE with trailing 7,8,9s removed

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure Notes: MRACE = 7	47	0.86	1.02
9	Refused Notes: MRACE = 9	57	1.04	1.28
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,371	98.10	97.70

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

MRACEORG with responses in ascending order calculated variable

Calculated Variables: 12.2 Calculated Race Variables

Type: Char

Column: 1422-1427

SAS Variable Name: MRACEASC

Prologue:

Description: MRACE with 7,8,9s removed, in ascending order

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure Notes: MRACEORG = 7	47	0.86	1.02
9	Refused Notes: MRACEORG = 9	57	1.04	1.28
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,371	98.10	97.70

Computed Preferred Race

Calculated Variables: 12.3 Calculated Race Variables

Type: Num

Column: 1428-1429

SAS Variable Name: _PRACE

Prologue:

Description: Preferred race category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White Notes: MRACEASC = 1	4,594	83.91	80.49
2	Black or African American Notes: MRACEASC = 2	74	1.35	2.61
3	Asian Notes: MRACEASC = 3	61	1.11	2.12
4	Native Hawaiian or other Pacific Islander Notes: MRACEASC = 4	14	0.26	0.52
5	American Indian or Alaskan Native Notes: MRACEASC = 5	279	5.10	3.58
6	Other race Notes: MRACEASC = 6	343	6.26	8.28
7	No preferred race Notes: MRACEASC >= 12 and ORACE2 = 7 or 9	6	0.11	0.11
77	Don't know/Not sure Notes: MRACEASC = 7	47	0.86	1.02
99	Refused Notes: MRACEASC = 9	57	1.04	1.28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Computed non-Hispanic Race including Multiracial

Calculated Variables: 12.4 Calculated Race Variables

Type: Num

Column: 1430-1431

SAS Variable Name: _MRACE

Prologue:

Description: Multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only Notes: MRACEASC = 1	4,552	83.14	80.11
2	Black or African American only Notes: MRACEASC = 2	69	1.26	2.46
3	Asian Only Notes: MRACEASC = 3	59	1.08	2.10
4	Native Hawaiian or other Pacific Islander only Notes: MRACEASC = 4	12	0.22	0.51
5	American Indian or Alaskan Native only Notes: MRACEASC = 5	269	4.91	3.51
6	Other race only Notes: MRACEASC = 6	341	6.23	8.28
7	Multiracial Notes: MRACEASC >= 12	69	1.26	0.74
77	Don't know/Not sure Notes: MRACEASC = 7	47	0.86	1.02
99	Refused Notes: MRACEASC = 9	57	1.04	1.28

Computed Race-Ethnicity grouping

Calculated Variables: 12.5 Calculated Race Variables

Type: Num

Column: 1432

SAS Variable Name: RACE2

Prologue:

Description: Race/ethnicity categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 1	4,108	75.03	70.36
2	Black only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 2	61	1.11	2.40
3	Asian only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 3	55	1.00	2.04
4	Native Hawaiian or other Pacific Islander only, Non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 4	10	0.18	0.32
5	American Indian or Alaskan Native only, Non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 5	240	4.38	2.59
6	Other race only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 6	19	0.35	0.19
7	Multiracial, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 7	60	1.10	0.64
8	Hispanic Notes: HISPANC2 = 1	846	15.45	20.28
9	Don't know/Not sure/Refused Notes: HISPANC2 = 7 or 9 or _MRACE = 77 or 99 and HISPANC2 = 2	76	1.39	1.18

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Create Computed Non-Hispanic Whites/All Others Race Categories Race/Ethnic Group Codes Used In Post-Stratification Variable

CalculatedVariable 12.6 Calculated Race Variables
bles:

Type: Num

Column: 1433

SAS Variable Name: _RACEG2

Prologue:

Description: White/Hispanic race group

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Non-Hispanic White Notes: RACE2 = 1	4,108	75.03	70.36
2	Non-White or Hispanic Notes: RACE2 = 2 or 3 or 4 or 5 or 6 or 7 or 8	1,291	23.58	28.46
9	Don't know/Not sure/Refused Notes: RACE2 = 9	76	1.39	1.18

Computed Five level race/ethnicity category.

CalculatedVariable 12.7 Calculated Race Variables
bles:

Type: Num

Column: 1434

SAS Variable Name: _RACEGR2

Prologue:

Description: Five-level race/ethnicity category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, Non-Hispanic Notes: RACE2 = 1	4,108	75.03	70.36
2	Black only, Non-Hispanic Notes: RACE2 = 2	61	1.11	2.40
3	Other race only, Non-Hispanic Notes: RACE2 = 3 or 4 or 5 or 6	324	5.92	5.14
4	Multiracial, Non-Hispanic Notes: RACE2 = 7	60	1.10	0.64
5	Hispanic Notes: RACE2 = 8	846	15.45	20.28
9	Don't know/Not sure/Refused Notes: RACE2 = 9	76	1.39	1.18

Computed race groups used for internet prevalence tables

CalculatedVariable 12.8 Calculated Race Variables
bles:

Type: Num

Column: 1435

SAS Variable Name: _RACE_G

Prologue:

Description: Race groups used for internet prevalence tables

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White - Non-Hispanic Notes: _RACEGR2 = 1	4,108	76.09	71.20
2	Black - Non-Hispanic Notes: _RACEGR2 = 2	61	1.13	2.43
3	Hispanic Notes: _RACEGR2 = 5	846	15.67	20.52
4	Other race only, Non-Hispanic Notes: _RACEGR2 = 3	324	6.00	5.20
5	Multiracial, Non-Hispanic Notes: _RACEGR2 = 4	60	1.11	0.65
BLANK	Don't know/Not sure/Refused component question Notes: _RACEGR2 = 9 or Missing	76		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Computed number of census race categories chosen

Calculated Variables: 12.9 Calculated Race Variables

Type: Num

Column: 1436

SAS Variable Name: _CNRACE

Prologue:

Description: Number of census race categories chosen

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Other/do not know/refused Notes: 6 <= MRACEASC <= 9	445	8.13	10.58
1	1 category chosen Notes: MRACEASC had one race category	4,967	90.72	88.73
2	2 category chosen Notes: MRACEASC had two race categories	56	1.02	0.58
3	3 category chosen Notes: MRACEASC had three race categories	5	0.09	0.09
4	4 category chosen Notes: MRACEASC had four race categories	1	0.02	0.02
5	5 category chosen Notes: MRACEASC had five race categories	1	0.02	0.00

Computed number of census race categories chosen, collapsed

Calculated Variables: 12.10 Calculated Race Variables

Type: Num

Column: 1437

SAS Variable Name: _CNRACEC

Prologue:

Description: Number of census race categories chosen, collapsed

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	One category chosen Notes: _CNRACE = 1	4,967	98.75	99.23
2	Two or more categories chosen Notes: _CNRACE > 1	63	1.25	0.77
BLANK	_CNRACE = 0 or missing Notes: _CNRACE = 0	445		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Reported age in five-year age categories calculated variable

Calculated Variables:

Type: Num

Column: 1438-1439

SAS Variable Name: _AGEG5YR

Prologue:

Description: Fourteen-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24 Notes: 18 <= AGE <= 24	143	2.61	11.27
2	Age 25 to 29 Notes: 25 <= AGE <= 29	179	3.27	9.80
3	Age 30 to 34 Notes: 30 <= AGE <= 34	263	4.80	10.82
4	Age 35 to 39 Notes: 35 <= AGE <= 39	300	5.48	8.12
5	Age 40 to 44 Notes: 40 <= AGE <= 44	362	6.61	10.13
6	Age 45 to 49 Notes: 45 <= AGE <= 49	404	7.38	7.22
7	Age 50 to 54 Notes: 50 <= AGE <= 54	510	9.32	10.34
8	Age 55 to 59 Notes: 55 <= AGE <= 59	581	10.61	6.75
9	Age 60 to 64 Notes: 60 <= AGE <= 64	583	10.65	6.87
10	Age 65 to 69 Notes: 65 <= AGE <= 69	602	11.00	4.97
11	Age 70 to 74 Notes: 70 <= AGE <= 74	530	9.68	4.46
12	Age 75 to 79 Notes: 75 <= AGE <= 79	421	7.69	3.62
13	Age 80 or older Notes: 80 <= AGE <= 99	549	10.03	4.88
14	Don't know/Refused/Missing Notes: 7 <= AGE <= 9	48	0.88	0.74

Reported age in two age groups calculated variable

Calculated Variables:

Type: Num

Column: 1440

SAS Variable Name: _AGE65YR

Prologue:

Description: Two-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 64 Notes: 18 <= AGE <= 64	3,325	60.73	81.33
2	Age 65 or older Notes: 65 <= AGE <= 99	2,102	38.39	17.93
3	Don't know/Refused/Missing Notes: 7 <= AGE <= 9	48	0.88	0.74

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Imputed age in six groups

Calculated Variables:

Type: Num

Column: 1441

SAS Variable Name: _AGE_G

Prologue:

Description: Six-level imputed age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24 Notes: 18 <= AGE <= 24	143	2.61	11.27
2	Age 25 to 34 Notes: 25 <= AGE <= 34	442	8.07	20.62
3	Age 35 to 44 Notes: 35 <= AGE <= 44	662	12.09	18.25
4	Age 45 to 54 Notes: 45 <= AGE <= 54	919	16.79	17.59
5	Age 55 to 64 Notes: 55 <= AGE <= 64	1,207	22.05	14.33
6	Age 65 or older Notes: AGE >= 65	2,102	38.39	17.93

Computed Height in Inches

Calculated Variables:

Type: Num

Column: 1442-1444

SAS Variable Name: HTIN3

Prologue:

Description: Reported height in inches

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 998	Height in inches Notes: 0001 <= HEIGHT3 <= 7776 or 7778 <= HEIGHT3 <= 9998 (metric HEIGHT3 value multiplied by 100 and divided by 2.54)	5,367	98.03	97.72
999	Don't know/Refused/Missing Notes: HEIGHT3 = 7777 or 9999 or Missing	108	1.97	2.28

Computed Height in Meters

Calculated Variables:

Type: Num

Column: 1445-1447

SAS Variable Name: HTM3

Prologue:

Description: Reported height in meters

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 998	Height in meters [2 implied decimal places] Notes: 0001 <= HEIGHT3 <= 7776 or 7778 <= HEIGHT3 <= 9998 (non-metric HEIGHT3 value multiplied by 2.54 and divided by 100)	5,367	98.03	97.72
999	Don't know/Refused/Missing Notes: HEIGHT3 = 7777 or 9999 or Missing	108	1.97	2.28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Computed Weight in Kilograms

Calculated Variables: 12.16 Calculated Variables

Type: Num

Column: 1448-1452

SAS Variable Name: WTKG2

Prologue:

Description: Reported weight in kilograms

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 99998	Weight in kilograms [2 implied decimal places] Notes: 0001 <= WEIGHT2 <= 7776 or 7778 <= WEIGHT2 <= 9998 (non-metric WEIGHT2 value divided by 2.2)	5,312	97.02	97.26
99999	Don't know/Refused/Missing Notes: WEIGHT2 = 7777 or 9999 or Missing	163	2.98	2.74

Computed body mass index

Calculated Variables: 12.17 Calculated Variables

Type: Num

Column: 1453-1456

SAS Variable Name: _BMI4

Prologue:

Description: Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 9998	1 or greater Notes: WTKG2/(HTM3*HTM3) (Has 2 implied decimal places)	5,233	95.58	95.49
9999	Don't know/Refused/Missing Notes: WTKG2 = 777 or 999 or HTM3 = 777 or 999	242	4.42	4.51

Computed body mass index categories

Calculated Variables: 12.18 Calculated Variables

Type: Num

Column: 1457

SAS Variable Name: _BMI4CAT

Prologue:

Description: Three-categories of Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Neither overweight nor obese Notes: _BMI4 < 2500 (_BMI4 has 2 implied decimal places)	1,880	34.34	34.16
2	Overweight Notes: 2500 <= _BMI4 < 3000	1,983	36.22	36.61
3	Obese Notes: 3000 <= _BMI4 < 9999	1,370	25.02	24.72
9	Don't know/Refused/Missing Notes: _BMI4 = 9999	242	4.42	4.51

Overweight or obese calculated variable

Calculated Variables: 12.19 Calculated Variables

Type: Num

Column: 1458

SAS Variable Name: _RFBMI4

Prologue:

Description: Adults who have a body mass index greater than 25.00 (Overweight or Obese)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: 0 <= _BMI4 < 2500 (_BMI4 has 2 implied decimal places)	1,880	34.34	34.16
2	Yes Notes: 2500 <= _BMI4 < 9999	3,353	61.24	61.33
9	Don't know/Refused/Missing Notes: _BMI4 = 9999	242	4.42	4.51

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Computed number of children in household

Calculated Variables:

Type: Num

Column: 1459

SAS Variable Name: _CHLDCNT

Prologue:

Description: Number of children in household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No children in household Notes: CHILDREN = 88	4,007	73.19	54.74
2	One child in household Notes: CHILDREN = 01	548	10.01	17.14
3	Two children in household Notes: CHILDREN = 02	482	8.80	14.15
4	Three children in household Notes: CHILDREN = 03	268	4.89	8.00
5	Four children in household Notes: CHILDREN = 04	99	1.81	4.29
6	Five or more children in household Notes: 05 <= CHILDREN < 88	63	1.15	1.55
9	Don't know/Not sure/Missing Notes: CHILDREN = 99	8	0.15	0.11

Computed level of education completed categories

Calculated Variables:

Type: Num

Column: 1460

SAS Variable Name: _EDUCAG

Prologue:

Description: Level of education completed

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Did not graduate High School Notes: EDUCA = 1 or 2 or 3	555	10.14	9.28
2	Graduated High School Notes: EDUCA = 4	1,414	25.83	25.98
3	Attended College or Technical School Notes: EDUCA = 5	1,686	30.79	28.94
4	Graduated from College or Technical School Notes: EDUCA = 6	1,801	32.89	35.53
9	Don't know/Not sure/Missing Notes: EDUCA = 9 or Missing	19	0.35	0.27

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Computed income categories

Calculated Variables:

Type: Num

Column: 1461

SAS Variable Name: _INCOMG

Prologue:

Description: Income categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$15,000 Notes: INCOME2 = 1 or 2	606	11.07	9.20
2	\$15,000 to less than \$25,000 Notes: INCOME2 = 3 or 4	894	16.33	13.49
3	\$25,000 to less than \$35,000 Notes: INCOME2 = 5	577	10.54	7.29
4	\$35,000 to less than \$50,000 Notes: INCOME2 = 6	750	13.70	13.72
5	\$50,000 or more Notes: INCOME2 = 7 or 8	1,877	34.28	44.44
9	Don't know/Not sure/Missing Notes: INCOME2 = 77 or 99 or Missing	771	14.08	11.86

Computed drink-occasions-per-day

Calculated Variables:

Type: Num

Column: 1462-1464

SAS Variable Name: DROCDY2_

Prologue:

Description: Drink-occasions-per-day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No Drink-Occasions per day Notes: ALCDAY4 = 888 or DRNKANY4 = 2	2,828	51.65	47.28
1 - 899	Drink-Occasions per day Notes: ALCDAY4 <= 231	2,529	46.19	50.72
900	Don't know/Not Sure Or Refused/Missing Notes: ALCDAY4 = 777 or 999 or Missing or DRNKANY4 = 7 or 9 or Missing	118	2.16	2.00

Binge Drinking Calculated Variable

Calculated Variables:

Type: Num

Column: 1465

SAS Variable Name: _RFBING4

Prologue:

Description: Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ALCDAY4 < 300 and DRNK3GE5 = 0 or ALCDAY4 = 888	4,831	88.24	82.89
2	Yes Notes: ALCDAY4 < 300 and DRNK3GE5 = 1	518	9.46	14.56
9	Don't know/Refused/Missing Notes: DRNK3GE5 = 7 or 9 or Missing or ALCDAY4 = 777 or 999 or Missing	126	2.30	2.55

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Computed number of drinks of alcohol beverages per day

Calculated Variables:

Type: Num

Column: 1466-1469

SAS Variable Name: _DRNKDY3

Prologue:

Description: Calculated total number of alcoholic beverages consumed per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Did not drink Notes: ALCDAY4 = 888	2,828	51.65	47.28
1 - 9899	Number of drinks per day Notes: ALCDAY4 / 7 per week or ALCDAY4 / 30 per month * AVEDRNK2	2,488	45.44	50.28
9900	Don't know/Not sure/Refused/Missing Notes: ALCDAY4 = 777 or 999 or Missing	159	2.90	2.44

Computed total number drinks a month

Calculated Variables:

Type: Num

Column: 1470-1473

SAS Variable Name: _DRNKMO3

Prologue:

Description: Calculated total number of alcoholic beverages consumed per month

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Did not drink in the past month Notes: _DRNKDY3 = 0	2,828	51.65	47.28
1 - 9998	Number of Drinks Notes: _DRNKDY3 * 30	2,488	45.44	50.28
9999	Don't know/Refused/Missing Notes: _DRNKDY3 = 900	159	2.90	2.44

Heavy Alcohol Consumption Calculated Variable

Calculated Variables:

Type: Num

Column: 1474

SAS Variable Name: _RFDRHV3

Prologue:

Description: Heavy drinkers (adult men having more than two drinks per day and adult women having more than one drink per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 1 and _DRNKDY3 <= 2 or SEX = 2 and _DRNKDY3 <= 1 or ALCDAY4 = 888	5,017	91.63	91.73
2	Yes Notes: SEX = 1 and _DRNKDY3 > 2 or SEX = 2 and _DRNKDY3 > 1	299	5.46	5.83
9	Don't know/Refused/Missing Notes: _DRNKDY3 = 900	159	2.90	2.44

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Adult Men Heavy Alcohol Consumption Calculated Variable

Calculated Variables: 15.6 Calculated Variables

Type: Num

Column: 1475

SAS Variable Name: _RFDRMN3

Prologue:

Description: Adult Men that are Heavy drinkers (having more than two drinks per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 1 and _DRNKDY3 <= 2 or ALCDAY4 = 888	1,874	90.23	90.54
2	Yes Notes: SEX = 1 and _DRNKDY3 > 2	128	6.16	6.48
9	Don't know/Refused/Missing Notes: _DRNKDY3 = 900	75	3.61	2.98
BLANK	Respondent is female Notes: SEX = 2	3,398		

Adult Women Heavy Alcohol Consumption Calculated Variable

Calculated Variables: 15.7 Calculated Variables

Type: Num

Column: 1476

SAS Variable Name: _RFDRWM3

Prologue:

Description: Adult Women that are Heavy drinkers (having more than one drink per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 2 and _DRNKDY3 <= 1 or ALCDAY4 = 888	3,143	92.50	92.90
2	Yes Notes: SEX = 2 and _DRNKDY3 > 1	171	5.03	5.19
9	Don't know/Refused/Missing Notes: _DRNKDY3 = 900	84	2.47	1.91
BLANK	Respondent is male Notes: SEX = 1	2,077		

Flu Shot Calculated Variable

Calculated Variables: 16.1 Calculated Variables

Type: Num

Column: 1477

SAS Variable Name: _FLSHOT3

Prologue:

Description: Adults aged 65+ who have had a flu shot within the past year

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE >=65 and FLUSHOT3 = 1	1,398	65.02	67.00
2	No	659	30.65	26.62
9	Don't know/Not Sure Or Refused/Missing	93	4.33	6.39
BLANK	Age Less Than 65	3,325		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Pneumonia Vaccination Calculated Variable

Calculated Variables:

Type: Num

Column: 1478

SAS Variable Name: _PNEUMO2

Prologue:

Description: Adults aged 65+ who have ever had a pneumonia vaccination

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE >= 65 and PNEUVAC3 = 1	1,359	63.21	63.94
2	No Notes: AGE >= 65 and PNEUVAC3 = 2	640	29.77	26.82
9	Don't know/Not Sure Or Refused/Missing Notes: AGE = 7 or 9 or Missing or PNEUVAC3 = 7 or 9 or Missing	151	7.02	9.24
BLANK	Age Less Than 65 Notes: AGE < 65	3,325		

Respondents diagnosed with arthritis

Calculated Variables:

Type: Num

Column: 1479

SAS Variable Name: _DRDXART

Prologue:

Description: Respondents that have had a doctor diagnose them as having some form of arthritis

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Diagnosed with arthritis Notes: HAVARTH2 = 1	2,063	38.76	24.29
2	Not diagnosed with arthritis Notes: HAVARTH2 = 2	3,260	61.24	75.71
BLANK	Don't know/Not Sure/Refused/Missing Notes: HAVARTH2 = 7 or 9 or Missing	152		

Computed Fruit Juice Servings per day

Calculated Variables:

Type: Num

Column: 1480-1482

SAS Variable Name: FTJUDAY_

Prologue:

Description: Fruit juice servings per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Times per day Notes: 101 <= FRUITJUI <= 555 (FRUITJUI-200)/7 per week or (FRUITJUI-300)/30 per month or (FRUITJUI-400)/365 per year	5,243	95.76	95.66
990	Don't know/Not Sure Or Refused/Missing Notes: FRUITJUI = 777 or 999 or Missing	232	4.24	4.34

Computed Fruit Servings per day

Calculated Variables:

Type: Num

Column: 1483-1485

SAS Variable Name: FRUTDAY_

Prologue:

Description: Fruit servings per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Times per day Notes: 101 <= FRUIT <= 555 (FRUIT-200)/7 per week or (FRUIT-300)/30 per month or (FRUIT-400)/365 per year	5,241	95.73	95.84
990	Don't know/Not Sure Or Refused/Missing Notes: FRUIT = 777 or 999 or Missing	234	4.27	4.16

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Computed Green Salad Servings per day

Calculated Variables:

Column: 1486-1488

Prologue:

Description: Green salad servings per day

Type: Num

SAS Variable Name: GNSLDAY_

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Times per day Notes: 101 <= GREENSAL <= 555 (GREENSAL-200)/7 per week or (GREENSAL-300)/30 per month or (GREENSAL-400)/365 per year	5,264	96.15	96.44
990	Don't know/Not Sure Or Refused/Missing Notes: GREENSAL = 777 or 999 or Missing	211	3.85	3.56

Computed Potato Servings per day

Calculated Variables:

Column: 1489-1491

Prologue:

Description: Potato servings per day

Type: Num

SAS Variable Name: POTADAY_

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Times per day Notes: 101 <= POTATOES <= 555 (POTATOES-200)/7 per week or (POTATOES-300)/30 per month or (POTATOES-400)/365 per year	5,233	95.58	95.90
990	Don't know/Not Sure Or Refused/Missing Notes: POTATOES = 777 or 999 or Missing	242	4.42	4.10

Computed Carrot Servings per day

Calculated Variables:

Column: 1492-1494

Prologue:

Description: Carrot servings per day

Type: Num

SAS Variable Name: CRTSDAY_

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Times per day Notes: 101 <= CARROTS <= 555 (CARROTS-200)/7 per week or (CARROTS-300)/30 per month or (CARROTS-400)/365 per year	5,198	94.94	95.43
990	Don't know/Not Sure Or Refused/Missing Notes: CARROTS = 777 or 999 or Missing	277	5.06	4.57

Computed Vegetable Servings per day

Calculated Variables:

Column: 1495-1497

Prologue:

Description: Vegetable servings per day

Type: Num

SAS Variable Name: VEGEDAY_

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Times per day Notes: 101 <= VEGETABL <= 555 (VEGETABL-200)/7 per week or (VEGETABL-300)/30 per month or (VEGETABL-400)/365 per year	5,196	94.90	94.62
990	Don't know/Not Sure Or Refused/Missing Notes: VEGETABL = 777 or 999 or Missing	279	5.10	5.38

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Computed total number of servings of fruits and vegetables consumed per day

Calculated Variables:

Type: Num

Column: 1498-1502

SAS Variable Name: _FRTSERV

Prologue:

Description: Fruit and vegetable servings per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99998	Number of times per day Notes: Sum of FTJUDAY_, FRUTDAY_, GNSLDAY_, POTADAY_, CRTSDAY_, VEGEDAY_ (has two implied decimal places)	5,299	96.79	96.65
99999	Don't know/Refused/Missing	176	3.21	3.35

Summary index for fruits and vegetables calculated variable

Calculated Variables:

Type: Num

Column: 1503

SAS Variable Name: _FRTINDX

Prologue:

Description: Summary index for fruits and vegetables calculated variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than once per day or never Notes: _FRTSERV < 1	236	4.31	4.39
2	Once but less than 3 times per day Notes: 1 <= _FRTSERV < 3	1,808	33.02	37.07
3	3 but less than 5 times per day Notes: 3 <= _FRTSERV < 5	1,835	33.52	31.88
4	5 or more times per day Notes: 5 <= _FRTSERV < 999.99	1,420	25.94	23.30
9	Don't know/Refused/Missing Notes: _FRTSERV = 99.99	176	3.21	3.35

Consumed five or more servings of fruits or vegetables per day calculated variable

Calculated Variables:

Type: Num

Column: 1504

SAS Variable Name: _FV5SRV

Prologue:

Description: Consumed five or more servings of fruits or vegetables per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Consume < 5 times per day Notes: _FRTSERV < 5	3,879	70.85	73.34
2	Consume 5 or more times per day Notes: 5 <= _FRTSERV < 999.99	1,420	25.94	23.30
9	Don't know/Not sure/Missing Notes: _FRTSERV = 999.99	176	3.21	3.35

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Computed Minutes of Moderate Physical Activity

Calculated Variables:
bles:

Column: 1505-1507

Type: Num

SAS Variable Name: _MODPAMN

Prologue:

Description: Total minutes of moderate physical activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 599	Minutes of moderate physical activity Notes: MODPACT = 1 and 1 <= MODPADAY <= 7 and 10 <= MODPATIM <= 759 or 800 <= MODPATIM <= 959	5,084	100.00	100.00
BLANK	Don't know/Not sure/Refused/Missing Notes: MODPATIM = 777 or 999 or Missing or MODPATIM > 959 or MODPACT = 7 or 9 or Missing or MODPADAY = 77 or 99 or Missing	391		

Computed Minutes of Vigorous Physical Activity

Calculated Variables:
bles:

Column: 1508-1510

Type: Num

SAS Variable Name: _VIGPAMN

Prologue:

Description: Total minutes of vigorous physical activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 599	Minutes of vigorous physical activity Notes: VIGPACT = 1 and 1 <= VIGPADAY <= 7 and 10 <= VIGPATIM <= 759 or 800 <= VIGPATIM <= 959	5,147	100.00	100.00
BLANK	Don't know/Not sure/Refused/Missing Notes: VIGPATIM = 777 or 999 or Missing or VIGPATIM > 959 or VIGPACT = 7 or 9 or Missing or VIGPADAY = 77 or 99 or Missing	328		

Computed Moderate Physical Activity Categories

Calculated Variables:
bles:

Column: 1511

Type: Num

SAS Variable Name: MODCAT_

Prologue:

Description: 3 level moderate physical activity category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Meet recommendations for moderate physical activity Notes: MODPACT = 1 and _MODPAMN >= 30 and MODPADAY >= 5	2,018	36.86	33.94
2	Insufficient activity to meet moderate recommendations Notes: MODPACT = 1 and _MODPAMN < 30 or MODPADAY < 5	2,309	42.17	48.02
3	No moderate physical activity Notes: MODPACT = 2 or _MODPAMN = 0	757	13.83	11.37
9	Don't know/Not sure/Refused/Missing Notes: MODPACT = 7 or 9 or Missing or MODPACT = 1 and MODPADAY = 77 or 99 or Missing or MODPATIM = 777 or 999 or Missing	391	7.14	6.67

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Computed Vigorous Physical Activity Categories

Calculated Variables:

Type: Num

Column: 1512

SAS Variable Name: VIGCAT_

Prologue:

Description: 3 level vigorous physical activity category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Meet recommendations for vigorous physical activity Notes: VIGPACT = 1 and _VIGPAMN >= 20 and VIGPADAY >= 3	1,353	24.71	28.39
2	Insufficient activity to meet vigorous recommendations Notes: VIGPACT = 1 and _VIGPAMN < 20 or VIGPADAY < 3	933	17.04	21.84
3	No vigorous physical activity Notes: VIGPACT = 2 or _VIGPAMN = 0	2,861	52.26	43.96
9	Don't know/Not sure/Refused/Missing Notes: VIGPACT = 7 or 9 or Missing or VIGPACT = 1 and VIGPADAY = 77 or 99 or Missing or VIGPATIM = 777 or 999 or Missing	328	5.99	5.81

Computed Overall Physical Activity Categories

Calculated Variables:

Type: Num

Column: 1513

SAS Variable Name: PACAT_

Prologue:

Description: 5 level physical activity category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Meet recommendations for moderate and vigorous physical activity Notes: MODCAT_ = 1 and VIGCAT_ = 1	837	15.29	15.42
2	Meet recommendations for vigorous physical activity Notes: VIGCAT_ = 1 and MODCAT_ not equal to 1	516	9.42	12.97
3	Meet recommendations for moderate physical activity Notes: MODCAT_ = 1 and VIGCAT_ not equal to 1	1,181	21.57	18.52
4	Insufficient activity to meet moderate or vigorous recommendations Notes: MODCAT_ = 2 and VIGCAT_ = 2 or 3 or VIGCAT_ = 2 and MODCAT_ = 3	1,856	33.90	36.85
5	No moderate or vigorous physical activity Notes: MODCAT_ = 3 and VIGCAT_ = 3	671	12.26	9.11
9	Don't know/Not sure/Refused/Missing Notes: MODCAT_ = 9 or VIGCAT_ = 9	414	7.56	7.13

Moderate Physical Activity Calculated Variable

Calculated Variables:

Type: Num

Column: 1514

SAS Variable Name: _RFPAMOD

Prologue:

Description: Adults that have reported participating in either moderate physical activity defined as 30 or more minutes per day for 5 or more days per week, or vigorous activity for 20 or more minutes per day on 3 or more days

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: PACAT_ = 1 or 2 or 3	2,534	46.28	46.91
2	No Notes: PACAT_ = 4 or 5	2,527	46.16	45.96
9	Don't know/Not Sure/Refused/Missing Notes: PACAT_ = 9	414	7.56	7.13

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Vigorous Physical Activity Calculated Variable

Calculated Variables:

Type: Num

Column: 1515

SAS Variable Name: _RFPVIG

Prologue:

Description: Adults that have reported participating in vigorous activity for 20 or more minutes per day on 3 or more days

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: PACAT_ = 1 or 2	1,353	24.71	28.39
2	No Notes: PACAT_ = 3 or 4 or 5	3,794	69.30	65.80
9	Don't know/Not Sure/Refused/Missing Notes: PACAT_ = 9	328	5.99	5.81

Recommended Physical Activity Calculated Variable

Calculated Variables:

Type: Num

Column: 1516

SAS Variable Name: _RFPAREC

Prologue:

Description: Adults self reported physical activity level status

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Meet physical activity recommendations Notes: PACAT_ = 1 or 2 or 3	2,534	46.28	46.91
2	Insufficient physical activity Notes: PACAT_ = 4	1,856	33.90	36.85
3	No physical activity Notes: PACAT_ = 5	671	12.26	9.11
9	Don't know/Not Sure/Refused/Missing Notes: PACAT_ = 9	414	7.56	7.13

No Physical Activity or Exercise Calculated Variable

Calculated Variables:

Type: Num

Column: 1517

SAS Variable Name: _RFNOPA

Prologue:

Description: Adults that have reported participating in physical activity or exercise

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: _RFPAREC = 1 or 2 or _TOTINDA = 1	4,853	88.64	92.05
2	No Notes: _RFPAREC = 3 and _TOTINDA = 2	481	8.79	6.00
9	Don't know/Not Sure/Refused/Missing Notes: _RFPAREC = 9 or _TOTINDA = 9	141	2.58	1.95

Computed Minutes of Moderate Physical Activity per Week

Calculated Variables:

Type: Num

Column: 1518-1522

SAS Variable Name: _MODMWNK

Prologue:

Description: Total minutes of moderate physical activity per week

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of physical activity	5,084	100.00	100.00
BLANK	Don't know/Not sure/Refused/Missing	391		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Computed Minutes of Vigorous Physical Activity per Week

Calculated Variables:

Type: Num

Column: 1523-1527

SAS Variable Name: _VIGMNWK

Prologue:

Description: Total minutes of vigorous physical activity per week

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of vigorous physical activity	5,147	100.00	100.00
BLANK	Don't know/Not sure/Refused/Missing	328		

Computed Minutes of Total Physical Activity per Week

Calculated Variables:

Type: Num

Column: 1528-1532

SAS Variable Name: _TOTMNWK

Prologue:

Description: Total minutes of physical activity per week

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of physical activity	5,011	100.00	100.00
BLANK	Don't know/Not sure/Refused/Missing	464		

150 Minute Physical Activity Calculated Variable

Calculated Variables:

Type: Num

Column: 1533

SAS Variable Name: _PA150RC

Prologue:

Description: Adults that participated in 150 minutes of physical activity per week.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	150+ minutes of physical activity	3,213	58.68	63.55
2	1-149 minutes of physical activity	1,192	21.77	20.41
3	0 minutes of physical activity	671	12.26	9.11
9	Don't know/Not Sure/Refused/Missing	399	7.29	6.93

300 Minute Physical Activity Calculated Variable

Calculated Variables:

Type: Num

Column: 1534

SAS Variable Name: _PA300RC

Prologue:

Description: Adults that participated in 300 minutes of physical activity per week.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	301+ minutes of physical activity	2,132	38.94	42.99
2	1-300 minutes of physical activity	2,243	40.97	40.47
3	0 minutes of physical activity	671	12.26	9.11
9	Don't know/Not Sure/Refused/Missing	429	7.84	7.42

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CODEBOOK REPORT, 2009**

Ever been tested for HIV calculated variable

Calculated Variables:

Type: Num

Column: 1535

SAS Variable Name: _AIDTST2

Prologue:

Description: Adults aged 18-64 that have ever been tested for HIV

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: 18 <= AGE <= 64 and HIVTST5 = 1	1,209	37.64	42.29
2	No Notes: 18 <= AGE <= 64 and HIVTST5 = 2	1,898	59.09	55.45
9	Don't know/Not Sure/Refused Notes: 18 <= AGE <= 64 and HIVTST5 = 7 or 9 or AGE = 7 or 9 or Missing	105	3.27	2.26
BLANK	Missing or Age greater than 64 Notes: 18 <= AGE <= 64 and HIVTST5 = Missing or AGE > 64	2,263		